



## *Senecio bipinnatisectus*

### **Common Name(s):**

Australian fireweed

### **Current Threat Status (2018):**

At Risk - Declining

### **Habitat:**

Disturbed sites - tracks, forest edges, dunes, clay or gravel road edges. Long-regarded as adventive from Australia, it is now regarded as another successful trans-Tasman coloniser - as with *Senecio esleri*, *S. hispidulus*, *S. minimus*, *S. biserratus*, *S. diaschides* etc.

### **References and further reading:**

de Lange, P.J.; Rolfe, J.R.; Barkla, J.W.; Courtney, S.P.; Champion, P.D.; Perrie, L.R.; Beadel, S.M.; Ford, K.A.; Breitwieser, I.; Schonberger, I.; Hindmarsh-Walls, R.; Heenan, P.B.; Ladley, K. 2018: Conservation status of New Zealand indigenous vascular plants, 2017. New Zealand Threat Classification Series 22. Department of Conservation, Wellington. 82 p.

### **For more information, visit:**

[http://nzpcn.org.nz/flora\\_details.asp?ID=2680](http://nzpcn.org.nz/flora_details.asp?ID=2680)



**Caption:** Otaki Forks, Taraua Forest Park. 070423.

**Photographer:** Jeremy Rolfe



**Caption:** *Senecio bipinnatisectus*

**Photographer:** John Smith-Dodsworth