Senecio hauwai

Common Name(s):

Marfells groundsel, Cloudy Bay groundsel

Current Threat Status (2012):

Threatened - Nationally Endangered

Distribution:

Endemic. South Island, Marlborough, White Bluff to Marfells Beach

Habitat:


A strictly coastal species of steep sided, calcareous (papa) mudstone/siltstone cliff faces and canyons

Features*:

Perennial, prostrate to wekaly ascending herb of calcareous siltstone (papa) cliffs. Plants basally woody otherwise subsucculent. Leaves sparsely hairy when young, glabrate, apetiolate, cuneate; 12-30 x 5-12 mm, dark green to purple-green above, usually purple beneath, elliptic-oblong to oblanceolate, deeply pinnatifid to 1-pinnate; segements 6-10-12, narrow-oblong, few-toothed or entire. Uppermost leaves similar but smaller and less divided. Supplementary bracts and calycular bracteoles 3-7, 2-3 mm long. Involucral bracts 11-13, 4-5 mm long, glabrous or sparsely hairy. Ray florets 0, disc 5-9 mm diameter, pale yellow. Cypsela 4.0-5.5 mm long, orange-brown to brown, narrowly oblong to narrowly oblong-elliptic, slightly narrowed at apex, ribs broad and rounded; grooves narrow, papillate hairs short, retrorse, in 1-2 sparse rows in grooves.



Caption: Ex. Marfells Beach **Photographer:** Gillian Crowcroft



Caption: Close up, ex. Marfells

Beach

Photographer: G.M. Crowcroft

Flowering: Fruiting:

October - March December - May

Threats:

A narrow range endemic not currently threatened. However its habitat is vulnerable to weed invasion, and is naturally erosion prone. Populations therefore can fluctuate in size and extent over short periods of time. Current monitoring indicates there is no need for concern

*Attribution:

Fact Sheet prepared for NZPCN by P.J. de Lange 1 November 2008. Description based on Sykes (1987).

References and further reading:

Sykes, W. R. 1987: A new species of Senecio from New Zealand. New Zealand Journal of Botany 25: 611-613

For more information, visit:

http://nzpcn.org.nz/flora_details.asp?ID=679