

file:pna817.doc(191197)

Site visit PNA site 817, Brookfield Bush, Waipoua River, Masterton, grid T26.320283, 18.11.1997.

I visited the site for approx. half an hour.

The area is fenced off, but is being grazed by cattle. Most trees and shrubs are old and there is little re-generation. The understory is dominated by *Urtica*. The area has restoration potential.

Important species found are *Coprosma virescens* (13 individuals seen) and *Ileostylus micranthus* (at least one large plant growing on totara).

trees and shrubs

<i>Alectryon excelsus</i>	titoki
<i>Coprosma rigida</i>	
<i>C. rotundifolia</i>	
<i>C. virescens</i>	
<i>Cordyline australis</i>	cabbage tree
<i>Dacrycarpus dacrydoides</i>	kahikatea
<i>Hoheria populnea</i>	houhere, lacebark
<i>Ileostylus micranthus</i>	mistletoe
<i>Lophomyrtus obcordata</i>	rohutu
<i>Melicope simplex</i>	
<i>Melicytus micranthus</i>	
<i>Myrsine divaricata</i>	weeping matipo
<i>Pennantia corymbosa</i>	kaikomako
<i>Plagianthus regius</i>	
<i>Podocarpus totara</i>	totara
<i>Prumnopitys taxifolia</i>	matai
<i>Sophora microphylla</i>	kowhai
<i>Streblus heterophyllus</i>	small-leaved milk tree
<i>Urtica ferox</i>	

Aalbert Rebergen
Conservation Officer
DOC Masterton