

INDIGENOUS VASCULAR PLANTS NEAR DANNEVIRKE, AND IN THE HISTORIC

ORINGI CLEARING[†], HAWKE'S BAY, 400-1200 FT

T23 670 deg

1976

[†] For location of Otingi Clearing see Wilson et al. 1939:
"History of Hawke's Bay" (A.H. and A.W. Reed) pp. 3

A.P.Druce, Botany Division, D.S.I.R., July 1975 (revised June 1976)

(Based on visits 1966-1976)

(unc) - uncommon

May 1977
Oct 1977
June 1979
May 1980
July 1985
Aug 1990

Lophomyrtus bullata July 1992)*L. obcordata**L. bullata* × *L. obcordata**Melicytus ramiflorus* ssp. *ramiflorus**Myrsine australis**Nestegis lanceolata**N. montana* (unc)*Nothofagus solandri* var. *solandri* (unc)*N. fusca* × *N. solandri* (Colenso 1884,
as *Fagus apiculata*)**GYMNOSPERM TREES**

Dactylocarpus dactyloides
Dactylium cupressinum
Podocarpus totara s.s.
Prumnopitys ferruginea
P. taxifolia

MONOCOT TREES

Cordyline australis
C. banksii

DICOT TREES

Alectryon excelsus var. *excelsus*
Aristotelia serrata
Beilschmiedia tawa
Carpodetus serratus
Cotynocarpus laevigatus (unc)
Elaeocarpus dentatus (incl. *E. var.*
abovatus)
E. hookerianus
Fuchsia excorticata

Hohertia populnea var. *lanceolata*
Knightia excelsa

Pennantia corymbosa
Pittosporum eugenoides
P. tenuifolium ssp. *tenuifolium*
Plagianthus regius var. *regius*
Pseudopanax alboreus var. *alboreus*
P. crassifolius
Schefflera digitata
Sophora microphylla
S. tetraptera
Streblus heterophyllus
Weinmannia racemosa var.
racemosa

DICOT SHRUBS

- Brachyglottis repanda* s.s.
Carmichaelia sp. (subgenus
Carmichaelia)
Coprosma areolata
C. crassifolia
C. foetidissima (Colenso 1899, as *C. sagittata*)
C. grandifolia
C. lucida s.s.
C. propinqua ssp. *propinqua*
C. thamnoides (incl. *C. polymorpha*)
C. rigidula
C. robusta
C. rotundifolia
C. tenuicaulis
C. vitescens
C. sp. (unnamed) (drupe small, violet) (unc)
C. propinqua X *C. robusta*
- Malicytus mictanthus* (incl. *M. m.* var.
microphyllus)
M. m. X *M. ramiflorus* (unc)
Myrsine divaricata s.s.
M. australis X *M. divaricata* (Colenso
1890, as *M. neo-zealandensis*)
- Neomyrtus pedunculata*
Olearia solandri
O. virgata var. *virgata* (incl. *O. v.* var.
tamuliflora)
Pimelea prostrata (Colenso 1889, as
P. rugulosa)
P. tomentosa (unc)

- Pseudopanax anomalus*
Pseudowintera axillaris (unc)
Teucrium parvifolium (incl. *T. p.* var.
luxurians) (unc)

Urtica ferox

- Ileostylus mictanthus* (unc)
Diacophyllum strictum (unc)
Fuchsia excorticata X *F. perscandens* (unc)

- Gaultheria antipoda*
Goniostoma rupestre var. *ligustrinum*
Hebe stricta var. *stricta*

- H. sp.* (*Veronica squallida*)

- Helichrysum aggregatum* var. *aggregatum*

- Kunzea ericoides* agg.

- Leptospermum scoparium*

- Leucopogon fasciculatus* var.

- L. fraseri* s.s.

- Melicope simplex*

MONOCOT LIANES

- Ripogonum scandens*

DICOT LIANES AND RELATED PLANTS

- Calystegia tuguriorum*

- Clematis foetida*

- C. forsteri*

- C. paniculata*

<i>Fuchsia perscandens</i> (unc)	<i>B. discolor</i>
<i>Metrosideros colensoi</i> (incl. <i>M.c.</i> var. <i>pendens</i>)	<i>B. filiforme</i>
<i>M. diffusa</i>	<i>B. fluvatile</i> agg.
<i>M. perforata</i>	<i>B. membranaceum</i>
<i>Muehlenbeckia australis</i>	<i>B. sp.(i)(unnamed)</i> (common lowland sp; lower pinnae reduced in length)
<i>M. axillaris</i> (unc)	<i>B. sp.(ii)(unnamed)</i> (cliff sp; lower pinnae not reduced)
<i>M. complexa</i>	<i>B. chambetsii</i> X <i>B. membranaceum</i>
<i>M. ephedroides</i> (unc)	<i>Botrychium biforme</i>
<i>Parsonsia capsularis</i> var.	
<i>P. heterophylla</i>	<i>Chilanthes distans</i> (unc)
<i>P. capsularis</i> X <i>P. heterophylla</i>	<i>Ctenopteris heterophylla</i>
<i>Passiflora tetrandra</i>	
<i>Rubus australis</i>	
<i>R. cissoides</i> var. <i>cissoides</i>	
<i>R. schmidelioides</i> var. <i>schmidelioides</i>	
<i>M. australis</i> X <i>M. complexa</i> (unc)	<i>Dicksonia fibrosa</i>
<i>M. axillaris</i> X <i>M. ephedroides</i> (unc)	<i>D. lanata</i> (Colenso 1883)
<i>M. ephedroides</i> X <i>M. complexa</i> (unc)	<i>D. squarrosa</i>

FERNS

<i>Adiantum cunninghamii</i>	<i>Histiopteris incisa</i>
<i>A. diaphanum</i> (unc)	<i>Hymenophyllum bivalve</i>
<i>Anarthropteris lanceolata</i>	<i>H. demissum</i>
<i>Atthropteris tenella</i> (Colenso 1883, as <i>Polypodium tenellum</i>)	<i>H. dilatatum</i>
<i>Asplenium bulbiferum</i>	<i>H. flabellatum</i>
<i>A. flabellifolium</i>	<i>H. flexuosum</i> (Colenso 1883, as <i>H.</i> <i>javanicum</i>)
<i>A. flaccidum</i>	<i>H. multifidum</i>
<i>A. gracillimum</i>	<i>H. latum</i>
<i>A. hookerianum</i>	<i>H. revolutum</i>
<i>A. oblongifolium</i>	<i>H. sanguinolentum</i> agg.
<i>A. polyodon</i>	<i>H. scabrum</i>
	<i>Hypolepis ambigua</i>
	<i>H. distans</i> (Colenso 1883)
	<i>H. rufobarbata</i>
<i>Blachium chambersii</i>	

GRASSES

Lastreopsis glabella
L. hispida
L. microsora ssp. *penitangulatis*
L. velutina
Leptolapia novae-zelandiae
Leptopteris hymenophylloides
Paesia scaberula
Pellaea rotundifolia
P. sp. (unnamed)
Phymatosorus pustulatus
P. scandens
Polystichum richardii
P. silvaticum
P. vestitum
Pteridium esculentum
Pteris pendula
P. tremula
Pyrosia eleagnifolia
Pneumatopteris pennigera

Trichomanes teniforme
T. venosum

Anamanthele lassoniana (unc)
Elymus multiflorus (unc)
E. hardyioides (Cheeseman 1925, as
E. sp. (aff. E. tectorius))
Cortaderia toetoe
Dichelachne crinita
Echinopogon ovatus
Microlaena avenacea
M. polynoda
M. stipoides

Poa anceps ssp. *anceps*
Rytidosperma clavatum

Zoysia minima (Colenso 1890, as
Gymnadiia minima)

SEDGES

ORCHIDS

Eatina micronata s.s.
Gastodia cunninghamii

Microlis unifolia
Thalymia formosa (Colenso 1884)
T. longifolia

Carex breviculmis
C. colensoi (unc)
C. dissita s.s.
C. flagellifera
C. forsteri
C. inversa (unc)
C. lambertiana (unc)
C. taoulii
C. secta s.s.
C. solandri
C. virgata
C. sp. (unnamed; aff. C. geminata)
 (much larger than C. geminata; lvs
up to 2.5 cm wide)
Gahnia pauciflora (unc)
Isolepis reticulata

Machaerina sinclairii
Uncinia banksii
U. ferruginea
U. laxiflora

U. scabra
U. uncinata

Lagenifera pumila
L. stlangulata
Leptinella diocca ssp. *diocca* (Lloyd 1972, as *Cotula diocca* sp. *diocca*)
L. pusilla (Lloyd 1972, as *Cotula per-pusilla*)
Pseudognaphalium sp. (aff. *P. luteoalbum*)
Senecio glomeratus
S. minimus
S. quadridentatus
S. tenuiglandulosus var.

DICOT HERBS OTHER THAN COMPOSITES

RUSHES

Juncus australis
J. gregiflorus
J. pallidus
J. holoschoenus (unc)
Luzula picta ss.

Acaena juvenca
Australinia pusilla

Callitriches muelleri (Colenso 1888,
 as *C. microphylla*)
Cardamine sp. (*C. debilis* agg.) ("Narrow
 Petal" of Pritchard 1957)

Dichondra sp.
Drasera binata (Colenso 1891, as
D. flagellifera)

Epilobium cinereum

E. heteroides

E. nummulariifolium

E. rotundifolium

E. tenuipes (Cheeseman 1925;
 Raven and Raven, 1976)

Euphrasia cuneata (unc)

Galium perpusillum (Colenso 1889,
 as *Asperula aristifera*)

G. propinquum

G. trilobum (Colenso 1888)

Geranium sp. (unnamed, aff. *G. micocephalum*)

Gonocarpus micranthus ssp. *micranthus* (Orchard 1975)

Gunnera monoica

G. proropens (Colenso 1886, as *G. flavidia*)

MONOCOT HERBS (OTHER THAN ORCHIDS)

[GRASSES, SEDGES, RUSHES]

Arthropodium candidum
Astelia fragrans

Colospermum microspermum
Dianella nigra
Libertia grandiflora
Phormium cookianum

Euphrasia cuneata (unc)

E. heteroides

E. nummulariifolium

E. rotundifolium

E. tenuipes (Cheeseman 1925;
 Raven and Raven, 1976)

Euphrasia cuneata (unc)

Galium perpusillum (Colenso 1889,
 as *Asperula aristifera*)

G. propinquum

G. trilobum (Colenso 1888)

Geranium sp. (unnamed, aff. *G. micocephalum*)

Gonocarpus micranthus ssp. *micranthus* (Orchard 1975)

Gunnera monoica

G. proropens (Colenso 1886, as *G. flavidia*)

COMPOSITE HERBS

Anaphalis keriensis ss.
A. subrigida
Celmisia gracilenta ssp. (unc)
Craspedia viscosa (Colenso 1881)
Gnaphalium audax ss.
G. limosum ss.

Helichrysum filicaule

G. trilobum (Colenso 1888)

Geranium sp. (unnamed, aff. *G. micocephalum*)

Gonocarpus micranthus ssp. *micranthus* (Orchard 1975)

Gunnera monoica

G. proropens (Colenso 1886, as *G. flavidia*)

6

Haloragis erecta ssp. *erecta*
Hydrocotyle elongata
H. heterometa
H. moschata
H. novae-zelandiae s.s.
Mantha cunninghamii (unc)
Myosotis pygmaea s.s. (unc)
Nertera depressa (incl. *N. cunninghamii*)
N. setulosa
Outisia macrophylla ssp. *robusta* (unc)
Oxalis exilis
Parietaria debilis
Plantago raoulii
Pratia angulata agg.
Ranunculus amphitrichus
R. multiscapus (Colenso 1891, as *R. muricatus*)
R. reflexus
Schizolemma trifoliolatum

Stellaria decipiens (incl. *S. parviflora*)
Viola cunninghamii (Colenso 1884,
as *V. peregrina*)

No. of species: 258.

REFERENCES

- Colenso, W. 1883: "... ferns ... in the Seventy-mile Bush, between Norsewood and Dannevirke ...". Trans. N.Z. Inst. 15: 311-20.
- 1884: A further contribution towards making known the botany of New Zealand. Trans. N.Z. Inst. 16: 325-63.
- 1886: "... a further contribution towards the making known the botany of New Zealand". Trans. N.Z. Inst. 18: 256-87.
- 1888: On new phaeognomic plants of New Zealand. Trans. N.Z. Inst. 20: 188-211.
- 1889: "... a further contribution towards the making known the botany of New Zealand". Trans. N.Z. Inst. 21: 80-108.
- 1890: "... a further contribution towards the making known the botany of New Zealand". Trans. N.Z. Inst. 22: 459-93.
- 1891: "... a further contribution towards the making known the botany of New Zealand". Trans. N.Z. Inst. 23: 381-91.
- 1899: "... a further contribution towards the making known the botany of New Zealand". Trans. N.Z. Inst. 31: 266-81.
- Lloyd, D.G. 1972: A revision of the New Zealand, Subantarctic, and South American species of Cotula, Section Leptinella. N.Z. Jl Bot. 10: 277-372.
- Pritchard, G.G. 1957: Experimental taxonomic studies on species of Cardamine Linn. in New Zealand. Trans. R. Soc. N.Z. 85: 75-89.
- Raven, P.H.; Raven, T.E. 1976: The genus Epilobium (Onagraceae) in Australasia: a systematic and evolutionary study. N.Z. D.S.I.R. Bull. 216. 321 pp.

