

INDIGENOUS VASCULAR PLANTS OF TURAKINA BEACH, MNNAWATU

COHST

Grid ref. N143 66-69-

A.P.Druce, Botany Division, D.S.I.R., June 1975

(revised June 1976 July 1988
May 1977 Nov. 1990)

(Based on visits 1967 and 1975)

June 1979
May 1980
Aug 1982
Oct. 1983

B.sp.(b)(unnamed)(clifsp.;
lower pinnae not reduced)
Hypolepis ambigua

NONCOT TREES

Cordyline australis

DICOT SHRUBS

Cassinia leptophylla var. *leptophylla*

Coprosma acerosa ssp. *acerosa*

C. propinqua ssp. *propinqua* (incl.
C.p. var. *latiuscula*)

C. robusta

C.propinqua X *C. robusta*

Leptospermum scoparium

Olearia solandri

Pimelea arenaria

P.sp.(cf.P.univillosa) (sprawling to suberect
shrub with imbricated lvs)

Pneumatopteris pennigera

Pteridium esculentum

ORCHIDS

Corybas rivularis ss.

Microtis unifolia

Thelymitra longifolia

GRASSES

Cortaderia toetoe

Deyeuxia billardierei

Lachnagrostis filiformis s.s.

DICOT LIANES

Calystegia sepium ssp.

SEDGES

Baumea juncea
Carex buchananii
C. pumila
Cyperus ustulatus
Desmoschoenus spitalis
Eleocharis gracilis
Isolepis basilatis
I. cernuus
I. nodosa
Schoenoplectus pungens
Schoenus nitens

RUSHES

Juncus caespiticius
Leptocarpus similis

MONOCOT HERBS (OTHER THAN ORCHIDS)

GRASSES, SEDGES, RUSHES

Libertia petagnians
Phormium tenax
Potamogeton ochreatus (Cockayne 1908)
Triglochin striata
Typha orientalis

COMPOSITE HERBS

Cotula coronopifolia
Gnaphalium audax

Lageniforma pumila
Pseudognaphalium sp. (unnamed; aff.
P. luteoalbum)

DICOT HERBS (OTHER THAN COMPOSITES)

Calystegia soldanella
Chenopodium glaucum var. *ambiguum*
Epilobium billardiereanum s.s.
E. heteroides
E. pallidiflorum
Gunnera dentata var. (*G. arenaria*)
Hydrocotyle novae-zelandiae s.s.

Limosella lineata
Lobelia anceps
Mazus sp. (M. pumilio auct. N.Z.)
Mentha cunninghamii
Myriophyllum pedunculatum ssp.
novae-zelandiae
M. Votschii
Oxalis tuberosa

Ranunculus acaulis
Samolus repens var. *repens*
Sarcocornia quinqueflora
Sebaea ovata
Selliera radicans agg.
Viola cunninghamii (Cockayne 1908)

No. of species: 68.

Reference
 Cockayne, L. 1908: Trans. N.Z. Inst. 41: 399.

[WHANGANUI PLANT LIST NO. 25]

Vascular Plants of Turakina Beach (Koitiata), Manawatu Coast
Grid Ref N 143 66-69

A P Druce, Botany Division, DSIR
June 1975 (last revised ~~July 1988~~ Nov. 1990)
(based on visits 1967 and 1975)

C C Ogle, Department of Conservation
Wanganui (additions: 5 Dec 1991, and
from Wanganui Botanical Group, 30 January 1993,
and April 1993)
(revised A.P.D. May 1993)

(unc) — uncommon;
(+) — seen since 1988;

(A) INDIGENOUS SPECIES

Monocot Trees

Cordyline australis	(+)	cabbage tree
---------------------	-----	--------------

Dicot Shrubs

Cassinia leptophylla var. leptophylla	(+)	tauhinu
Coprosma acerosa ssp. acerosa	(+)	sand coprosma
C. propinqua ssp. propinqua (etc. C. p. var. latiuscula)		
C. repens	(+)	taupata
C. robusta	(+)	karamu
C. propinqua x C. robusta		
Leptospermum scoparium	(+)	manuka
Olearia solandri	(+)	
Pimelea arenaria		sand daphne
P. sp. (cf. P. urvilleana) (sprawling to suberect shrub with imbricated lvs)		

Dicot Lianes

Calystegia sepium ssp.	(+)	convolvulus
Muehlenbeckia complexa agg.	(+)	pohuehue

Ferns

Adiantum cunninghamii	(+)	maidenhair fern
Asplenium oblongifolium		shining spleenwort
A. polyodon	(+) (unc)	sickle spleenwort
Blechnum minus		swamp kioio

B. sp. (i) (unnamed; common lowland sp. lower pinnae reduced in length)	(+)	kiokio
B. sp. (ii) (unnamed) (cliff sp; lower pinnae not reduced)		
Hypolepis ambigua		
Pneumatopteris pennigera		
Pteridium esculentum		bracken
Pyrrosia eleagnifolia	(+) (unc)	

Orchids

Corybas rivularis		spider orchid
Microtis unifolia	(+)	onion-leaved orchid
Thelymitra longifolia	(+)	sun orchid

Grasses

Cortaderia toetoe	(+)	toetoe
Deyeuxia billardierei	(+)	sand bent
Lachnagrostis filiformis s.s.		
Spinifex sericeus	(+)	spinifex
Zoysia minima	(+)	

Sedges

Baumea juncea	(+)	
Carex buchananii		
C. pumila	(+)	sand carex
C. virgata	(+)	
Cyperus ustulatus	(+)	
Desmoschoenus spiralis	(+)	pingao
Eleocharis acuta	(+)	sharp spike sedge
E. gracilis		slender spike sedge
Isolepis basilaris		
I. cernua		
I. nodosa	(+)	club sedge
Schoenoplectus pungens	(+)	3-square
S. validus	(+)	kapungawha
Schoenus nitens	(+)	

Rushes

Juncus caespiticus		
J. maritimus var. australiensis	(+) (unc)	sea rush
Leptocarpus similis	(+)	jointed rush

**Monocot Herbs Other Than Orchids,
Grasses, Sedges, Rushes**

<i>Libertia peregrinans</i>	(+)	sand iris
<i>Phormium tenax</i>	(+)	flax, harakeke
<i>Potamogeton ochreatus</i> [(Cockayne 1908)]		
<i>P. pectinatus</i> [Aston 1910]	(+)	
<i>Triglochin striatum</i> a	(+)	
<i>Typha orientalis</i>	(+)	raupo

Composite Herbs

<i>Gentiana</i>		
<i>Gentella minima</i> (?)	(+) (unc)	
<i>Cotula coronopifolia</i>	(+)	bachelor's button
<i>Gnaphalium audax</i>		cudweed
<i>Lagenifera pumila</i>		
<i>Pseudognaphalium</i> sp. (<i>P. luteoalbum</i> agg)	(+)	cudweed
<i>Senecio hispidulus</i>	(+) (unc)	<i>quadridentatus</i>
<i>S. quadridentatus</i>		

Dicot herbs (other than composites)

<i>Apium</i> sp. (<i>A. filiforme</i> auct, NZ)	(+) (unc)	slender sea celery
<i>Calystegia soldanella</i>	(+)	sand convolvulus
<i>Chenopodium glaucum</i> var. <i>ambiguum</i>		
<i>Epilobium billardiereanum</i> s.s.		willowherb
<i>E. nerteroides</i>		"
<i>E. pallidiflorum</i>		"
<i>Gunnera dentata</i> var. (<i>G. arenaria</i>)		sand gunnera
<i>Hydrocotyle novae-zealandiae</i> ss.	(+)	swamp pennywort
<i>Lilaeopsis novae-zelandiae</i>	(+)	tape-measure plant
<i>Limosella lineata</i> agg.	(+)	
<i>Lobelia anceps</i>	(+)	NZ lobelia
<i>Mazus novaezealandiae</i>	(+) (unc)	
<i>Mentha cunninghamii</i>		NZ mint
<i>Myriophyllum pedunculatum</i> ssp. <i>novae-zealandiae</i>		
<i>M. votschii</i>		
<i>Oxalis rubens</i>	(+)	
<i>Polygonum salicifolium</i> agg.	(+)	NZ willowweed
<i>Pratia perpusilla</i> [between Rangitikei & Turakina Rivers; Aston 1910: 236]		
<i>Ranunculus acaulis</i>	(+)	sand buttercup
<i>Samolus repens</i> var. <i>repens</i>		NZ primrose
<i>Sarcocornia quinqueflora</i>	(+)	glasswort
<i>Sebaea ovata</i>		
<i>Selliera radicans</i> agg.	(+)	
<i>Viola cunninghamii</i> [Cockayne 1908]		
<i>Potentilla anserinoides</i>	(+) (unc)	

Number of Species

81 (+ 2?)

Reference

Aston B C, 1910. Trans. NZ Inst. 41:309
Cockayne L, 1908: Trans NZ Inst. 43: 225-47

(B) ADVENTIVE SPECIES (all seen on or after 21 November 1990)

Dicot shrubs and lianes

<i>Chrysanthemoides monilifera</i>		bone seed
<i>Cotoneaster</i> sp [seedling]	(unc)	
<i>Erica lusitanica</i>		Spanish heath
<i>Juglans ailantifolia</i> [seedlings]	(unc)	Japanese walnut
<i>Lavatera arborea</i>	(unc)	tree mallow
<i>Lupinus arboreus</i>		tree lupin
<i>Lycium ferocissimum</i>		boxthorn
<i>Populus alba</i>		silver poplar
<i>Rosa rubiginosa</i>		sweet brier
<i>Salix cinerea</i>		grey willow
<i>S. fragilis</i>		crack willow
<i>Sarothamnus (Acacia) sophorae</i>		sand wattle
<i>Senecio angulatus</i>		Cape ivy
<i>Ulex europaeus</i>		gorse

Dicot herbs

<i>Apium nodiflorum</i>		water celery
<i>Anagallis arvensis</i>		scarlet pimpernel
<i>Atriplex prostrata</i>		orache
<i>Beta vulgaris</i>	(unc)	silverbeet
<i>Bidens frondosa</i>	(unc)	beggar's ticks
<i>Carpobrotus</i> sp.		iceplant
<i>Centaurium erythraea</i>		centaury
<i>Cirsium arvense</i>	(unc)	Californian thistle
<i>C. vulgare</i>		Scotch thistle
<i>Conyza albida</i>		fleabane
<i>Coronopus didymus</i>		twin cress
<i>Crepis capillaris</i>		hawkbit
<i>Geranium molle</i>		soft do vesfoot
<i>Hypochaeris radicata</i>		catsear
<i>Lactuca</i> sp.		wild lettuce

<i>Leontodon taraxacoides</i>	hawkbit
<i>Linum bienne</i>	pale flax
<i>Lotus pedunculatus</i>	lotus major
<i>Medicago lupulina</i>	black medick
<i>Melilotus indica</i>	King Island melilot
<i>Mentha pulegium</i>	pennyroyal
<i>Myosotis laxa</i>	water forget-me-not
<i>Oenothera stricta</i>	evening primrose
<i>Orobanche minor</i>	broom-rape
<i>Parentucellia viscosa</i>	tarweed
<i>Plantago australis?</i>	swamp plantain
<i>P. major</i>	broad-leaved plantain
<i>Picris echioides</i>	ox-tongue
<i>Polygonum hydropiper</i>	water pepper
<i>Ranunculus repens</i>	creeping buttercup
<i>R. sceleratus</i>	celery-leaved buttercup
<i>R. trichophyllus</i>	water buttercup
<i>Raphanus raphanistrum</i>	wild radish
<i>Rorippa nasturtium-aquaticum</i> (?)	watercress
<i>Rumex conglomeratus</i>	clustered dock
<i>R. crispus</i>	curled dock
<i>R. obtusifolius</i>	broad-leaved dock
<i>Senecio elegans</i>	purple groundsel
<i>S. glastifolius</i>	holly-leaved senecio
<i>S. jacobaea</i>	ragwort
<i>Sisymbrium officinale</i>	hedge mustard
<i>Solanum chenopodioides</i>	velvety nightshade
<i>S. nigrum</i>	black nightshade
<i>Sonchus asper</i>	prickly sowthistle
<i>S. oleraceus</i>	puwha
<i>Spergularia rubra</i>	sand spurrey
<i>Stachys palustris</i> ¹	marsh woundwort
<i>Trifolium arvense</i>	haresfoot trefoil
<i>T. dubium</i>	suckling clover
<i>T. repens</i>	white clover
<i>Vicia sativa</i>	vetch

Monocot herbs

<i>Agrostis stolonifera</i>	creeping bent
<i>Aira caryophyllea</i>	silvery hair grass
<i>Ammophila arenaria</i>	marram grass
<i>Anthoxanthum odoratum</i>	sweet vernal
<i>Briza minor</i>	quaking grass
<i>Bromus diandrus</i>	ripgut brome
<i>Cortaderia selloana</i>	pampas grass
<i>Crocosmia x crocosmiiflora</i>	montbretia
<i>Cynodon dactylon</i>	Indian doab

¹ Marsh woundwort is recorded in NZ from only 2 locations, viz. "mainly near Turakina R" and "Hokoi estuary (near Levin)" (Flora of NZ Vol 4. P 796. 1988)

<i>Cyperus eragrostis</i>	(unc)	
<i>Dactylis glomerata</i>		cocksfoot
<i>Ehrharta villosa</i>		pyp grass
<i>Festuca arundinacea</i>		tall fescue
<i>Glyceria declinata</i>		floating sweetgrass
<i>Holcus lanatus</i>		Yorkshire fog
<i>Juncus acuminatus?</i>	(unc)	
<i>J. articulatus</i>		jointed-leaved rush
<i>J. bufonius</i>		toad rush
<i>Lagurus ovatus</i>		harestail
<i>Paspalum dilatatum</i>		paspalum
<i>P. distichum</i>		Mercer grass
<i>Pennisetum clandestinum</i>		kikuyu grass
<i>Polypogon mospeliensis</i>		beard grass
<i>Potamogeton crispus</i>		curled pondweed
<i>Sporobolus africanus</i>		ratstail
<i>Vulpia bromoides</i>		vulpia hair gras
<i>Yucca gloriosa</i>		yucca