

(5)
INDIGENOUS VASCULAR PLANTS BETWEEN OWHIRO BAY¹ AND SINCLAIR HEAD²:

SOUTH WELLINGTON COAST, S.L. TO 1000 FT

(Based on observations 1948-91)

¹ Grid ref N164 31-16

Nominal grid ref for first entry:

² Grid ref N164 28-12-

R 27 26550 59828

(Ref No. 1 - Sherry mid-point)

A.P. Drucé, Botany Division, D.S.I.R., July 1968

(revised Sept. 1970, April 1971, April 1972, Nov. 1972, June 1974,

June 1975, June 1976, May 1977, June 1979, June 1980, July 1985,

June 1986, Nov. 1988, June 1990, August 1992)

C. crassifolia

C. lucida s.s. (unc)

C. propinqua ssp. (var. latiuscula)

C. repens

C. thamnoides (incl. C. polymorpha)

C. robusta (unc)

C. crassifolia X C. repens (Asten,
Trans. N.Z. Inst. 42:26 and 43:225,
as C. buchananii)

C. propinqua X C. robusta (unc)

Coriaria sarmentosa

Discaria toumatou (unc)

Fuchsia excorticata X F. perscandens

Gaultheria antipoda (unc)

Grimmiam rupestre var. ligustrifolium

Griselinia lucida (unc)

Hebe stricta var. macrocarpa

H. sp. (Veronica arborea)

Helichrysum aggregatum var. aggt.

Brachyglottis repanda s.s.

Carmichaelia sp. (subgenus Carmichaelia)

Cassinia leptophylla var. leptophylla

Coprosma acerosa ssp. acetosa

C. areolata (unc)

Lepidospernum scoparium

Leucopogon fasciculatus var. (unc)

L. fraseri s.s. (unc)

MONOCOT TREES

Cordyline australis (unc)

C. lucida s.s. (unc)

C. propinqua ssp. (var. latiuscula)

DICOT TREES

Carpodetus serratus

C. thamnoides (incl. C. polymorpha)

Corynocarpus laevigatus

C. robusta (unc)

Fuchsia excorticata

C. crassifolia X C. repens (Asten,

Holophaea sp. (unnamed)

Trans. N.Z. Inst. 42:26 and 43:225,

Macropiper excelsum var. excelsum

as C. buchananii)

Melicytus ramiflorus ssp. ramiflorus

C. propinqua X C. robusta (unc)

Metrosideros robusta (unc)

Coriaria sarmentosa

Myrsine australis

Pennantia corymbosa

Sophora microphylla (unc)

Weinmannia racemosa var. race-

mosa (unc)

Discaria toumatou (unc)

Fuchsia excorticata X F. perscandens

Gaultheria antipoda (unc)

Grimmiam rupestre var. ligustrifolium

Griselinia lucida (unc)

Hebe stricta var. macrocarpa

H. sp. (Veronica arborea)

Helichrysum aggregatum var. aggt.

DICOT SHRUBS

Brachyglottis repanda s.s.

Carmichaelia sp. (subgenus Carmichaelia)

Cassinia leptophylla var. leptophylla

Coprosma acerosa ssp. acetosa

C. areolata (unc)

Lepidospernum scoparium

Leucopogon fasciculatus var. (unc)

L. fraseri s.s. (unc)

Malicytus crassifolius var. *crassifolius*
Muehlenbeckia astonii (unc)
Olearia paniculata
O. solandri
Pimelea prostrata

Purvillea (incl. *P. prostiata* var. *quadrifaria*)
Plagianthus divaricatus (unc)
Solanum aviculare var. *aviculare*

Urtica ferox

DICOT LIANES

Calystegia tugurioides
Clamatis afoliata (unc)
C. forsteri

Fuchsia perscandens
Metrosideros diffusa (unc)
M. fulgens (unc)
M. perforata
Muehlenbeckia australis
M. complexa
M. australis X *M. complexa* (unc)
Parsonsia capsularis
P. heterophylla (unc)
Rubus cissoides var. *cissoides*
R. schmidelioides var. *schmidelioides*
R. squarrosum (unc)

Tetragonia trigyna

LYCOPODES

Lycopodium volubile (unc)

FERNS

Adiantum cunninghamii
Asplenium bulbiferum
A. flabellifolium agg.
A. flaccidum
A. hookerianum
A. oblongifolium
A. terrestris esp. *maritimum*

Blechnum chambersii

B. bankii
B. discolor (unc)
B. filiforme (unc)
B. minus

B. penninervia (unc)

→ *B. sp.* (unnamed) (common lowland sp;
lower pinnae reduced in length)

B. procerum (unc)

Chilanthes distans (unc)

C. humilis

Cyathea dealbata

C. medullaris

Dicksonia fibrosa (unc)

D. squarrosa (unc)

Grammitis billardierei (unc)

Hymenophyllum minimum (unc)

H. multifidum (unc)

H. latum (unc)

H. sanguineum ags. (unc)

Lastreopsis microsora ssp. *pantangulatis* (unc)

L. velutina

Paesia scaberula

Pellaea calidifolium
P. rotundifolia

Phymatosorus pustulatus

Pneumatopteris paumigera

Polystichum richardii

Pteridium esculentum

Pteris macilenta (incl. *P. saxatilis*) (unc)

P. pendula

P. tremula

Pyrrhbia cleagnifolia

Festuca multinodis
Lachnagrostis filiformis s.s.
L. richardii

Microlaena stipoides

Rytidosperma unarede

Poa anceps ssp. *anceps*

P. cita ssp.

P. matthewsii (unc)

Puccinellia stricta

Spinifex setigerus

Trisetum antarcticum s.s. (incl. *T. saxeticolon*)

SEDGES

Carex breviculmis (unc)

C. dissecta ss.

C. flagellifera

C. forsteti (unc)

C. geminata s.s. (unc)

C. inversa

C. lessoniana (unc)

C. pumila

C. secta s.s.

C. testacea s.s. (unc)

C. virgata

Cyperus ustulatus

Isolepis cernua

I. nodosa

I. pottsii (unc)

I. prolifer

Uncinia leptostachya

GRASSES

Austrostipa littoralis

Cortaderia fulvida

Deyeuxia crinita

Echinopogon ovatus

Elymus sp. (aff. *E. rectisetus*)

RUSHES

Juncus caespiticius
J. matitimus var. *australiensis*
J. pallidus
J. planifolius
J. sarophorus
Leptocarpus similis
Luzula banksiana ss.
L. picta s.s.
L. banksiana X *L. picta*

Pseudognaphalium sp.(ii)(*P. luteoalbum*
agg.)
P. sp.(i)(*P. luteoalbum* agg.)
Raoulia glabra(unc)
R. sp.(coastal - see Allan 1961,
p. 706)
Senecio glomeratus(unc)
S. hispidulus
S. minimus
S. lautus ssp. *lautus*
S. tufiglandulosus var.
Sonchus kirkii
Vittadinia australis

MONOCOT HERBS (OTHER THAN ORCHIDS)**GRASSES, SEDGES, RUSHES)**

Arthropodium candidum
Astelia fragrans
Colospermum hastatum
Libertia grandiflora
L. ixoides
Phormium cookianum
Triglochin striata

COMPOSITE HERBS

Anaphalis keniensis ss.
Brachyglottis lagopus var. *lagopus*
Cotula coronopifolia

Craspedia uniflora var. *matitima*
Gnaphalium audax
G. gymnocephalum
Helichrysum filicaule
Lagenifera pumila
Leptinella squalida s.s.
Microseris scapigera var.

DICOT HERBS (OTHER THAN COMPOSITES)

Acaena ansetinifolia
A. juvenca
A. pallida(unc)
Aciphylla squarrrosa s.s.
Apium prostratum ssp.
Calystegia soldanella
*Cardamine sp.(ii)(cf. C.
cotymbosa)(Mainland Coastal
Race" of Pritchard 1957)*
*C. sp.(ii)(C. debilis agg.)("Narrow
Petal" of Pritchard 1957)*

Coleanthus muelleri

C. moschata

C. peduncularis (Buchanan *Ticus*
N.Z. Inst. 6:210, as *Tillaea*
purpurata)

C. sieberiana

Crassula debilis (Aston* *T.N.Z.I. 42:26*
and *43:225*, as *Tillaea debilis*)

*probably in error

- Dichondra repens* agg.
- Disphyma australe* ssp. *australe*
- Elatia allanii*
- E. triandra*
- Epilobium ciliolatum* s.s.
- E. insulare* (unc)
- E. microphyllum*
- E. heteroides*
- E. nummularifolium*
- E. pubens*
- E. rotundifolium*
- Eryngium vesiculosum*
- Galium propinquum*
- G. trilobum*
- Geranium* sp. (unnamed; aff. *G. microphyllum*)
- G. sessiliflorum* var. *novae-zelandiae*
- Gonocarpus* sp.
- Haloragis erecta* ssp. *erecta*
- Hydrocotyle elongata*
- H. heteromeria*
- H. moschata*
- Lilaeopsis novae-zelandiae*
- Linum monogynum*
- Lobelia anceps*
- Mentha cunninghamii* (unc)
- Myosotis forsteri*? (*Cockayne Trans. N.Z. Inst. 48: 203*)
- M. sp.* (unnamed; included in *M. australis*, as var. *lyelltonensis* by Laiig and Wall, 1924) (unc)
- Nertera depressa* (incl. *N. cunninghamii*)
- N. setulosa*
- Oxalis exilis*
- O. magellanica*
- Parietaria debilis*
- Plantago raoulii* form (ii) (inland form with narrowly elliptic lvs)
- P. r. form* (ii) (coastal form with broadly elliptic lvs)
- Ranunculus acaulis*
- R. reflexus*
- Scandia geniculata*
- Sarcococca quinqueflora*
- Scleranthus biflorus*
- Selliera radicans* agg.
- Spergularia media*
- Stellaria decipiens* (incl. *S. parviflora*)
- Wahlenbergia colensoi*
- W. gracilis* s.s.
- No. of species: 235.

