



INDIGENOUS HIGHER PLANTS (GYMNOSPERMS, LYCOPPODS, FERNS,
FLOWERING PLANTS) OF NGAURUKEHU SCIENTIFIC
RESERVE, HAUTAPU V., N.W. OF TAIHAPE,
625-760M (2050-2500 FT)

A.P.Druce, Wellington, and C.C.Ogle, Dept. of Conservation,
Wanganui, Nov. 1988 (revised Dec. 1990,
May 1991, Aug. 1992)

Based on visits Nov. 1988, May 1991, Jan. 1992)



(unc) - uncommon

GYMNOSPERM TREES

- Dacrycarpus dacrydioides*
- Dacrydium cupressinum*
- Libocedrus bidwillii* (unc)

- Pseudopanax arboreus*
- P. tassifolius*
- Schiziphora digitata*
- Sophora microphylla*
- Streblus heterophyllus* (unc)

Podocarpus hallii

P. totara s.s. (unc)

Prumnopitys ferruginea (unc)
(juv. only)

P. taxifolia

MONOCOT TREES AND SHRUBS

- Cordyline australis*
- C. banksii* (unc)
- C. indivisa* (unc)
- C. australis* × *C. banksii* (unc)

DICOT TREES

- Aristotelia serrata*
- Carpodetus serratus*
- Elaeocarpus hookerianus*
- Fuchsia excorticata* (unc)
- Griselinia littoralis*
- Hohertia populnea* var. *lanceolata*
- Lophomyrtus obcordata* (unc)
- Melicytus lanceolatus* (incl. *M. l.* var. *latior*)
- M. ramiflorus* ssp. *ramiflorus*
- Myrsinæ salicina* (unc) (juv. only)
- Nestegis cunninghamii*
- N. lanceolata*
- Pennantia corymbosa*
- Pittosporum eugenioides*
- P. tenuifolium* ssp. *tenuifolium*
- Plagianthus regius* var. *regius* (unc)

DICOT SHRUBS

- Alseuosmia pusilla*
- Aristotelia fruticosa* var. *microphylla* (unc)
- Brachyglossis repanda* s.s.
- Carmichaelia* sp. (subgenus
Carmichaelia)
- Coprosma grandifolia*
- C. linariifolia* (unc)
- C. lucida* s.s.
- C. propinquua* ssp. *propinquua*

C. thamnoides (incl. *C. polymorpha*)

- C. rigidula*
- C. robusta*
- C. rotundifolia*
- C. rubra*
- C. tenuifolia*
- C. wallii*
- C. sp. (unnamed)* (included in
C. parviflora by Oliver, 1935,
and others) (If undersurface
not minutely hairy as is usual in
C. parviflora; drupes vs. unpigment-
ed, occ. purplish red)
- C. propinquua* × *C. robusta* (unc)
- C. p.* × *C. tenuifolia* (unc)
- Cotaria arborea* (unc)
- Cotokia cotoneaster* var. *cotoneaster* (unc)
- Fuchsia excorticata* × *F. petiolaris*
(unc)

Gaultheria antipoda (unc)

Hebe stricta var. *stricta*

Leptospermum scoparium (unc) *icum* (unc)

Leucopogon fasciculatus var. (unc) *L.volubile* (unc)

Melicope simplex

Melicoccus micranthus (incl. M.
m. var. *microphyllus*)

M. sp. (unnamed) (branches
flaxose) (unc)

Myrsine divaricata

Neomyrtus pedunculata

Olearia hectorii var. (Ivs smaller
than in var. *hectorii*) (unc)

O. virgata var. (Ivs smaller than
in var. *virgata*)

Pseudopanax anomalous

Pseudowintera colorata

Tuparia antarctica (unc)

billardierei and *L.novae-zeland-*

icum) (unc)

L.volubile (unc)

FERNS

Adiantum cunninghamii (unc)

Asplenium bulbiferum

A.flaccidum

> *A.gracillimum* < *A.hookerianum* (unc)

A.polyodon < *A.oblongifolium* (unc)

A.bulbiferum X *A.flaccidum* (unc)

Blechnum chambersii

B.colensoi

B.discolor

B.fluviatile agg.

B.membranaceum (unc)

B.minus

B.penna-martini

B.procerum (unc)

B.sp. (unnamed) (common lowland
sp.; lower pinnae reduced in length)

Cyathea dealbata (unc)

C.smithii (unc)

Dicksonia fibrosa

Grammitis billardierei (unc)

Histiophytes incisa

Hymenophyllum demissum (unc)

H.multifidum (unc)

H.tatum (unc)

H.sanguinolentum agg.

- *Hypolepis ambigua* (unc)

H.tufobarbata (unc)

Leptolepia novae-zelandiae (unc)

Leptopteris hymenophylloides

L.superba

L.hymenophylloides X *L.*
superba (unc)

DICOT LIANES

Clematis foetida

C.fortunei

C.paniculata

C.quadribracteolata (unc)

Fuchsia perscandens (unc)

Metrosideros colensoi (incl.

M.c. var. pendens) (unc)

M.diffusa

Muehlenbeckia australis

M.a. X M.complexa (unc)

Parsonsia capsularis var.

P.heterophylla

Rubus cissoides

R.schmideliooides var. *schmidt-*
eliooides

Grammitis billardierei (unc)

Histiophytes incisa

Hymenophyllum demissum (unc)

H.multifidum (unc)

H.tatum (unc)

H.sanguinolentum agg.

- *Hypolepis ambigua* (unc)

H.tufobarbata (unc)

Leptolepia novae-zelandiae (unc)

Leptopteris hymenophylloides

L.superba

L.hymenophylloides X *L.*
superba (unc)

LYCOPDS

Lycopodium variuum (incl. L.

Paeonia scaberrima (unc)
Pellaea rotundifolia (unc)
Phymatosorus postulatus
Pneumatopteris pennigera
Polystichum richardii
P. silvaticum
P. vestitum (unc)
Pteridium esculentum
Pyrrosia elatagnifolia
Sticherus cunninghamii (unc)
Trichomanes venosum (unc)

Isolapis reticularis (unc)
Uncinia tipestris (incl. *U. angustifolia*)
U. scabra
U. uncinata
U. zotovii (unc)

RUSHES

Juncus gregiflorus (unc)
Luzula picta s.s.
L. subclavata

MONOCOT HERBS OTHER THAN ORCHIDS

GRASSES, SEDGES, RUSHES
Arthropodium candidum (unc)
Astelia fragrans
A. grandis (unc)
Cotyledon microspermum
Lemna sp. (*L. minor* auct. N.Z.) (unc)
Phormium cookianum
Potamogeton suboblongus (unc)
Typha orientalis (unc)

COMPOSITE HERBS

Anaphalis koreensis s.s.
Pseudognaphalium sp. (unnamed; aff. *P. luteoalbum*) (unc)
Senecio minimus
S. rufiglandulosus var. *rufiglandulosus*

DICOT HERBS OTHER THAN COMPOSITES

Acaena anserinifolia
A. juvencana

Cardamine sp. (i) (aff. *C. corymbosa*)
C. sp. (ii) (*C. debilis* agg.) ("Narrow Petal" of Pritchard 1957)

ORCHIDS

Corybas macranthus
C. hivalis (unc)
C. trilobus
Earia autumnalis (unc)
E. mucronata s.s.
Microtis oligantha (unc)
Pterostylis banksii
P. sp. (unnamed; aff. *P. montana*)

GRASSES

Cortaderia fulvida
Hierochloe redolens
Microlaena avenacea
M. stipoides
Poa anceps ssp. *anceps*
P. matthewsii
Rytidosperma clavatum (unc)
R. gracile

SEDGES

Carex dissita s.s.
C. geminata s.s.
C. inversa (unc)
C. secta s.s.
C. virgata (unc)

- C. sp.(iii)*(*C. debilis* ags.)("Glossy Leaf" of Pitchard 1957)(unc)
C. sp.(iv)(*C. debilis* ags.)("Long Style" of Pitchard 1957)
-> *Epilobium linnaeoides* (unc)
-> *E. rotundifolium* (unc)
-> *Hydrocotyle elongata*
H. heteromeria
H. novae-zealandiae ss. (unc)
Plantago raoulii (unc)
- < *Dactylanthus taylorii* (unc)
< *E. pubens* (unc)
< *Haloragis erecta* ssp. *erecta*
- Pratia angulata* agg. (unc)
Ranunculus amphitrichus
R. reflexus
Stellaria decipiens (incl. *S. parviflora*)
Urtica incisa
Viola filicaulis

No. of species: 180.

