

HIGHER PLANTS (LYCOPODS, FERNS, GYMNOSPERMS, FLOWERING PLANTS) OF ULTRAMAFIC ROCKS, S. ARTHUR RA.,


N.W. NELSON, 1300-1400M

Grid ref. NZMS 260 M27 780955

S.P. Courtney, D.O.C., Nelson, A.P. Druce, Wellington,  
and P.A. Williams, D.S.I.R., Land Resources, Nelson,  
June 1991 (revised July 1992)

(Based on visit February 1991)

Rocks: Cobb Igneous Complex: Talc-magnesite  
and quartz-magnesite derived from  
serpentinite



## INDIGENOUS PLANTS

### GYMNOSPERM TREES AND SHRUBS

*Podocarpus nivalis*

C.sp.(ii)(unnamed)(prostrate shrubs; lvs plano-convex, linear; drupes orange)

*Coriaria plumosa*

*Dracophyllum traversii* (incl. *D. pyramidale*)

*Dracophyllum longifolium* var. (incl. *D. filifolium* and *D. oliveri*)

*Hohertia lyallii* var. (*H. glabrata*)

*D.uniflorum*

*Nothofagus menziesii*

*Gaultheria crassa*

*Pseudopanax* sp. (unnamed; included in *P. colensoi*, as var. *ternatus* and as var. *fiordensis*, by Wardle 1968)

*G.sp. (unnamed; included in *G. depressa* s.s., *G. depressa*, as var. *novae-zelandiae*, by Franklin 1962)*

*Hebe albicans* var. *albicans*

*H. canterburyensis*

*H. macrocarpa* var. *brachiphylla*

*H. topiaria*

*Helichrysum intermedium* var.

*Melicytus alpinus* s.s.

*Myrsine divaricata* s.s.

*M. nummularia*

*Olearia arborescens*

*O. colensoi* var. *colensoi*

*O. lacunosa* var. *lacunosa*

*O. nummulariifolia* var. (lvs distinctly longer than broad, rather than suborbicular as in var. *nummulariifolia*)

*Pseudowintera colensoi*

*Coprosma cheesemanii* s.s.

*C. ciliata* ssp. *ciliata*

*C. crenulata*

*C. depressa*

*C. perpusilla* ssp. *perpusilla*

*C. pseudocuneata* ssp. (lvs narrower than in ssp. *pseudocuneata*)

*C. setulata*

*C. sp.(i)* (unnamed; aff. *C. colensoi*)  
(low-growing shrubs with trailing branches)

### DICOT LIANES AND RELATED

#### TRAILING PLANTS

*Muehlenbeckia axillaris*

### LYCOPODS

*Lycopodium austalianum*  
*L. scariosum*

C.sp.(unnamed)(*C.flavescens* avt.  
 South Island, non *C.flavescens*  
*Zotov*)

### FERNS

*Asplenium hookerianum*  
*A.lyallii*  
*A.richardii*  
*Blechnum fluviatile* agg.  
*B.sp.(unnamed)*(mountain sp.;  
 lower pinnae not reduced in  
 length) ("The Dunedin-Cass  
 Variety" of Crookes 1963)  
*Cystopteris tasmanica*  
*Grammitis billardiæ*  
*G.patagonica*  
*Hymenophyllum multifidum*  
*Polystichum vestitum*  
*Pteridium esculentum*

*C.australis* XC. *pallens*  
*Elymus* sp. (aff. *E.tectorius*)  
 (plants glaucous; awns 4-6cm long)  
*Microchloë novae-zelandiae*  
*Lachnagrostis* sp.(unnamed; in-  
 cluded in *L.filiformis*, as var.  
*semiglabra*, by Zotov 1965)  
*Microlaena colensoi*  
*Poa colensoi*  
*P.imbecilla*  
*P.maia*(?)  
*Rytidosperma gracile*  
*R.setifolium*  
*Trisetum* sp. (unnamed; included  
 in *T.antarticum*, as ssp. *tenellum*,  
 by Petrie 1912)

### ORCHIDS

*Corybas trilobus* s.s.  
*C.sp.* (*C.macranthus* or *C.rivul-*  
*arts*)  
*Prasophyllum colensoi*

### SEDGES

*Carex libera*  
*Schoenus pauciflorus* s.s. (= "slender  
 var." of Edgar 1970, p. 194)  
*Uncinia divaricata*  
*U.fuscovaginata* var. (plants  
 glaucous)  
*U.silvestris* (incl. *U.affinis*)

### GRASSES

*Agrostis* sp. (unnamed; aff. *A.*  
*dyeri*) (panicle broad, not con-  
 tracted as in *A.dyeri*)  
*Chionochloa australis*  
*C.conspicua* ssp. *conspicua*  
*C.pallens* ssp. *pallens*

### RUSHES AND ALLIED PLANTS

*Juncus novae-zelandiae*  
*Euzula migrata*  
*L.sp.* (unnamed; included in *L.picta*,  
 as var. *limosa*, by Edgar 1966)

**MONOCOT HERBS OTHER THAN ORCHIDS** (hairs; fls white)

**GRASSES, SEDGES, RUSHES**

*Athriopodium candidum*

*Astelia nervosa* s.s.

*A. petrici*

*A. skottsbergii*

*A. sp. (unnamed; aff. A. nervosa)*

(lvs broad, not conspicuously  
white adaxially as in *A. nervosa*)

*Libertia peregrinans*

*Gnaphalium polylepis*

*G. ruahinicum*

*Lagenifera pumila*

*L. strangulata*

*Leptinella* sp. (*L. pyrifolia* agg.)

*Leucogenes grandiceps*

*Pseudognaphalium* sp. (unnamed;  
aff. *P. luteoalbum*) (mtn sp.; lvs mostly  
obl.-spat. to narrowly oblong, rounded)

*Racoulia glabra*

*Senecio glaucophyllus* ssp.  
*glaucophyllus*

*S. waitauensis*

**COMPOSITE HERBS**

*Anaphalis* sp. (*Helichrysum*  
*bellidoides* s.s.)

*Brachyglossis lagopus* var.

(cottony hairs on both surfaces of lf,  
dense at first, but becoming  
sparse)

*B. sp. (unnamed; included in *B.*  
*bellidoides*, as var. *crassa*,  
by Nordenstam 1978)*

*Celmisia incana* (incl. *C. discolor*)

*C. monroi* ssp.

*C. spectabilis* ssp.

*C. traversii*

*C. sp. (unnamed; aff. *C. gracilenta*)*  
(plants tufted; lvs linear to  
linear lanceolate)

*Craspedia* sp. (unnamed) (plants  
summer-green; lvs upto 18cm long,  
green, with short broad petiole margin-  
ing into lamina; both surfaces dense-  
ly clad in short glandular hairs, with  
or without longer multicellular non-  
glandular hairs with cottony tips; marg-  
ins conspicuously white with cottony

**DICOT HERBS OTHER THAN  
COMPOSITES**

*Acaena profundeincisa*

*Aciphylla farox*

*Anisotome aromatica*

*A. haastii*

*Cardamine* sp. (*C. debilis* agg.)

*Colobanthus canaliculatus*

*Epilobium gracilipes*

*E. matthewsii*

*E. sp. (unnamed; included in *E.*  
*brunneascens*, as ssp. *minuti-*  
*florum*, by Raven and Engel-  
horn, 1971)*

*Forstera mackayi*

*Gentiana bellidifolia* var.

*Grevillea* sp. (*G. parviflora* agg.) (stems short; terminal leaflet about as long as broad; fls up to 13 mm diam.)

*Grevillea decipiens*

*G. montana*

*G. decipiens* X *G. montana*

*Hydrocotyle moschata*

*Nectaria depressa* (incl. *N. cunninghamii*)

*N. sp. (unnamed)* (lvs larger and more fleshy than in *N. depressa*)

*Notothlaspi sp. (unnamed)* (*N.*

*australe* auct., non *Thlaspi australe*)

*Oreomyrsis* sp. (unnamed; Hook.f.)  
*aff. O. ramosa*

*Oreopanax alpina*

*Oursinia lactea* ssp. *lactea*

*Parahelbe linitolia* ssp. *linifolia*

*P. lyallii*

*Plantago raoulii*

*Pratia angulata* agg.

*Psychrophila novae-zelandiae*

*Ranunculus insignis*

*R. membranifolius*

*R. verticillatus*

*Urtica incisa*

*Viola cunninghamii*

*Wahlenbergia albomarginata*

var. *albomarginata* (incl. *W.*

*pygmaea* var. *laxa*, (*W. brachialis*

and *W. simpsonii*)

## ADVENTIVE PLANTS

### GRASSES

*Anthoxanthum odoratum*

### COMPOSITE HERBS

*Hypochoeris radicata*

### DICOT HERBS OTHER THAN COMPOSITES

#### CERASTIUM

*Cerastium fontanum* ssp. *vulgare*

*Rumex acetosella*

*Sagina procumbens*

No. of indigenous spp. : 134.

No. of adventive spp. : 5.

## REFERENCES

Crookes, M. 1963: "Flora of N.Z."

Edgar, E. 1966: N.Z.J. Bot. 4: 159-84.

— 1970: In "Flora of N.Z." Vol. I.

Franklin, D.A. 1962: T.R.S.N.Z. Bot. 1: 155-73.

Nordenstam, B. 1978: Opera Bot. 44: 1-84.

Petrie, D. 1912: T.N.Z. Inst. 44: 178-87.

Raven, P.H.; Engelhorn, T. 1971: N.Z. J. Bot. 9: 345-50.

Wardle, P. 1968: N.Z.J. Bot. 6: 226-36.

Zofov, V.D. 1955: Rec. Dom. Mus. Usgf. n. 5:

101-46.

—. —

