


INDIGENOUS HIGHER PLANTS (LYCOPODS, FERNS, GYMNOSPERMS,
FLOWERING PLANTS) OF OPEN SEEPAGE AREA[†] AND SURROUND-
ING SCRUB AND FOREST ON TERTIARY LIMESTONE
PLATEAU, UPPER TAKAKA V., N.W. NELSON, 900-935M

[†]Grid ref. NZMS 260 M27 838050

A.P. Druce, Wellington, April 1992

Based on visit December 1991



(unc) - uncommon

(M) - confined to margin of seepage area

(C) - confined to open seepage area

GYMNOSPERM TREES AND SHRUBS

Halocarpus bidwillii (C)

H. biformis

Lagarostrobos colensoi

Libocedrus bidwillii

Phyllocladus sp. (unnamed; aff.

P. alpinus) ("lowland" ecotype of

Wardlaw (1969)

Pittosporum rigidum var. (*P. crassicaule*)

Pseudopanax anomalous

P. crassifolius

P. linearis

P. simplex (incl. *P. sinclairii*)

DICOT TREES AND SHRUBS

Aristotelia fruticosa var. (unc M) *eloides*

Coprosma propinqua ssp. *propinqua* (M)

C. thomsonoides (incl. *C. polymorpha*) *lycopodium*

C. rugosa ssp. *rugosa* (C)

C. sp. (unnamed; included in *C. parviflora* by Oliver, 1935, and others) (if undersurface not minutely hairy as is usual in *C. parviflora*; drupes vs. unpigmented, occ. purplish red)

Hebe gracillima (M)

H. odora s.s. (M)

H. vernicosa (unc M)

Leptospermum scoparium

Leucopogon fasciculatus var. (juv. lvs not much broader than adult lvs)

Metrosideros umbellata

Myrsine divaricata s.s.

Nothofagus menziesii

N. solandri var. *cliffortioides*

Olearia nummulariifolia var.

(lvs distinctly longer than broad, rather than suborbicular as in

DICOT LIANES

Rubus schmidelioides var. *schmid-*

elioides

LYCOPODS

Lycopodium fastigiatum

FERNS

Blechnum penna-martini (C)

Grimmitis billardierei

Histopteris incisa (unc M)

Hymenophyllum multifidum

GRASSES

Microlaena avenacea

Poa imbecilla (C)

SEDGES

Carex dissita (C)

C. gaudichaudiana (C)

C. libera (C)

C. sinclairii (C)

Eleocharis gracilis (C)

Isolepis subtilissima (C)

RUSHES

- Juncus antarcticus* (c)
J. novae-zelandiae (c)
J. pusillus (c)

MONOCOT HERBS OTHER THAN GRASSES, SEDGES, RUSHES

- Astelia* sp. (unnamed; included in *A. nivicola*, as var. *moticeae*, by Moore 1966)
Potamogeton sp. (c)

COMPOSITE HERBS

- Abrotanella caespitosa* (c)
Gnaphalium laterale (c)
G. polylepis (c)
Lagenifera petiolata (c)
L. pumila (c)
Leptinella sp. (unnamed; included in *L. squalida*, as ssp. *mediana*, by Lloyd and Webb, 1987) (c)
Raoulia glabra (c)

Gonocarpus aggregatum (c)
Hydrocotyle heteromeria
H. sp.(i) unnamed; included in *H. moschata*, as var. *parviflora*, by Carse 1929) (c)

H. sp.(ii) (unnamed; included in *H. novae-zelandiae*, as var. *montana*, by Kirk 1899)

Mazus radicans (c)
Montia fontana s.s. (c)
Oreomyrrhis sp. (aff. *O. ramosa*) (c)
Oursinia modesta (M)
Oxalis magellanica (c)
Plantago taoulii (c)
P. triandra s.s. (c)

Pratia angulata agg. (c)
Ranunculus toyi (c)
R. simulans (c)
Schizeilema nitens (c)
Viola cunninghamii (c)
V. lyallii (c)

No. of species: 74.

DICOT HERBS OTHER THAN COMPOSITES

- Acaena anserinifolia* (c)
Cardamine sp.(i) (aff. *C. corymbosa*)
 (c)
C. sp.(ii) (*C. dabiliis* agg.) ("Glossy leaf" of Pritchard 1957) (c)
Epilobium komarovianum (c)
E. sp. (unnamed; included in *E. brunnescens*, as ssp. *minutiflorum*, by Raven and Engelhorn, 1971) (c)
Galium perpusillum s.s. (c)

References

- Carse, H. 1929: T.N.Z.I. 59:315-6.
 Kirk, T. 1899: The Student's Flora of N.Z.
 Lloyd, D.G.; Webb, C.J. 1987: N.Z.J.B. Bot. 25:99-105.
 Pritchard, G.G. 1957: T.R.S.N.Z. 85:70-87.
 Moore, L.B. 1966: N.Z.J.B. Bot. 4:201-40.
 Raven, P.H.; Engelhorn, T. 1971: N.Z.J.B. Bot. 9:345-50.
 Wardle, P. 1969: N.Z.J.B. Bot. 7:76-95.

