

INDIGENOUS VASCULAR PLANTS FROM BARING HEAD<sup>1</sup> TO  
TURAKIRAE HEAD<sup>2</sup> TO WINDY POINT<sup>3</sup>, SOUTH WELLINGTON COAST,  
SEA-LEVEL TO 1000 FT.

<sup>1</sup> Grid ref. N164 42-06- ; <sup>2</sup> Grid ref. N164 46-03- ; <sup>3</sup> Grid ref.

Biofile G.B.: N164 468 035 N164 53-08-  
(Turakirae Head)

A.P. Druce, Botany Division, D.S.I.R., 1972

(unc) - uncommon

(revised May 1974, July 1975, Sept 1975, July 1976, May 1977, Oct. 1977, Dec. 1977, June 1978, March 1983, Jan 1984, Aug. 1984, June 1986, \*

(Based on visits 1952, 1965, 1977)

**MONOCOT TREES**

- Cordyline australis*
- Rhopalostylis sapida* (unc)

**DICOT TREES**

- Alectryon excelsus* var. *excelsus* (unc)
- Aristotelia serrata* (unc)
- Carpodetus serratus* (unc)
- Corynocarpus laevigatus*
- Elaeocarpus dentatus* (incl. *E.d.* var. *obovatus*) (unc)
- Fuchsia excorticata* (unc)
- Griselinia littoralis* (unc)
- Hedycarya arborea*
- Knightia excelsa*
- Mactropiper excelsum* var. *excelsum*
- Melicope ternata* (unc)
- Melicytus ramiflorus* ssp. *ramiflorus*
- Metrosideros robusta* (unc)
- Myoporum laetum* var. *laetum*
- Myrsine australis*
- Olearia paniculata*
- O. rani* var. *colorata* (unc)
- Pennantia corymbosa*
- Pittosporum tenuifolium* ssp. *tenuifolium* (unc)
- Pseudopanax arboreus* var. *arboreus*
- P. crassifolius* (unc)
- P. ferox* (Zotov et al., 1938)†
- Schefflera digitata* (unc)
- Sophora microphylla*

\*revised Aug 1987

Oct. 1987

Oct. 1988

May 1989

June 1990

July 1991

July 1992

**DICOT SHRUBS**

- Brachyglottis greyi* (incl. *B. laxifolia*)
- B. repanda* s.s.
- Carmichaelia* sp. (subgenus *Carmichaelia*)
- Cassinia leptophylla* var. *leptophylla*
- Coprosma atrolata*
- C. crassifolia*
- C. lucida* s.s. (unc)
- C. propinqua* ssp. *propinqua*
- C. repens* (unc)
- C. rhamnoides* (incl. *C. polymorpha*)
- C. robusta*
- C. virescens* (unc)
- C. crassifolia* X *C. repens* (Zotov et al., 1938, as *X. buchananii*)
- C. propinqua* X *C. robusta* (unc)
- C. repens* X *C. rhamnoides* (unc)
- Cotaria arborea* (unc)
- C. sarmentosa* (unc)
- Cynthodes* sp. (*C. juniperina* agg.) (lvs small, vs. < 1cm X < 1mm)
- Discaria tomatou* (unc)
- Gaultheria antipoda* (unc)
- Goniostoma tupestre* var. *ligustrifolium*
- Griselinia lucida* (unc)
- Habe stricta* var. *atkinsonii*
- H. sp.* (*Veronica arborea*)
- Helichrysum aggregatum* var. *aggregatum*

† Doubtful record

*Leucopogon fasciculatus* var. (unc)  
*L. fraseri* s.s. (unc)  
*Meliccytus crassifolius* var. *crassifolius*  
*Korthalsella lindsayi* s.s. (unc)  
*Kunzea ericoides* agg.  
*Leptospermum scoparium*  
*Muehlenbeckia astonii* (unc)  
*Olearia solandri*  
*Pimelea arenaria* (formerly present  
 at the mouth of the Wainuiomata  
 R.; all plants apparently destroyed  
 during a southerly storm)  
*P. aridula* var. (unc)  
*P. prostrata* (unc)  
*P. cf. urvilleana* (incl. *P. prostrata* var.  
*quadrifaria*)  
*Plagianthus divaricatus*  
*Solanum aviculare* var. *aviculare*  
  
*Urtica ferox*

*Matrosideros colensoi* (incl. *M. c.*  
 var. *pendens*) (unc)  
*M. diffusa*  
*M. perforata*  
*Muehlenbeckia australis*  
*M. complexa*  
*M. australis* X *M. complexa*  
*Parsonsia capsularis* var.  
  
*P. heterophylla*  
*P. capsularis* X *P. heterophylla*  
*Passiflora tetrandra* (unc)  
*Rubus schmidelioides* var.  
*schmidelioides* (unc)  
  
*R. squarrosus* (unc)  
*Tetragonia trigyna* (unc)

### MONOCOT LIANES

*Fraxineta baueriana* ssp.  
*banksii*

### DICOT LIANES

*Calystegia sepium* (Aston 1912)  
*C. fuguitorum*  
*Clamatis forsteri*  
  
*C. paniculata*

### LYCOPODS

*Lycopodium varium* (incl. *L.*  
*billardierei* and *L. novae-*  
*zelandica*) (unc)

**FERNS**

- Adiantum cunninghamii*  
*Anarthropteris lauceolata* (unc)  
*Asplenium bulbiferum* agg.  
*A. flabellifolium* agg.  
*A. flaccidum*  
*A. hookerianum*  
*A. oblongifolium*  
*A. terrestre* ssp. *maritimum*  
*A. t. ssp. terrestre*  
*A. bulbiferum* X *A. hookerianum*  
*A. flaccidum* X *A. terrestre* ssp. *terrestre*  
*Azolla filiculoides*  
*Blechnum chambersii*  
*B. discolor* (unc)  
*B. filiforme* (unc)  
*B. fluviatile* agg.  
*B. minus*  
*B. penna-marina*  
*B. sp. (i)* (unnamed) (common lowland sp.;  
lower pinnae reduced in length)  
*B. sp. (ii)* (unnamed) (cliff sp.;  
lower pinnae not reduced) ("The  
Green Bay Species" of Crookes  
1963) (unc)  
*Cheilanthes humilis*  
  
*Ctenopteris heterophylla*  
*Cyathea dealbata*  
*C. medullaris*  
*C. smilthii* (unc)
- Histiopteris incisa* (unc)  
*Hymenophyllum multifidum*  
*H. rarum* (unc)  
*H. sanguinolentum* agg.  
  
*Hypolepis ambigua*  
  
*Lastreopsis glabella* (unc)  
*L. hispida* (unc)  
*L. microsora* ssp. *pant-*  
*angularis* (unc)  
*L. velutina* (unc)  
*Ophioglossum cotiaceum* agg. (unc)  
*Paesia scaberula*  
*Pallaea rotundifolia*  
*P. sp.* (unnamed) (steep hairs appressed)  
*Phymatosorus pustolatus*  
*Pneumatopteris pennigera*  
*Polystichum richardii*  
*Pteridium esculentum*  
  
*Pteris pendula*  
*P. tremula*  
*Pyrtosia eleagnifolia*  
*Rumohra adiantiformis* (unc)
- Trichomanes venosum* (unc)

**ORCHIDS**

- Acianthus sinclairii* (unc)
- Bulbophyllum pygmaeum* (unc)
- Caladenia carnea* agg. (unc)
- Corybas tivularis* s.s.
- Dendrobium cunninghamii* (unc)
- Drymoanthus adversus* (Aston 1912, as *Sarcochilus adversus*)
- Eatina autumnalis* (unc)
- E. mucronata* s.s.
- Microtis unifolia*
- Prasopphyllum colensoi* (unc)
- Pterostylis banksii*
- P. graminea*
- P. sp.* (unnamed; aff. *P. montana*)
- Thelymitra longifolia*

**GRASSES**

- Austrofestuca littoralis*
- Chionochoa beddiei*
- Cortaderia fulvida*
- C. toetoe*
- Dichelachne crinita*
- Echinoopogon ovatus*
- Elymus sp.* (aff. *E. rectisetus*)
- Festuca multinodis*
- Heterochloa reddens* (unc)
- Lachnagrostis filiformis* s.s. (unc)
- L. richardii*
- Microlaena stipoides*
- Poa anceps* ssp. *anceps*
- P. cita* ssp.
- P. imbecilla*

- R. unatode*
- Spinifex sericeus*
- Trisetum sp.* (il) (cf. *T. antarcticum*)

- T. sp.* (il) (unnamed) (plants slender; lf sheath glabrous or nearly so) (unc)
- Zoysia minima*

**SEDGES**

- Baumea juncea* (unc)
- B. rubiginosa*
- Carex appressa* (Edgar 1970)
- C. flagellifera*
- C. flaviformis* (unc)
- C. geminata* s.s.
- C. pumila*
- C. secta* s.s.
- C. solandri*
- C. spinirostris* (unc)
- C. virgata*
- Cyperus ustulatus*
- Desmoschoenus spiralis* (unc)
- Eleocharis acuta*
- E. gracilis*
- Isolepis cernua*
- I. nodosa*
- I. prolifer*
- Lepidosperma australe* (unc)
- Schoenoplectus validus*
- S. nodosus*
- Schoenus maschalinus*
- Uncinia leptostachya*
- U. uncinata*

*Rytidosperma gracile*

**RUSHES**

- Juncus australis*
- J. caespiticius*
- J. distegus*
- J. gregiflorus*
- J. holoschoenus* (Bagnall 1975)
- J. maritimus* var. *australiensis*
- J. pallidus*
- J. planifolius*
- J. prismatocarpus* (Aston, 1912)
- J. sarophorus*
- Leptocarpus similis*
- Luzula banksiana* s.s.
- L. migrata*
- L. picta* s.s.
- L. banksiana* X *L. picta*

- Gnaphalium audeax*
- G. gymnocephalum*
- G. involucratum*
- G. limosum* s.s.
- Helichthysum filicaula*
- Lagenifera pumila*
- Leptniella pusilla* (Type loc.)
- L. squalida* s.s.
- Pseudognaphalium* sp(i) (*P. luteo-album* agg.) (inland sp.)
- P. sp(ii)* (*P. luteo-album* agg.) (coastal sp.)
- Raoulia australis* agg.
- R. glabra*
- R. tanuicaulis* (incl. *R. t.* var. *dimorpha* and *R. t.* var. *pusilla*)
- Senecio hispidulus* (unc)
- S. lautus* ssp. *lautus*
- S. minimus*
- S. tufiglandulosus* var. *tufiglandulosus* (unc)
- Sonchus kirkii* (unc)
- Vittadinia australis* agg.

**MONOCOT HERBS (OTHER THAN ORCHIDS)**

**GRASSES, SEDGES, RUSHES**

- Arthropodium candidum*
- A. citratum* (unc)
- Astelia fragrans*
- CollospERMUM hastatum* (unc)
- Lemna* sp. (*L. minor* auct. N.Z.)
- Libertia grandiflora*
- L. ixioides*
- Phormium cookianum*
- P. tenax*
- P. cookianum* X *P. tenax*
- Potamogeton cheesemanii* (unc)
- Triglochin striata*
- Typha orientalis*

**DICOT HERBS (OTHER THAN COMPOSITES)**

- Acaena juvenca* (unc)
- Aciphylla squarrosa* s.s.
- Apium prostratum* ssp.
- A. sp.* (plants slender)
- Australina pusilla* (Aston 1912)
- Calystegia soldanella*
- Cardamine* sp. (i) ("Narrow Petal" of Pritchard 1957)
- C. sp. (ii)* (aff. *C. corymbosa*) (Mainland Coastal Race of Pritchard)
- Centella uniflora*
- Chenopodium glaucum* var. *ambiguum* (unc)
- Colobanthus muelleri*
- C. strictus* (unc) [1925 as *C. erubescens*]
- Convolvulus* <sup>sp. (aff. C.)</sup> ~~*reticulatus*~~ (*Cheesemanii*)
- Crassula kirkii* (unc)
- C. moschata* (unc)
- C. sieberiana*
- Dichondra repens* var.
- D. sp.* (unnamed)
- Disphyma australe* ssp. *australe*
- Diosera binata* / *Finadia triandra* (unc)
- Epilobium alsinoides* s.s.
- E. atriplicifolium* s.s.
- E. billardiereanum* s.s.

**COMPOSITE HERBS**

- Anaphalis kernensis* s.s.
- Brachyglottis lagopus* var. *lagopus* (unc)
- Centipeda minima*
- Cotula coronopifolia*
- Craspedia minor* var. *minor* (incl. *C. major*)
- C. uniflora* var. *grandis*
- C. viscosa* (unc)

- E. brunneescens* ss  
*E. chionanthum* (unc)  
*E. insulare*  
*E. microphyllum*  
*E. netteroides*  
*E. nummulariifolium*  
*E. pallidiflorum*  
*E. rotundifolium*  
*E. sp.* (unnamed; included in *E. brunneescens*, as ssp. *minutiflorum*, by Raven and Engelhorn 1971) (unc)  
*Etyngium vesiculosum*  
*Euphorbia glauca* (Aston 1912, Bagnall 1975)  
*Euphrasia cuneata*  
*Galium propinquum*  
*G. trilobum* (unc)  
*Getanium* <sup>sp. (unnamed; aff. G.)</sup> *microphyllum*  
*G. sessiliflorum* var. *novae-zealandiae*
- Glossostigma elatinooides*  
*Gonocarpus aggregatus*  
*Gratida sexdentata*  
*Gunnera prorepens* (unc)  
*Haloragis erecta* ssp. *erecta*  
*Hydrocotyle elongata* (unc)  
*H. heteromeria*  
*H. moschata*  
*H. novae-zeelandiae* s.s.  
*H. pterocarpa*  
*Hypericum japonicum* ass.  
*Lepidium oleraceum* (Zotov et al., 1938)  
*Lilaeopsis* sp.  
*Limosella lineata*  
*Linum monogynum*  
*Lobelia anceps*  
*Mazus novaezeelandiae*  
*Montia fontana* s.s.  
*Myriophyllum propinquum* (unc)  
*M. triphyllum* (unc)  
*Nettlera depressa* (incl. *N. cunninghamii*)  
*N. setulosa* (unc)  
*Oxalis exilis*  
*O. magellanica*
- O. sp.*  
*Parahebe diffusa* ssp. *diffusa* (unc)  
*Parietaria debilis*  
*Plantago raoulii*  
*Polygonum salicifolium* agg.  
*Potentilla anserinoides*  
*Pratia angulata* agg.  
*Ranunculus acaulis*  
*R. amphitrichus*  
*R. reflexus*  
*Samolus repens* var. *repens*  
*Sarcocornia quinqueflora* (unc)  
*Scandia geniculata* (unc)  
*Schizilema trifoliolatum*  
*Scleranthus biflorus*  
*Sebaea ovata* (Aston, 1912)  
*Selliera radicans* agg.  
*Stellaria decipiens* (incl. *S. parviflora*)  
*Urtica incisa*  
*Viola cunninghamii* (unc)  
*Wahlenbergia colensoi*  
*W. gracilis* s.s.

No. of species: 318.

The following plants have been recorded from the vicinity of Turakirae Head, but the records have not been accepted in drawing up the present list:

<u>Record</u>	<u>Probable identity of plant on which record based</u>
Astelia nervosa (Aston, 1912)	----- A. fragrans
Bulbinella hookeri (Aston, 1912)	
Carex ternaria (Aston, 1912)	----- C. geminata s.s.
Coprosma parviflora (Aston, 1912)	
Anaphalis tinervis (Bagnall 1975, as Gnaphalium tinerve)	----- A. keriensis
Meliccytus obovatus (Zotov et al, 1938, as Hymenanthera obovata)	
Muehlenbeckia axillaris (Zotov et al, 1938, [ p.273])	----- M. complexa
Rubus cissoides (Aston, 1912)	----- R. squarrosus
Senecio scaberulus (Bagnall 1975, as Erechtites scaberula)	----- S. hispidulus
Sophora tetraptera (Aston, 1912)	----- S. microphylla
Wahlenbergia albomarginata (Aston 1912, as W. saxicola)	

Note: Aston records "Microtis parvifolia"; he presumably meant M. unifolia rather than M. parviflora.

