

VASCULAR PLANTS OF MT MAUNGANUI, WESTERN HUTT

HILLS, WELLINGTON, 1800-2322 FT

(Based on visits 1958, 1960, 1968, 1976)

Grid. ref. N1567 584606

Bot. G. R.  
N157 584 606  
(Mt Maunganui)

A.P. Druce, Botany Division, D.S.I.R., 1968

(Revised June 1972      Aug 1976      June 1980  
April 1974      May 1977      May 1984  
June 1976      June 1979      Apr. 1985  
June 1986  
May 1988  
Aug. 1990  
Nov. 1992)

GYMNOSPERMS

- Dactyidium cupressinum
- Podocarpus hallii
- P. hallii x P. nivalis(?)
- Prumnopitys ferruginea

- Cyathodes ampelifolia
- Dracophyllum longifolium var.  
(incl. D. filifolium and D. olivieri)
- Gaultheria antipoda
- G. sp. (unnamed; included in G. depressa, as var. novae-zelandiae, by Franklin 1962)
- G. antipoda x G. sp. (unnamed)
- Leptospermum scoparium
- Leucopogon fasciculatus var.
- Myrsine divaricata s.s.

MONOCOT TREES

- Cordyline indivisa

DICOT TREES

- Carpodetus serratus
- Elaeocarpus hookerianus
- Griselinia littoralis
- Myrsine salicina
- Pseudopanax colensoi s.s.
- P. simplex (incl. P. s. var. simplex)
- Weinmannia racemosa var. racemosa

- Neomyrtus pedunculata
- Olea arborescens
- O. lacunosa var. (O. alpina)
- Pentachondra pumila
- Pseudowintera axillaris
- P. colorata

DICOT LIANES

- Metrosideros diffusa
- Rubus cissoides var. cissoides

PSILOPSIDS AND LYCOPODS

- Tmesipteris elongata (incl. T. e. ssp. robusta)
- T. fannensis
- Lycopodium scariosum
- L. varium (incl. L. billardierei and L. novae-zelandicum)

DICOT SHRUBS

- Alseuosmia pusilla
- Cassinia leptophylla var. leptophylla
- Coprosma colensoi s.s.
- C. foetidissima
- C. sp. (unnamed; included in C. parviflora by Oliver, 1935, and others)

**FERNS**

- Asplenium flaccidum*
- Blechnum colensoi*
- B. discolor*
- B. fluviatile* ags.
- B. nigrum*
- B. procarum*
- B. sp. (unnamed) (common lowland sp.; lower pinnae reduced in length)*
- Ctenopteris heterophylla*
- Cyathea smithii*
- Gleichenia dicarpa*
- Grammitis billardierei*
- Histiopteris incisa*
- Hymenophyllum armstrongii*
- H. bivalve*
- H. demissum*
- H. dilatatum*
- H. ferrugineum*
- H. flabellatum*
- H. multifidum*
- H. pulcherrimum*
- H. ratum*
- H. revolutum*
- H. sanguinolentum* ags.
- H. scabrum*
- Leptopteris superba*
- Paesia scaberula*
- Phymatosorus pustulatus*
- Sticherus cun*
- Trichomanes tenuiforme*
- T. venosum*

**ORCHIDS**

- Aporostylis bifolia*

**GRASSES**

- Chionochloa conspicua* ssp.
- cunninghamii*
- Microlaena stipoides*
- Rytidosperma gracile*

**SEDGES**

- Carex dissita* s.s.
- C. sp. (Sect. Acutae)*
- Gahnia pauciflora*
- Isolepis habra*
- Oreobolus pectinatus*
- O. strictus*
- Uncinia astonii*
- U. filiformis*
- U. gracilentia*
- U. tupestris (incl. U. angustifolia)*
- U. uncinata*
- U. zotovii*

**RUSHES**

- \**Juncus bulbosus*
- J. gregiflorus*
- J. planifolius*

**MONOCOT HERBS (OTHER THAN**

**ORCHIDS, GRASSES, SEDGES, RUSHES)**

- Astelia fragrans*
- Luzuriaga parviflora*

\*adventive

### COMPOSITE HERBS

- Helichrysum filicaule  
 \*Hypochoeris radicata  
 Raoulia glabra

### DICOT HERBS (OTHER THAN COMPOSITES)

- Dichondra repens agg.  
 Gonocarpus micranthus ssp. micranthus  
 Viola filicaulis

No. of indigenous spp.: 89.

No. of adventive spp. : 2.

\*adventive

