

INDIGENOUS PLANTS IN VICINITY OF ATIWHAKATU STREAM, FOOT OF MT
HOLDSWORTH

GRID REF. N156-158 EAST 96-03 NORTH 67-70

800 - 1800 FT

(Based on visits 1965, 1968, 1970, 1990)

A. P. DRUCE - FEBRUARY 1970 (revised June 1974

Diocese G. A. :
N157 990 685

June 1975
June 1976
May 1977
June 1979
June 1980
April 1982
July 1985
Feb 198
May 1990
Nov 1992

GYMNOSPERM TREES (PODOCARPS)

<i>Dacrycarpus dactyloides</i>	kahikatea, white pine
<i>Dacrydium cupressinum</i>	hinu
<i>Podocarpus hallii</i>	mountain totara
<i>P. totara</i> s.s.	totara
<i>Prumnopitys ferruginea</i>	mifo
<i>P. taxifolia</i>	matai

MONOCOT TREES AND SHRUBS

<i>Cordyline australis</i>	cabbage tree
<i>C. banksii</i>	" "

DICOT TREES

<i>Aristotelia serrata</i>	wineberry, makomako
* <i>Ascarina lucida</i>	hutu
* <i>Beilschmiedia tawa</i>	tawa
<i>Carpodetus serratus</i>	putaputaweta
<i>Elaeocarpus dentatus</i> (incl. <i>E. d. var. obovatus</i>)	hinau
<i>E. hookerianus</i>	pokaka
	swamp maire
<i>Fuchsia excorticata</i>	tree fuchsia
<i>Griselinia littoralis</i>	broadleaf
<i>Hedycarya arborea</i>	pigeonwood
<i>Hoheria populnea</i> var. <i>laucolata</i>	lacebark
* <i>H. sp. (unnamed)</i> (R)	Tararua lacebark
<i>Knightia excelsa</i>	rewarewa, N.Z. honeysuckle

*uncommon

(R) found only on riverbanks

0067 2 -

* <i>Meliccytus lanceolatus</i> (incl. M.L. var. <i>latior</i>) (seedlings only)	narrow-leaved mahoe
<i>M. ramiflorus</i> ssp. <i>tamiflorus</i>	mahoe
<i>Metrosideros robusta</i>	northern rata
* <i>Mida salicifolia</i> (incl. M.S. var <i>myrtifolia</i>)	narrow-leaved sandalwood
<i>Myrsine australis</i>	red matipo, mapou
<i>M. salicina</i>	toro
<i>Nestegis cunninghamii</i>	black maire
* <i>N. lanceolata</i>	white maire
<i>Nothofagus fusca</i>	red beech
<i>N. menziesii</i>	silver beech
<i>N. solandri</i> var. <i>solandri</i>	black beech
<i>N. truncata</i>	hard beech
<i>N. t.</i> x <i>N. solandri</i> var. <i>solandri</i>	beech hybrid
<i>Pennantia corymbosa</i>	kaikomako
<i>Pittosporum eugenioides</i>	lemonwood, tarata
<i>P. tenuifolium</i> ssp. <i>tenuifolium</i>	matipo, kohuhu
<i>Pseudopanax arboreus</i> var. <i>arborescens</i>	fivefinger
* <i>P. colensoi</i> s.s. (R)	
<i>P. crassifolius</i>	lancewood
* <i>P. edgerleyi</i>	raukawa
<i>P. simplex</i> (incl. <i>P.s.</i> var. <i>sinclairii</i>)	haumakaroa
<i>Schefflera digitata</i>	pate
<i>Sophora microphylla</i>	kowhai
<i>Syzygium maire</i>	swamp maire
<i>Weinmannia racemosa</i> var. <i>racemosa</i>	kamaha

DICOT SHRUBS

<i>Alseuosmia pusilla</i>	true N.Z. honeysuckle
* <i>Amsretelia fruticosa</i> var. <i>suberecta</i> (R)	mtn wineberry
<i>Brachyglottis repanda</i> s.s.	rangiora

*uncommon.

(R) found only on riverbanks

006/3 -

- * *B. rotundifolia* var. (*B. elaeagni-folia*) (R) leatherweed
 * *B. sp.* (*Senecio kirkii* s.s.) kohurangi
Carmichaelia sp. (subgenus *Carmichaelia*) N.Z. broom
Cassinia leptophylla var. *leptophylla* tauhinu

Coprosma colensei ss.

Coprosma

- | | | |
|--|---|-----------------------|
| <i>C. foetidissima</i> | " | , stinkwood |
| <i>C. grandifolia</i> | " | , taurekai |
| <i>C. lucida</i> ss. | " | , shiny karamu |
| <i>C. microcarpa</i> | " | |
| <i>C. rhamnoides</i> (incl. <i>C. polymorpha</i>) | " | |
| <i>C. robusta</i> | " | , karamu |
| <i>C. rotundifolia</i> | " | |
| <i>C. rubra</i> | " | |
| * <i>C. tenuifolia</i> | " | |
| * <i>C. sp.</i> (unnamed; included in <i>C. parviflora</i> by Oliver, 1935 and others) | " | |
| * <i>C. propinqua</i> x <i>C. robusta</i> | " | hybrid |
| <i>Coriaria arborea</i> | | tree tutu |
| <i>Cyathodes sp.</i> (<i>C. juniperina</i> a.s.)
(105 small, vs. 2 tem x 4 mm) | | prickly mingimingi |
| <i>Dracophyllum longifolium</i> var. (incl. <i>D. filifolium</i> and <i>D. cliveri</i>) | | inaka, grass tree |
| <i>Gaultheria antipoda</i> | | snowberry, gaultheria |
| <i>G. rupestris</i> | | gaultheria |
| <i>G. r. x. G. antipoda</i> | " | hybrid |
| * <i>Griselinia lucida</i> | | broadleaf |
| <i>Hebe stricta</i> var. <i>atkinsonii</i> | | koromiko |
| * <i>H. evanosa</i> (R-seedlings only) | | mtu Koromiko |
| <i>Helichthysum aggregatum</i> var. <i>aggregatum</i> | | niniaio |
| <i>Kunzea ercoides</i> agg. | | kanuka |
| <i>Leptospermum scoparium</i> | | manuka |
| <i>Laucopogon fasciculatus</i> var. | | mingimingi |
| <i>Neomyrtus pedunculata</i> | | mountain rohotu |
| * <i>Olearia arborescens</i> | | olearia, tree daisy |

*uncommon

(R) found only on riverbanks

var. <i>colensoi</i>	
* <i>O. colensoi</i> (R - seedlings only)	leatherwood
<i>O. rani</i> var. <i>colorata</i>	heketara
* <i>O. virgata</i> var. <i>virgata</i> (incl. <i>O. v.</i> var. <i>ramuliflora</i>)	small-leaved olearia
* <i>Peraxilla colensoi</i>	scarlet mistletoe
* <i>P. tetrapetala</i>	" "
* <i>Pittosporum cornifolium</i>	
<i>Psseudopanax anomalus</i>	small-leaved haumakaroa
<i>Psseudowintera axillaris</i>	horopito, pepper-tree
<i>P. colorata</i>	mountain horopito, pepper tree

MONOCOT LIANES

<i>Freycinetia baumannii</i> ssp. <i>banksii</i>	kiekie
<i>Ripogonum scandens</i>	supplejack

DICOT LIANES

<i>Climatis paniculata</i>	
<i>Metrosideros colensoi</i> (incl. <i>M. c.</i> var. <i>parviflora</i>)	white climbing rata
<i>M. diffusa</i>	" " "
<i>M. fulgens</i>	red " "
<i>M. perforata</i>	white " " , clinging rata
<i>Muehlenbeckia australis</i>	pohuehue
<i>Parsonsia capsularis</i>	narrow-leaved parsonsia, N.Z. jasmine
<i>P. heterophylla</i>	broad-leaved " , N.Z. jasmine
<i>Rubus australis</i>	swamp lawyer
<i>R. cissoides</i> var. <i>cissoides</i>	bush lawyer
<i>R. schmidelioides</i> var. <i>schmidelioides</i>	white-back lawyer
* <i>R. s.</i> var. <i>s.</i> x <i>R. cissoides</i> var. <i>cissoides</i>	lawyer hybrid

*uncommon

(R) found only on riverbanks

Grammitis billardieri	
*G. ciliata	
G. magellanica ssp. noltofagetii	
Histiopteris incisa	
Hymenophyllum bivalve	filmy fern
H. demissum	" "
H. dilatatum	" "
H. flabellatum	" "
*H. flexuosum	" "
H. multifidum	" "
H. rarum	" "
H. revolutum	" "
H. sanguinolentum agg.	" "
H. scabrum	" "
Hypolepis ambigua	
*H. tufo barbata	
Lastreopsis glabella	
L. hispida	
Leptolepis novae-zelandicae	
Lindsaea trichomanoides	
Paesia scaberula	scented fern, ring fern
Leptopteris hymenophylloides	crepe fern
Pellaea rotundifolia	
*Phymatosorus novae-zelandicae	hound's tongue
P. pustulatus	" "
P. scandens	
Pneumatopteris pennigera	
Polystichum silvaticum	shield fern
P. vestitum	prickly shield fern
Pteridium esculentum	bracken
Pyrrhosia elegnifolia	
Rumohra adiantiformis	

Trichomanes teniforme
T. venosum
Sticherus cunninghamii

kidney fern
 filmy fern
 umbrella fern

ORCHIDS

**Adenochilus gracilis*

**Caladenia carnea* agg.

**Chiloglottis cornuta*

**Corybas cryptanthus*

**C. macranthus*

**C. oblongus*

C. rivularis s.s.

C. trilobus s.s.

Dendrobium cunninghamii

Earina autumnalis

E. mucronata s.s.

**Gastrodia cunninghamii*

**Ganoplesium nudum*

Microtis unifolia

microtis

**Orthoceras novae-zeelandiae*

**Prasophyllum colensoi*

**Pterostylis graminea*

green-hood orchid

**P. sp. (unnamed; aff. P. montana)*

" "

Thelymitra longifolia

sun orchid

**T. pauciflora*

" "

GRASSES

**Chionochloa conspicua* ssp.
cunninghamii (R)

broad-leaved bush tussock

006/8 -

*Chionochloa pallens ssp. pallens (R)	mid-ribbed snow tussock
Cortaderia fulvida	toetoe
*Deschampsia tenella (R)	bush hair grass
Deyeuxia avenoides (incl. D.a. var. brachyantha)	
Dichelachne crinita	long-hairplume grass
Lachnagrostis sp. (unnamed, incl. N.Z. wind grass ca in L. filiformis, as var. semiglabra, by Zotov (1965))	
Microlaena avenacea	bush rice grass
Rytidosperma clavatum	danthonia
R. gracile	"

SEDGES

Carex dissita	
*C. forsteri	
C. secta s.s.	niggerhead
C. solandri	
Eleocharis acuta	
E. gracilis	
Jahnia pauciflora	gahnia
J. setifolia	"
Isolepis distigmata	
I. habra (R)	
I. pottsii	
I. feticularis	
Schoenus maschalinus	
Uncinia banksii	hookgrass
*U. clavata	" "
*U. distans	" "
U. ferruginea	" "
U. gracilentia	" "
U. rupestris (incl. U. angustifolia)	" "
U. scabra	" "

*uncommon

(R) found only on riverbanks

<i>Uncinia uncinata</i>	hook grass
<i>U. zotovii</i>	" "

RUSHES

<i>Juncus gregiflorus</i>	
* <i>J. novae-zelandiae</i>	
<i>J. planifolius</i>	
<i>J. sarophorus</i>	
<i>Luzula picta</i> s.s.	woodrush
* <i>L. subclavata</i>	"

MONOCOT HERBS (OTHER THAN ORCHIDS, GRASSES, SEDGES, RUSHES)

<i>Astelia fragrans</i>	astelia, asteliad
<i>A. solandri</i>	" , "
<i>Collospermum microspermum</i>	asteliad
<i>Dianella nigra</i>	turutu, dianella
<i>Lemna</i> sp. (<i>L. minor</i> auct.)	duckweed
<i>Libertia grandiflora</i>	N.Z. iris
<i>Phormium cookianum</i>	mountain flax
<i>Potamogeton suboblongus</i>	pondweed
<i>Typha orientalis</i>	raupo

DICOT HERBS

<i>Acaena anserinifolia</i>	bidibidi, piripiri
<i>Anaphalis kermansis</i>	everlasting daisy
* <i>A. sp. (Helichthysum bellidifolius)</i>	" "
* <i>A. kermansis</i> X <i>A. sp. (H.b.)</i>	" "
* <i>Australina pusilla</i>	australina
<i>Cardamine</i> sp. (i) (<i>C. debilis</i> agg.) ["Narrow Petal" of Pritchard (1957)]	N.Z. bitter cress
<i>C. sp.</i> (ii) (<i>C. debilis</i> agg.) ("Long Style" of Pritchard)	" "
<i>C. sp.</i> (iii) (<i>C. debilis</i> agg.) ("Glossy Leaf" of Pritchard)	" "

* uncommon

* <i>Colobanthus apetalus</i> (incl. <i>C. a. var. colobanthus alpinus</i>) (R)	
<i>Epilobium alsinoides</i> s.s.	willow herb
<i>E. brunnescens</i> s.s.	" "
<i>E. cinereum</i>	" "
* <i>E. glabellum</i> s.s.	" "
<i>E. insulare</i>	" "
<i>E. linnaeoides</i>	" "
<i>E. nertercioides</i>	" "
<i>E. nummularifolium</i>	" "
<i>E. pubens</i>	" "
<i>E. rotundifolium</i>	" "
	" "
<i>Euphrasia cuneata</i> (R)	eyebright
* <i>Geum</i> sp. (<i>G. parviflorum</i> agg.) (R)	
<i>Gnaphalium acaule</i>	cudweed
<i>G. gymnocephalum</i>	"
<i>G. limosum</i> s.s.	cudweed
* <i>G. sphaericum</i>	"
+ <i>Gonocarpus micranthus</i> ssp. <i>micranthus</i>	
<i>Gunnera monoica</i>	gunnera
<i>Hydrocotyle elongata</i>	pennywort
<i>H. heteromecha</i>	"
<i>H. moschata</i>	"
<i>Jovellana repens</i> (R)	
<i>Lagenifera pumila</i>	
<i>Nertera ciliata</i>	nertera

*uncommon

(R) found only on riverbanks

<i>N. depressa</i> (incl. <i>N. cunninghamii</i>)	netteta
* <i>Ourisia lactea</i> ssp. <i>drucei</i>	ourisia
<i>Parahebe diffusa</i> ssp. <i>diffusa</i>	parahebe
<i>Pratia angulata</i> agg.	pratia
<i>Pseudognaphalium</i> sp. (<i>P. luteo-album</i> agg.)	
<i>Ranunculus amphitrichus</i>	waoriki
<i>R. membranifolius</i>	buttercup
<i>R. reflexus</i>	"
<i>Raoulia glabra</i> (R)	scabweed
<i>R. tenuicaulis</i> (incl. <i>R. t. var. pusilla</i> and <i>R. t. var. umorpha</i>) (R)	"
<i>Senecio minimus</i>	fireweed
<i>Stellaria decipiens</i> (incl. <i>S. parviflora</i>)	N.Z. chickweed
<i>Urtica inersa</i>	nettle
<i>Viola filicaulis</i>	bush violet
* <i>Wahlenbergia colensoi</i>	small white harebell

No. of species: 271.

*uncommon

(R) found only on riverbanks

