

INDIGENOUS HIGHER PLANTS (PSILOPSIDS, LYCOPODS, FERNS, GYMNOSPERMS, FLOWERING PLANTS) OF MT TAWHIUAU†, IKAWHENUA RA., UREWERA NATIONAL PARK, 300-1016 M

†Grnd ref. N86 241647

A.P. Druce, Botany Division, D.S.I.R., 1972  
(revised Apr. 1974, June 1976, May 1977, June 1979, June 1980, June 1985, Aug. 1990)  
(Based on visit 1960)

Rewritten July 1992, incorporating many additional records made by W.B. Shaw & S.M. Beadel, Sept. 1983

(unc) - uncommon

GYMNOSPERM TREES

- Dactydiom cupressinum
- Phyllocladus alpinus ss.
- P. glaucus
- Podocarpus hallii
- Prumnopitys ferruginea

- Metrosideros robusta
- Myrsine australis
- Nothofagus fusca
- N. menziesii
- N. solandri var. solandri (unc)
- N. truncata
- N. solandri X N. truncata (unc)

MONOCOT TREES

- Cordyline banksii
- C. indivisa

- Olearia rani var. colorata
- Pittosporum tenuifolium ssp. tenuifolium
- Pseudopanax colensoi ss.

DICOT TREES

- Aristotelia serrata
- Beilschmiedia tawa
- Dracophyllum latifolium (incl. D. matthewsii)
- D. traversii (incl. D. pyramidale)
- Elaeocarpus hookerianus
- Griselinia littoralis
- Ixerba brexioides
- Knightia excelsa
- Meliccytus tamiflorus ssp. tamiflorus

- P. crassifolius
- P. simplex (incl. P. s. var. sinclairii)
- Quintinia serrata (incl. Q. acutifolia and Q. elliptica)
- Schefflera digitata
- Wainmannia racemosa var. racemosa

DICOT SHRUBS

- Alseuosmia pusilla
- Coprosma colensoi ss.
- C. foetidissima
- C. grandifolia

- C. lucida* s.s.
- C. robusta*
- C. tanuifolia*
- Comaria arborea*
- Dracophyllum longifolium* var.
- Geniostoma rupestre* var. *ligustifolium*
- Ginselinia lucida*
- Leptospermum scoparium*
- Leucopogon fasciculatus* var.
- Neomyrtus pedunculata*
- Olearia furfuracea* var.
- Pseudowintera axillaris*
- P. colorata*
- Urtica fetox*

- B. sp.* (unnamed) (lowland sp.; lower pinnae reduced in length)
- Cyathia dealbata*
- C. medullaris*
- C. smithii*

- Dicksonia lanata* s.s.
- D. squarrosa*
- Grammitis billardierei*
- G. magellanica* ssp. *nothofageti*
- Histiopteris incisa*
- Hymenophyllum bivalve*
- H. demissum*
- H. dilatatum*
- H. flabellatum*
- H. multifidum*
- H. pulcherrimum*
- H. ratum*
- H. revolutum*
- H. sanguinolentum*
- Hypolepis rufobarbata*
- Leptopteris hymenophylloides*
- Lindsaea trichomanoides*
- Paesia scaberula*
- Phymatosorus novae-zelandiae*
- P. pustulatus*
- Pneumatopteris pennigera*
- Polystichum richardii*
- P. silvaticum*
- P. vestitum*
- Pteridium esculentum*
- Pyttosia elegnifolia*
- Trichomanes tenifolium*

MONOCOT LIANES

- Ripogonum scandens*

DICOT LIANES

- Clematis foetida*
- Metrosideros diffusa*
- M. perforata*
- Rubus cissoides* var.

PSILOPSIDS AND LYCOPODS

- Tmesipteris tannensis*
- Lycopodium scariosum*
- L. volubile*

FERNS

- Asplenium bulbiferum*
- A. flaccidum*
- A. polyodon*
- Blechnum chambersii*
- B. discolor*
- B. fluviatile* agg.
- B. vulcanicum*

ORCHIDS

- Chiloglottis cornuta*
- Corybas acuminatus*
- C. trilobus*

*Dendrobium cunninghamii*  
*Eatonia autumnalis*  
*E. mucronata* s.s.  
*Thelymitra* sp.

#### GRASSES

*Cortaderia fulvida*  
*Microlaena avenacea*

#### SEDGES

*Gahnia pauciflora*  
*G. setifolia*  
*Uncinia gracilentia*  
*U. rupestris* (incl. *U. angustifolia*)  
*U. uncinata*  
*U. zotovii*

#### RUSHES

*Luzula* sp.

#### MONOCOT HERBS OTHER THAN ORCHIDS, GRASSES, SEDGES, RUSHES

*Astelia fragrans*  
*A. solandri*  
*CollospERMUM microspermum*  
*Luzulaea parviflora*

#### COMPOSITE HERBS

*Gnaphalium* sp.  
*Lagenifera pumila*  
*Raoulia glabra*  
*Senecio tufiglandulosus*  
 var. *tufiglandulosus*

#### DICOT HERBS OTHER THAN COMPOSITES

*Acaena anserinifolia*  
*Cardamine* sp. (*C. debilis* agg.)  
*Epilobium nummularifolium*  
*Galium* sp.  
*Haloragis erecta* ssp. *erecta*  
*Nertera depressa* (incl. *N. cunninghamii*)  
*N.* sp. (unnamed, aff. *N. dichondrifolia*) (hairs present on both surfaces of lf, straight, not hooked as in *N. dichondrifolia*)  
*Pratia angulata* agg.  
*Ranunculus reflexus*  
*Stellaria decipiens* (incl. *S. parviflora*)  
*Urtica incisa*

No. of species: 129.

