

79

INDIGENOUS VASCULAR PLANTS IN BOYDS BUSH (KAIMOKO),

S.W. OF TE IRINGA[†], KAWEKA RANGE, 2500-3500 FT.

[†] Grid ref. N 123 737537 ✓

A. P. Druce, Botany Division, D.S.I.R., 1972 (revised Apr 1974
 (Based on visit 1950) Dec 1974

GYMNOSPERMS

- Dactylium cupressinum*
- Podocarpus hallii*
- Pseudopanax ferruginea*
- P. taxifolia*

<i>Pseudopanax</i>	var. <i>atboreus</i>	June 1976
	<i>atboreus</i>	May 1977
<i>P. colensoi</i>	s.s.	June 1979
<i>P. crassifolius</i>		May 1980
<i>P. edgerleyi</i>		June 1985
<i>P. simplex</i> (incl. <i>P. s. var. sinclairii</i>)		July 1990
		July 1992

MONOCOT TREES

- Cordyline australis*
- C. indivisa*

DICOT SHRUBS

<i>Alepis flava</i>	
<i>Aristotelia fruticosa</i> var.	
<i>microphylla</i>	
<i>Coprosma foetidissima</i>	
<i>C. grandifolia</i>	
<i>C. linariifolia</i>	
<i>C. lucida</i> s.s.	
<i>C. microcarpa</i>	
<i>C. propinquua</i> ssp. <i>propinquua</i>	
<i>C. pseudocuneata</i> ssp. <i>pseudocuneata</i>	
<i>C. rhamnoides</i> (incl. <i>C. polymorpha</i>)	
<i>C. rigida</i>	
<i>C. robusta</i>	
<i>C. tenuifolia</i>	
<i>C. sp.</i> (unnamed; included in <i>C. patriflora</i> by Oliver, 1935, and others)	
<i>Cotatia arborea</i>	
<i>C. kingiana</i>	

DICOT TREES

- Aristotelia serrata*
- Carpodetus serratus*
- Elaeocarpus hookerianus*
- Fuchsia excorticata*
- Griselinia littoralis*
- Nestegis cunninghamii*
- Nothofagus fusca*
- N. solandri* (var. *cliffortioides* →
 var. *solandri*)
- N. fusca* × *N. solandri*
- Pittosporum ralphii*
- P. tenuifolium* (ssp. *colensoi* →
 ssp. *tenuifolium*)

Cyathodes juniperina var. (lvs small,
vs. L 1cm X < 1mm)

Gaultheria antipoda

Hebe stricta var. *stricta*

Helichrysum aggregatum var. *aggr.*

Kunzea ericoides agg.

Leptospermum scoparium

Leucopogon fasciculatus var.

Myrsinæ divaricata ss.

Neomyrtus pedunculata

Olearia arborescens

Petaxilla tetrapetala

Pseudopanax anomalous

Pseudowintera colorata

Blechnum chambersii

B. colensoi

B. discolor

B. fluviatile agg.

B. pennat-matina

B. procerum

B. vulcanicum

B. sp. (unnamed) (common lowland sp;
lower pinnae reduced in length)

Dicksonia squarrosa

Grammitis billardierei

Histiopteris incisa

Hymenophyllum demissum

H. multifidum

H. sanguinolentum agg.

Hypolepis millefolium

H. rufobarbata

Leptopteris hymenophylloides

Selaginella cunninghamii

ORCHIDS

Lycopodium varium (incl. *L. billardierei*

and *L. novae-zelandicum*)

Chiloglottis cornuta

Corybas trilobus ss.

Gastrolechia cunninghamii

Pterostylis patens

FERNS

Asplenium bulbiferum agg.

A. flaccidum

A. hookerianum

A. bulbiferum X *A. hookerianum*

GRASSES

Cortaderia fulvida

Deyeuxia avenoides (incl. *D.a.* var.
brachyantha)

Lachnagrostis sp. (unnamed; included
in L. filiformis, as var. semiglabra,
by Zotov, 1965)

DICOT HERBS (OTHER THAN COMPOSITES)

Microlaena avenacea
M. stipoides

Acaena anserinifolia
Epilobium brunnescens s.s.
E. rotundifolium
Gunnera dentata var. dentata
Hydrocotyle dissecta
H. elongata
H. moschata
H. novae-zelandiae s.s.

Poa anceps ssp. anceps
P. breviglumis
Rytidosperma gracile

Mentha cunninghamii
Montia fontana s.s.
Myosotis forstieri
Nertera sp.(i)
N. sp.(ii) (unnamed; aff. N. dichon-
drifolia)
Oreomyrtus sp. (unnamed; aff.
O. ramosa)

Carex dissita s.s.
C. secta s.s.
C. sp. (Sect. Acutae)
Uncinia ferruginea
U. scabra
U. uncinata
U. sp.

Otisia macrophylla ssp. robusta
Oxalis sp.

RUSHES

Juncus novae-zelandiae
Luzula sp.

Parahelbe diffusa ssp. diffusa
Plantago raoulii

MONOCOT HERBS (OTHER THAN ORCHIDS)

GRASSES, SEDGES, RUSHES

Astelia fragrans
Libertia sp.

Pratia angulata agg.
Ranunculus reflexus
Urtica incisa
Viola filicaulis

No. of species: 129.

COMPOSITE HERBS

Anaphalis sp.(i) (unnamed; aff. A. karensis)
A. sp(ii) (Helichrysum bellidoides s.s.)
Craspedia minor var. minor (incl. C. major)
Lagenifera pumila
L. strangulata
Raoulia tenuicaulis (incl. R.t. var.
dimorpha and R.t. var. pusilla)

