

INDIGENOUS VASCULAR PLANTS IN THE VICINITY OF MT MATTHEWS†

RINIUTAKA RA., 1500-3086 FT

†Ghid ref. N165 555140 ✓

A.P. Druce, Botany Division, D.S.I.R., August 1974

(revised June 1975 May 1984

June 1976 June 1986

(Based on visits 1947, 1958, 1975) June 1979 Aug 1987

May 1980 June 1988

Feb 1984 Aug 1990

GYMNOSPERM TREES

- Podocarpus hallii
- Prumnopitys ferruginea

MONOCOT TREES

- Cerdyline indivisa

DICOT TREES

- Aristotelia serrata
- Carpodetus serratus
- Elaeocarpus dentatus (incl. E.d. var. cbovatos)
- Fuchsia excorticata
- Giselinia littoralis
- Hedycahya arborea
- Hohetia sp. (unnamed)
- Knightia excelsa
- Malicytus ramiflorus ssp. ramiflorus
- Metrosideros robusta
- Myrsine australis
- M. salicina
- Nestegis cunninghamii
- Nothofagus menziesii
- N. solandri var. solandri

- Oleaia rani var. colorata
- Pennantia corymbosa
- Pseudopanax colensoi s.s.
- P. crassifolius
- P. simplex (incl. P.s. var. sinclairii)
- Schefflera digitata
- Weinmannia racemosa var.

racemosa

DICOT SHRUBS

- Alseuosmia pusilla
- Brachyglottis repanda s.s.
- B. rotundifolius var. (B. alneagni-folius)
- Cassinia leptophylla var. leptophylla
- Coprosma colensoi s.s.
- C. foetidissima
- C. grandifolia
- C. microcarpa
- C. rhamnoides (incl. C. polymorpha) ssp. rhamnoides
- C. rotundifolia
- C. rugosa ssp. rugosa

C. sp. (unnamed; included in C. parviflora by Oliver, 1935, and others) (If undersurface not minutely hairy as is usual in C. parviflora; drupes vs. unpigmented, occ. purplish red)

Cyathodes sp. (C. juniperina agg.) (lvs small, vs. < 1cm x < 1mm)

Dracophyllum longifolium var. (incl. D. filifolium and D. oliveri)

Gaultheria rupestris (incl. G. subcotymbosa)

G. sp. (unnamed; included in G. depressa, as var. novae-zelandiae, by Franklin 1962)

Hebe stricta var. atkinsonii

H. venustula (Zotov et al., 1938)

Helichrysum aggregatum var. aggreg.

Kunzea ericoides var.

Leucopogon fasciculatus

Olearia arborescens

O. colensoi var. colensoi

Pseudopanax anomalus

Pseudowintera axillaris

P. colorata

Urtica fetox

DICOT LIANES

Clematis forsteri

C. paniculata

Metrosideros diffusa

M. fulgens

Muehlenbeckia australis

Rubus cissoides var. cissoides

PSILOPSIDS AND LYCOPODS

Tmesipteris tannensis

Lycopodium australianum (Zotov et al., 1938)

L. scariosum

L. varium (incl. L. billardierei and L. novae-zelandicum)

FERNS

Asplenium flaccidum

A. hookerianum

A. oblongifolium

Blechnum colensoi

B. discolor

B. fluviatile agg.

B. procerum

B. vulcanicum

B. sp. (unnamed) common lowland sp.; lower pinnae reduced in length

Ctenopteris heterophylla

Cyathea colensoi

C. dealbata

C. smithii

Grammitis billardierei

Histiopteris incisa

Hymenophyllum demissum

H. dilatatum

H. pettatum

H. multifidum

H. sanguinolentum, agg.

H. ratum

Hypolepis rufo-barbata

Leptopteris hymenophylloides

L. superba

Lindsaea trichomanoides (incl. *L. t.*

Paesia scaberula var. *lesconii*)

Phymatosorus diversifolius

Polystichum vestitum

Pyrtosia cleagnifolia

Rumohra adiantiformis

Trichomanes teniforme

Microlaena avenacea

Poa anceps ssp. *anceps*

P. breviglumis

Rytidosperma gracile

R. unatode

Trisetum sp. (unnamed)

SEDGES

Uncinia clavata

U. distans

U. filiformis

U. gracilentia

U. scabra

U. silvestris (incl. *U. affinis*)

U. uncinata

U. zotcvii

RUSHES

Juncus gregiflorus

J. novae-zelandiae

Luzula picta s.s.

ORCHIDS

Corybas oblongus

C. rivularis s.s. (Beddie 1938, as *Cory-*
santhes rotundifolia)

C. trilobus s.s.

Dendrobium cunninghamii

Eatina autumnalis

E. mucronata s.s.

GRASSES

Chionochoa cheesemanii

C. conspicua ssp. *cunninghamii*

Dichelachne crinita

Lachnagrostis sp. (unnamed; included
in *L. filiformis*, as var. *semi-glabra*,
by Zolov 1965)

MONOCOT HERBS (OTHER THAN ORCHIDS)

GRASSES, SEDGES, RUSHES

Arthropodium candidum

Astelia fragrans

A. solandri

Collospermum microspermum

Libertia grandiflora

Luzuriaga parviflora
Photnium cookianum

COMPOSITE HERBS

Brachyotris lagopus var. lagopus

Craspedia minor var. minor (incl. C. major)

C. uniflora var. grandis

C. viscosa

Gnaphalium audax

Helichrysum filicaule

Lagenifera strangulata

Pseudognaphalium sp. (unnamed aff. P. luteoalbum)

Raoulia glabra

R. tenuicaulis (incl. R. t. var. clinorpha
and R. t. var. pusilla)

Senecio minimus

S. rufiglandulosus var. rufiglandulosus

DICOT HERBS (OTHER THAN COMPOSITES)

Acaena anserinifolia

Aciphylla squarrosa s.s.

Cardamine sp. (C. debilis agg.) ("Long
Styla" of Pritchard 1957)

Epilobium brunnescens s.s.

E. glabellum s.s.

E. linnaeoides

Euphrasia cuneata

Gunnera monoica

Hydrocotyle moschata

Jovellana repens

Nertera ciliata

Nertera depressa (incl. N. cunninghamii)
N. sp. (unnamed; aff. N. dichondrifolia) (hairs present on
both surfaces of lf, straight, not
hooked as in N. dichondrifolia)

Ourtisia colensoi

O. lactea ssp. drucei

O. colensoi x O. lactea

Oxalis magellanica agg.

Parahebe diffusa ssp. diffusa

Pratia angulata agg.

Ranunculus reflexus

Schizoclema trifololatum

Stellaria decipiens (incl. S. parvi-
flora)

Urtica incisa

Viola cunninghamii (Zotov et al., 1938)

V. filicaulis

No. of species: 163.