

INDIGENOUS VASCULAR PLANTS IN THE VICINITY OF KURATAU CLEARING,N.W. OF TURANGI

Grid ref. N102 09-13-; alt. 2100-2200ft

N102 090 130 ✓

A.P. Druce, Botany Division, D.S.I.R., Oct. 1975 (revised June 1976

Jan 1977

May 1977

Jan 1979

Feb 1979

May 1979

June 1979

(Based on visits 1951, 1967, 1975, 1979, 1982)

(Additions by C. Ectoyd Apr. 1993) ✓

GYMNOSPERM TREES*Dacrycarpus dactyloides**Dactyidium cupressinum**Halocarpus bidwillii**Lagarostrobos colensoi**Phyllocladus alpinus* s.s.*P. trichomanoides* s.s.*P. alpinus* X *P. trichomanoides**Podocarpus hallii**P. totara* s.s.*Prumnopitys ferruginea**P. taxifolia**Hohentia populnea* var. *lanceolata**Melicytus lanceolatus* (incl. M.l. var.*latior*)

May 1980

April 1982

*M. ramiflorus* ssp. *ramiflorus**Myrsine australis*

Sept. 1983

*M. salicina*

July 1984

Aug 1988

*Nestegis cunninghamii*

Aug 1990

*N. lanceolata*

Feb. 1993

Apr. 1993)

*Oleaia tani* var. *colorata**Pennantia corymbosa**Pittosporum eugenioides**P. tenuifolium* ssp. *colensoi**P. turneri**P. tenuifolium* ssp. *colensoi* → ssp.*tenuifolium**Plagianthus regius* var. *regius**Pseudopanax arboreus* var. *arboreus**P. colensoi* s.s.*P. crassifolius**P. edgerleyi**P. simplex* (incl. *P. s.* var. *sinclairii*)*Schefflera digitata**Wellmannia racemosa* var. *racemosa*MONOCOT TREES*Cordyline australis*DICOT TREES*Aristotelia serrata**Carpodetus serratus**Elaeocarpus dentatus* (incl. *E. d.* var. *obovatus*)*E. hookerianus**Fuchsia excorticata**Gnisehimia littoralis*

## DICOT SHRUBS

- Alseuosmia pusilla*  
*Aristotelia fruticosa* var. *microphylla*  
*Carmichaelia* sp. (subgenus *Carmichaelia*)  
  
*Coprosma chaezemanii* s.s.  
*C. foetidissima*  
*C. grandifolia*  
*C. lucida* s.s.  
*C. propinqua* ssp. *propinqua*  
*C. thamnoides* (incl. *C. polymorpha*)  
*C. rigida*  
*C. robusta*  
*C. tenuifolia*  
*C. sp.* (unnamed; included in *C. parviflora* by Oliver, 1935, and others) (If under surface not minutely hairy as is usual in *C. parviflora*; drupes usually unpigmented, occ. purplish red)  
*C. propinqua* x *C. robusta*  
*Cotiana arborea*  
*Corokia cotoneaster* var. *cotoneaster*  
*Cyathodes empetrifolia*  
  
*C. sp.* (*C. juniperina* agg.) (lvs small, usually < 1cm x < 1mm)  
*Dracophyllum subulatum*

- Gaultheria antipoda*  
*G. paniculata*  
*G. sp.* (unnamed; included in *G. depressa*, as var. *novae-zelandiae*, by Franklin 1962)  
*Hebe corriganii*  
*H. stricta* var. *stricta*  
*H. sp.* (*Veronica arborea*)  
*H. stricta* x *H. sp.* (*Veronica arborea*)  
*Kunzea ericoides* agg.  
*Leptospermum scoparium*  
*Leucopogon fasciculatus* var.  
*L. fraseri* s.s.  
*Malicope simplex*  
*Myrsine divaricata* s.s.  
*Neomyrtus pedunculata*  
*Oleaia arborescens*  
*O. virgata* var. (lvs smaller than in var. *virgata*)  
*Pimelea prostrata*  
*Pseudopanax anomalus*  
*P. anomalus* x *P. simplex*  
*Pseudowintera colorata*

## DICOT LIANES

- Clematis foetida*  
*C. paniculata*  
*C. quadribracteolata*  
*Metrosideros diffusa*  
*Muehlenbeckia australis*  
*Maxillaria*  
*Rubus cissoides*  
*R. schmidelioides* var. *schmidelioides*

**LYCOPODS**

- Lycopodium australianum*
- L. deuterodensum*
- L. fastigiatum*
- L. scariosum*
- L. varium* (incl. *L. billardierei* and *L. novae-zelandicum*)
- L. volubile*

**FERNS**

- Asplenium bulbiferum* agg.
- A. flaccidum*
- A. polyodon*
- Blechnum chambersii*
- B. colensoi*
- B. discolor*
- B. fluviatile* agg.
- B. minus*
- B. penna-marina*
- B. procerum*
- B. vulcanicum*
- B. sp.* (unnamed) (common lowland sp; lower pinnae reduced in length)
- Botrychium australe*
- B. biforme*
- Ctenopteris heterophylla*
- C. h.* X *Grammitis* sp.
- Cyathea dealbata*
- C. smithii*
- Dicksonia fibrosa*
- D. squarrosa*
- Gleichenia dicarpa*

- Grammitis billardierei*
- G. ciliata*
- G. magellanica* ssp. *nothofageti*
- G. pseudociliata*
- Hymenophyllum deimissum*
- H. dilatatum*
- H. flabellatum*
- H. multifidum*
- H. pulcherrimum*
- H. tatum*
- H. revolutum*
- H. sanguinolentum* agg.
- H. scabrum*
- Lastreopsis hispida*
- Leptopteris hymenophylloides*
- L. superba*
- L. hymenophylloides* X *L. superba*
- Ophioglossum coriaceum* agg.
- Phymatosorus pustulatus*
- Pneumatopteris pennigera*
- Polystichum vestitum*
- Pteridium esculentum*
- Rumohra adiantiformis*
- Sticherus cunninghamii*
- ORCHIDS** *Trichomanes teniforme*
- Aporostylis bifolia*
- Corybas tivularis* s.s.
- C. trilobus* s.s.
- Dendrobium cunninghamii*
- Earina autumnalis*
- E. mucronata* s.s.
- Microtis unifolia*
- Prasophyllum colensoi*
- Thalymitra cyanea*
- T. longifolia*

GRASSES

- Cortaderia fulvida
- Deyeuxia arenoides (incl. D. a. var. brachyantha)
- D. sp. (D. quadrisetata aff.)
- Festuca novae-zelandiae
- Hierochloa redolens
- Microlaena avenacea
- M. stipoides
- Poa anceps ssp. anceps
- P. cita
- P. pusilla
- Rytidosperma gracile

SEDGES

- Baumea tubiginosa
- B. tenax
- Carex breviculmis
- C. cotiacea
- C. dipsacea var. (C. talioata)
- C. dissita s.s.
- C. echinata var. (C. stellulata var. australis)
- C. secta s.s.
- Carpha alpina s.s.
- Eleocharis gracilis
- Lepidosperma australe
- Oreobolus pectinatus
- Schoenus maschalinus
- Isolepis crassiuscula
- I. habra
- I. subtilissima
- Uncinia ferruginea
- U. gracilentata
- U. tubra
- U. scabra
- U. uncinata
- U. zotovii
- U. sp. (unnamed) (U. affinis Hamlin 1959, non U. hiparia var. affinis Col. ex

RUSHES

- Centrolepis ciliata
- Empodisma minus
- Luzula decipiens
- L. subclavata

MONOCOT HERBS (OTHER THAN ORCHIDS)

(GRASSES, SEDGES, RUSHES)

- Astelia fragrans
- A. grandis
- A. sp. (unnamed; aff. A. nervosa) (lvs not conspicuously white adaxially as in A. nervosa)
- CollospERMUM microspERMUM
- Dianella nigra
- Heteropogon novae-zelandiae
- Phormium tenax
- Potamogeton suboblongus

COMPOSITE HERBS

- Celmisia gracilentata ssp.
- C. sp. (unnamed; aff. C. grac.) (strongly rhizomatous)
- Gnaphalium audax
- G. limosum s.s.
- Halichrysum filicaule
- Lagenifera montana
- L. pumila
- Microseris scapigera var.
- Pseudognaphalium sp. (unnamed; aff. P. luteoalbum)
- Senecio tufiglandulosus var.

[Clarke

## DICOT HERBS

*Acaena auserinifolia*

*A. microphylla* var. *microphylla*

*Aciphylla* sp. (unnamed; aff. *A. squarrosa*)

*Cardamine* sp. (i) (*C. debilis* agg.) ('Long Style' of Pritchard 1957)

*C. sp.* (ii) (*C. debilis* agg.)

*Dichondra* sp. (cf. *D. brevifolia*)

*Drosera binata*

*D. spathulata*

*Epilobium cinereum*

*E. pedunculare* s.s.

*E. rotundifolium*

*E. tenuipes* s.s.

*Euphrasia cuneata*

*Galium perpusillum* s.s.

*Gentiana grisebachii* s.s.

*Geranium potentilloides* var. *potentilloides*

*G. sessiliflorum* var. *novae-zeelandiae*

*Gonocarpus aggregatus*

*G. micranthus* ssp. *micranthus*

*Gratiola nana*

*Hydrocotyle heteromeria*

*H. moschata*

*H. novae-zeelandiae* s.s.

*H. sp.* (unnamed; included in *H.*

*novae-zeelandiae*, as var. *montana*, by Kirk 1899)

*Hypericum japonicum* agg.

*H. sp.* (unnamed) (much smaller than

*H. japonicum*)

*Myosotis forsteri*

*Myriophyllum pedunculatum* ssp. *novae-zeelandiae*

*Netteta scapanioides*

*N. setulosa*

*Oxalis exilis*

*Oreomyza* sp. (unnamed; aff.

*O. ramosa*)

*Plantago triandra* s.s.

*Pratia angulata* agg.

*Ranunculus reflexus*

*R. sp.* (cf. *R. amphitrichus* or *R. glabrifolius*)

*Schizilema trifoliolatum*

*Stackhousia minima*

*Stellaria decipiens* (incl. *S. parviflora*)

*Urtica incisa*

*Utricularia novae-zeelandiae*

*Viola cunninghamii*

*V. filicaulis*

*V. lyallii*

No. of species: 244.

