

†  
INDIGENOUS VASCULAR PLANTS OF HAUTURU BUSH, WEST OF  
TE KUITI, 1000-1500 FT.

† Ghd ref. N82 52-52-

A.P. Druce, Botany Division, D.S.I.R., Feb. 1979  
 (Revised June 1979, May 1980, April 1982, Oct. 1983, June 1988,  
 (Based on visit Oct. 1979) Sept. 1990)

GYMNOSPERM TREES

*Dacrydium cupressinum*  
*Prumnopitys ferruginea*

*Pseudopanax arboreus* var. *arb.*  
*P. crassifolius*  
*P. edgerleyi*  
*P. laetus*  
*Quintinia serrata* (incl. *Q. acuti-*  
*folia* and *Q. elliptica*)

DICOT TREES

*Aristotelia serrata*  
*Beilschmiedia tawa*  
*Carpodetus serratus*  
*Elaeocarpus dentatus* (incl. *E. d.*  
*var. obovatus*)  
*Fuchsia excorticata*  
*Griselinia lucida*  
*Medycarya arborea*  
*Knightria excelsa*  
*Laurelia novae-zelandiae*  
*Litsea calicatis*  
*Meliccytus ramiflorus* ssp.  
*ramiflorus*  
*Myrsine salicina*  
*Nestegis lanceolata*  
*Olearia rani* var. *colorata*

*Schefflera digitata*  
*Weinmannia racemosa* var.  
*racemosa*

DICOT SHRUBS

*Alseuosmia macrophylla*  
*Brachyglottis repanda* ss.  
  
*Coprosma grandifolia*  
*C. lucida* ss.  
*C. thamnoides* ssp. *thamnoides*  
 (incl. *C. polymorpha*)  
*C. robusta*  
  
*Gaulltheria antipoda*  
*Geniostoma rupestre* var.  
*ligustrifolium*

- Hebe stricta var. stricta
- Leptospermum scoparium
- Olea virgata var. virgata (incl. O.V. var. ramuliflora)

**MONOCOT LIANES**

- Freycinetia baueriana ssp. banksii
- Ripogonum scandens

**DICOT LIANES**

- Clematis paniculata
- Metrosideros diffusa
- M. fulgens
- M. perforata
- Muehlenbeckia australis
- Parsonsia capsularis
  
- Rubus cissoides var. cissoides

**PSILOPSIDS AND LYCOPEDS**

- Tmesipteris elongata (incl. T.e. var. robusta)
- Lycopodium deuterodensum
- L. scariosum
- L. volubile

**FERNS**

- Anarthropteris lanceolata
- Asplenium bulbiferum
- A. flaccidum
- A. oblongifolium
- A. polyodon
- Blechnum chambersii
- B. colensoi
- B. discolor
- B. filiforme
- B. fluviatile agg.
- B. procerum
- B. sp. (unnamed) (common lowland sp.; lower pinnae reduced in length)
- Ctenopteris heterophylla
- Cyathea cunninghamii
- C. dealbata
- C. medullaris
- C. smithii
- Dicksonia squarrosa
- Gleichenia microphylla
- Grammitis billardierei
- Histiopteris incisa
- Hymenophyllum deniisum
- H. dilatatum
- H. flabellatum
- H. multifidum
- H. revolutum
- H. sanguinolentum agg.
- Lastreopsis hispida

*Leptopteris hymenophylloides*

*Lindsaea trichomanoides*

*Paesia scaberula*

*Phymatosorus diversifolius*

*Pneumatopteris pennigera*

*Polystichum richardii*

*P. vastitum*

*Pteris pendula*

*Rumohra adiantiformis*

*Trichomanes tenuiforme*

*T. venosum*

#### ORCHIDS

*Acianthus sinclairii*

*Corybas acuminatus*

*C. trilobus* s.s.

*Dendrobium cunninghamii*

*Eatonia autumnalis*

*E. mucronata* s.s.

*Microtis unifolia*

*Pterostylis banksii*

*Thelymitra longifolia*

#### GRASSES

*Microlaena avenacea*

#### SEDGES

*Gahnia pauciflora*

*Uncinia uncinata*

*U. zotovii*

#### MONOCOT HERBS (OTHER THAN

ORCHIDS, GRASSES, SEDGES)

*Astelia solandri*

*Collospermum hastatum*

*Dianella nigra*

#### COMPOSITE HERBS

*Senecio minimus*

#### DICOT HERBS (OTHER THAN COMPOSITE

*Acaena ansetinifolia*

*Cardamine* sp. (*C. debilis* agg.)

("Glossy Leaf" of Pritchard 1957)

*Centella uniflora*

*Elatostema rugosum*

*Epilobium rotundifolium*

*Nertera depressa* (incl. *N. cunninghamii* <sup>hain</sup>)

*N. dichondrifolia* s.s.

*Pratia angulata* agg.

*Urtica incisa*

No. of species: 113.

