

Orchids  
or disease ✓

# Native plants of the Eastbourne hills: Status and conservation management

K27705 890

John Sawyer  
Biodiversity – Technical Support Officer  
Department of Conservation  
Wellington Conservancy  
P.O. Box 5086  
Wellington  
New Zealand  
Tel: (04) 470 8427  
Fax: (04) 499 0077  
Email: [jsawyer@doc.govt.nz](mailto:jsawyer@doc.govt.nz)

# Table of Contents

## 1. Native plants of the Eastbourne Hills

1.1 Vegetation types

1.2 Nationally Threatened Species

1.3 Regionally Threatened Species

1.4 Plants of local significance

## 2. Conservation management

2.1 Survey

2.2 Monitoring

2.3 Protection

2.4 Restoration

Appendix 1: Native plant records for Eastbourne

Appendix 2: Weeds of the Eastbourne Hills

## 1. Native plants of the Eastbourne Hills

### 1.1 Vegetation types

### 1.2 Nationally Threatened Species

Latin name	Common name	National status	Record and reference
<i>Desmoschoenus spiralis</i>			Days Bay (de Lange, P.J.) and Point Webb and Rona Bay (Freegard and Weeber 1986)
<i>Peraxilla tetrapetala</i>			Muritae, Eastbourne (Gibbs 1986; Druce, A.P.) and Mackenzie Track, Butterfly Creek (Ashcroft 1942)
<i>Pimelea arenaria</i>			Muritae, Eastbourne (Aston 1906)
<i>Pterostylis puberula</i> ✓			Days Bay (Druce, A.P.)
<i>Pterostylis tasmanica</i> ✓			Days Bay (Druce, A.P. 1950)

### 1.3 Regionally Threatened Species

Latin name	Common name	National status	Record and reference
<i>Acaena pallida</i>			Days Bay at back of dunes (de Lange & Silbery 1991) and Robinson Bay, eastbourne (de Lange 1991)
<i>Adiantum diaphanum</i>			Days Bay (Brownsey, P. 1986)
<i>Botrychium australe</i>			Mount Hawtrey Bush (Clelland 1984) and Butterfly Creek (Brownsey 1982)
<i>Botrychium bifforme</i>			Butterfly Creek (Chinnock 1069)
<i>Brachyglottis greyi</i> var. <i>greyi</i>			Lowry Bay and Francis Bell (Tararua Tramping

			Club 1995)
<i>Brachyglottis kirkei</i>			Lowry Bay (Kelly 1965) and Mount Hawtrey Bush (Clelland 1984)
<i>Bulbophyllum pygmaeum</i>			Days Bay (Workers Education Association) Butterfly Creek to Gollans Valley (Wellington Botanical Society 1984)
<i>Bulbophyllum tuberculatum</i>			Butterfly Creek (Anonymous)
<i>Carex diandra</i>			Eastbourne, on coast to south (Moss, T. 1983)
<i>Coprosma acerosa</i>			Eastbourne (Peebles 1944) and Gollans Valley to Butterfly Creek (Wellington Botanical Society 1984)
<i>Drymoanthus adversus</i> ✓			Eastbourne Hills (Workers Education Association)
<i>Drymoanthus flavus</i> ✓			Eastbourne Hills (St George, I.)
<i>Einadi allanii</i>			Days Bay, beyond Muritae (Aston 1906).
<i>Genoplesium nudum</i>			Days Bay (Aston 1911) and Muritae Park, Eastbourne (Warden A.D. 1974).
<i>Gonocarpus incanus</i>			Mount Hawtrey (Clelland 1984) and between Days Bay and Eastbourne (Moss, T.)
<i>Hypolepis dicksonioides</i>			Mount Hawtrey Bush (Clelland 1984) and Butterfly Creek to Gollans (Moss, T.)
<i>Metrosideros robusta</i>			Eastbourne hills (Knightbridge, P.)
<i>Melicytus</i> aff. <i>obovatus</i>			Point Howard (Druce; Atkinson; de Lange)
<i>Mida salicifolia</i>			Eastbourne to Wainui and Butterfly Creek (Mead, A. 1974)
<i>Pterostylis cardiostigma</i> ✓			Lowry Bay, Days Bay (Cooper 1980) and Mount Hawtrey Bush (Clelland 1984)
<i>Ranunculus macropus</i>			Mount Hawtrey Bush (Clelland 1984) and Butterfly Creek (Chinnock

			1957)
<i>Schizaea bifida</i>			Willams Park, Days Bay (Moss, T.) and Eastbourne (Brownsey)
<i>Streblus banksii</i>	Large leaved milk tree		Lowry Bay (Horne)

#### 1.4 Plants of local significance

Latin name	Common name	National status	Record and reference
<i>Syzygium maire</i>			Lowry Bay Scenic Reserve (Wassilief Clark and Gabites 1986) and Mount Hawtrey Bush (Clelland 1984) and Butterfly Creek (Ogle 1985).

## 2. Conservation management

2.1 Survey

2.1 Monitoring

2.3 Protection

2.4 Restoration

Appendix 1: Native plant records for Eastbourne

Appendix 2: Weeds of the Eastbourne Hills

