

Orchids on
abase ✓

Indigenous vascular flora in the vicinity of the glowworm caves Blue Rock Road.

Map Ref. Centred on S27 097830 Alt. 240 – 280m

Pat Enright, Olaf John, Peter Beveridge (3hrs) 9/6/01

Pat Enright, Tony Silbery, Olaf John (3hrs) 15/9/01

Site Description:

This site encompasses some limestone bluffs and boulders above the road, a limestone gorge and the area around the cave entrances. The area is grazed except for a small area fenced off to protect stock consequently most palatable species are restricted to ledges and cliff edges and areas in the limestone gorge.

Most tree species are represented by a few mature specimens in an area outside the caves. Part of this area is boggy at the moment and there seems to be a permanent seepage that provides the water. The drought effects are evident in the almost dead epiphytic orchid species *Earina mucronata* which is growing in a large black maire (*Nestegis cunninghamii*).

The clefts, crevices and areas under the limestone cliffs and boulders provide the refuge for some of the more interesting species notably *Ranunculus multiscapus* (not currently listed from Eastern Wairarapa) and the fern *Asplenium lyalli* (uncommon in the Wellington conservancy).

A further search of the boggy area in the spring may yield some of the smaller species, which show up when in flower.

Gymnosperm trees and shrubs

Dacrycarpus dacrydioides (unc)
Prumnopitys taxifolia

kahikatea
matai

Dicotyledonous trees and shrubs

Alectryon excelsus subsp. *excelsus*
Aristotelia serrata (unc)
Brachyglottis repanda
Carpodetus serratus
Coprosma areolata
Coprosma rhamnoides
Coprosma robusta
Coriaria arborea
Fuchsia excorticata (unc)
Gaultheria antipoda (unc)
Griselinia littoralis (unc)
Hebe stricta var. *atkinsonii*
Hedycarya arborea (unc)
Helichrysum aggregatum
Hoheria sexstylosa
Kunzea ericoides
Leptospermum scoparium
Leucopogon fasciculatus (unc)
Macropiper excelsum subsp. *excelsum*
Melicytus ramiflorus subsp. *ramiflorus*
Myoporum laetum (unc)
Melicytus ramiflorus
Myrsine australis
Nestegis cunninghamii
Ozothamnus leptophyllus s.s.
Pennantia corymbosa
Pittosporum eugenioides
Pittosporum tenuifolium (unc)
Pseudopanax arboreus
Sophora microphylla (unc)
Urtica ferox
Weinmannia racemosa subsp. *racemosa* (unc)

titoki
makomako, wineberry
rangiora
putaputaweta, marbleleaf

karamu
tree tutu
kotukutuku, tree fuchsia

broadleaf
koromiko
porokaiwhiri, pigeonwood

narrow leafed lacebark
kanuka
manuka

kawakawa
mahoe
ngaio
mahoe
red matipo
black maire
tauhinu
kaikomako
tarata, lemonwood
kohuhu
five finger
kowhai
ongaonga, tree nettle
kamahi

Monocotyledonous trees and shrubs

Cordyline australis (unc)

te kouka, cabbage tree

Monocotyledonous lianes

Ripogonum scandens (unc)

supplejack

Dicotyledonous lianes and related trailing plants

Clematis forsteri

Metrosideros colensoi

Metrosideros diffusa

Muehlenbeckia australis

Parsonsia heterophylla (unc)

Rubus cissoides

Rubus schmidelioides (unc)

akatea

pohuehue

N.Z. jasmine

tataramoa, bush lawyer

tataramoa, bush lawyer

Psilopsids, Lycopods and Quillworts

Ferns

Adiantum cunninghamii

Asplenium flabellifolium

Asplenium flaccidum

Asplenium gracillimum

Asplenium hookerianum

Asplenium lyalli

Asplenium oblongifolium

Azolla filiculoides

Blechnum chambersii

Blechnum fluviatile

Blechnum pennamarina (unc)

Blechnum triangularifolium

Ctenopteris heterophylla (unc)

Hymenophyllum cupressiforme (unc)

Hypolepis ambigua

Lastreopsis glabella

Microsorium pustulatum

Pellaea rotundifolia

Pneumatopteris pennigera

Polystichum richardii

Pteridium esculentum

Pteris macilenta

Pteris tremula

Pyrrhosia eleagnifolia

maidenhair fern

necklace fern

hanging spleenwort

huruwhenua, shining spleenwort

nini

kiwakiwa

comb fern

kowaowao, hounds tongue

tarawera, button fern

pakauroharoha, gully fern

pikopiko

rauaruhe, bracken

turawera, shaking brake

ota, leather leaf fern

Orchids

Corybas macranthus ✓

Earina mucronata (unc) ✓

Microtis unifolia ✓

onion leaved orchid

Grasses

Poa anceps subsp. anceps

Sedges

Uncinia uncinata (unc)

Rushes and allied plants

Juncus gregiflorus

Juncus planifolius

Juncus sarophorus

Remaining Monocotyledonous plants

Libertia ixioides (unc)
Phormium cookianum

mikoikoi

Daisy-like herbs (Composites)

Anaphaloides trinervis (unc)
Euchiton gymnocephalus
Helichrysum filicaule
Lagenifera pumila
Pseudognaphalium luteoalbum
Rauulia glabra (unc)

Dicotyledonous herbs other than Composites

Cardamine sp. (*C. debilis* agg.) ("Long Style" of Pritchard 1957)
Dichondra brevifolia agg.
Epilobium nummulariifolium
Epilobium pedunculare
Epilobium pubens (unc)
Galium propinquum
Geranium sessiliflorum
Geranium sp. (microphyllum /potentilloides)
Hydrocotyle elongata
Hydrocotyle moschata
Hydrocotyle novae zelandiae
Hypericum japonicum
Nertera depressa
Oxalis exilis
Plantago raoulii
Pratia angulata
Ranunculus multiscapus
Ranunculus reflexus
Stellaria decipiens
Wahlenbergia violacea

tukorehu

Lichens: (Compiled by Barbara Polly)

Flavoparmelia haysomii
Neofuscella pulla
Pseudocyphellaria ardesiaca
Tephromela atra
Xanthoparmelia substrigosa

Liverworts:

Targionia hypophylla ?

Mosses: (Compiled by Peter Beveridge)

Racopilum robustum

Birds:

eastern rosella
fantail
grey warbler

A stoat and a wild cat were seen in and around the rocks

