

COMMON PLANT NAMES USED IN THE TEXT AND THEIR LATIN EQUIVALENTS

akiraho	<i>Olearia paniculata</i>	prairie grass*	<i>Bromus catharticus</i>
black beech	<i>Nothofagus solandri</i> var. <i>solandri</i>	pohutukawa	<i>Metrosideros excelsa</i>
black maire	<i>Nestegis cunninghamii</i>	puka	<i>Griselinia lucida</i>
bracken	<i>Pteridium esculentum</i>	pukatea	<i>Laurelia novae-zealandiae</i>
broadleaf	<i>Griselinia littoralis</i>		<i>Carpodetus serratus</i>
broom	<i>Carmichaelia arborea</i> var.		<i>Metrosideros robusta</i>
bush lawyer	<i>Rubus cissoides</i>	putaputaweta	<i>Pseudopanax edgerleyi</i>
cabbage tree	<i>Cordyline australis</i>	rata	<i>Knightia excelsa</i>
coastal tree daisy	<i>Olearia solandri</i>	raukawa	<i>Dacrydium cupressinum</i>
cocksfoot*	<i>Dactylis glomeratus</i>	rewarewa	<i>Paesia scaberula</i>
fivefinger	<i>Pseudopanax arboreus</i>	rimu	<i>Bromus diandrus</i>
fuchsia	<i>Fuchsia excorticata</i>	ring fern	<i>Lolium perenne</i>
gully fern	<i>Cyathea cunninghamii</i>	ripgut brome*	<i>Cyathea dealbata</i>
hangehange	<i>Geniostoma rupestre</i>	ryegrass*	<i>Poa laevis</i>
hard fern	<i>Blechnum</i> spp.	silver treefern	<i>Cyathea smithii</i>
heketara	<i>Olearia rani</i>	smiths treefern	<i>Ripogonum scandens</i>
hen and chicken fern	<i>Asplenium bulbiferum</i>	supplejack	<i>Syzygium maire</i>
hinau	<i>Elaeocarpus dentatus</i>	swamp maire	<i>Anthroxanthum odoratum</i>
hook grass	<i>Uncinia uncinata</i>	sweet vernal*	<i>Cassinia leptophylla</i>
kahikatea	<i>Dacrycarpus dacrydioides</i>	tauhiu	<i>Beilschmiedia tawa</i>
kaikomako	<i>Pennantia corymbosa</i>	tawa	<i>Alectryon excelsus</i>
kamahi	<i>Weinmannia racemosa</i>	titoki	<i>Cortaderia toetoe</i>
kanono	<i>Coprosma grandifolia</i>	toetoe	<i>Myrsine salicina</i>
kanuka	<i>Leptospermum ericoides</i>	toro	<i>Cyathea</i> spp.
karako	<i>Corynocarpus laevigatus</i>	tree fern	<i>Urtica ferox</i>
karamu	<i>Coprosma robusta</i> and <i>C. lucida</i>	tree nettle	<i>Metrosideros fulgens,</i>
	<i>Pittosporum crassifolium</i>	vine rata	<i>M. diffusa,</i>
karo	<i>Agathis australis</i>		<i>M. perforata</i>
kauri	<i>Macropiper excelsum</i>	white maire	<i>Nestegis lanceolata</i>
kawakawa	<i>Freycinetia baueriana</i> ssp. <i>banksii</i>	wineberry	<i>Aristotelia serrata</i>
kiekie	<i>Marattia salicina</i>	yorkshire fog*	<i>Holcus lanatus</i>
king fern	<i>Dysoxylum spectabile</i>		
kohekohe	<i>Pittosporum tenuifolium</i>		
kohuhu	<i>Sophora microphylla</i>		
kowhai	<i>Pseudopanax crassifolius</i>		
lancewood	<i>Lupinus arboreus</i>		
lupin*	<i>Melicytus ramiflorus</i>		
mahoe	<i>Cyathea medullaris</i>		
mamaku	<i>Leptospermum scoparium</i>		
manuka	<i>Myrsine australis</i>		
mapou	<i>Prumnopitys taxifolia</i>		
matai	<i>Microlaena stipoides</i>		
meadow rice grass	<i>Prumnopitys ferruginea</i>		
miro	<i>Phormium cookianum</i>		
mountain flax	<i>Libocedrus plumosa</i>		
native cedar	<i>Tetragonia trigyna</i>		
native spinach	<i>Rhopalostylis sapida</i>		
nikau	<i>Myoporum laetum</i>		
ngaio	<i>Elatostema rugosum</i>		
parataniwha	<i>Schefflera digitata</i>		
pate	<i>Hedycarya arborea</i>		

* Exotic species

APPENDIX II

KAPITI ISLAND SPECIES LIST

This species list has been compiled from lists by L. Cockayne 1907; A.S. and A. Wilkinson 1952; A.E. Esler 1967; C.C. Ogle 1962, 71, 79; Garrick 1980; Fauna Survey Unit, New Zealand Wildlife Service 1982; L. Rodda plantings from 1926-1970; S. Fuller 1985.

INDIGENOUS VASCULAR PLANTS OF KAPITI ISLAND

Gymnosperm Trees

- Agathis australis**
- Dacrydium cupressinum***
- Dacrycarpus dacrydioides***
- Libocedrus plumosa**
- Podocarpus hallii**
- P. totara**
- Phyllocladus trichomanoides**
- Prumnopitys ferruginea*
- P. taxifolia*

Dicot Trees and Shrubs

- Alectryon excelsus*
- Aristotelia serrata*
- Beilschmiedia tawa*
- Brachyglottis repanda*
- Carmichaelia arborea* var.
- Carpodetus serratus*
- Cassinia leptophylla*
- Clianthus puniceus**
- Coprosma areolata*
- C. colensoi*
- C. foetidissima*
- C. grandifolia*
- C. lucida*
- C. propinqua*
- C. repens*
- C. rhamnoides*
- C. robusta*
- C. rotundifolia*
- C. tenuicaulis*
- C. propinqua* x *C. robusta*
- Coriaria arborea*
- Corokia buddleioides* x *C. cotoneaster**
- Corynocarpus laevigatus*
- Cyathodes juniperina* var.
- Discaria toumatou*
- Dodonaea viscosa**
- Dysoxylum spectabile*
- Elaeocarpus dentatus*
- Entelea arborescens**
- Fuchsia excorticata*
- Gaultheria antipoda*
- Geniostoma rupestre* var.
- Griselinia littoralis*
- G. lucida*
- Hebe elliptica* var. *crassifolia*
- H. speciosa**
- H. stricta* var. *atkinsonii*
- H. stricta* var. *macroura*
- H. parviflora* var. *arborea*
- Hedycarya arborea*
- Hoheria populnea* var. *populnea*
- H. populnea* var. (*H. sextyllosa*)*
- Hymenanthera crassifolia*
- H. obovata*
- Ileostylis micranthus*
- Knightia excelsa*
- Korthalsella salicornioides*

- Laurelia novae-zelandiae*
- Leptospermum ericoides*
- L. scoparium*
- Leucopogon fasciculatus*
- L. fraseri*
- Litsea calicaris**
- Lophomyrtus bullata*
- Macropiper excelsum*
- Melicope simplex*
- M. ternata*
- M. simplex* x *M. ternata*
- Melicytus ramiflorus*
- Metrosideros diffusa*
- M. excelsa**
- M. fulgens*
- M. kermadecensis**
- M. perforata*
- M. robusta*
- Meryta sinclairii**
- Mida salicifolia*
- Myoporum laetum*
- Myrsine australis*
- M. salicina*
- Nestegis cunninghamii*
- N. lanceolata*
- N. montana*
- Nothofagus fusca**
- N. menziesii**
- N. solandri* var. *solandri**
- Olearia arborescens**
- O. paniculata*
- O. pachyphylla**
- O. rani*
- O. solandri*
- Paratrophis banksii*
- Pennantia corymbosa*
- Pimelea prostrata*
- P. urvilleana*
- Pittosporum cornifolium*
- P. crassifolium*
- P. eugeniooides*
- P. tenuifolium*
- Pomaderis apetala**
- Pseudopanax anomalus*
- P. arboreus* var. *arboreus*
- P. crassifolius*
- P. edgerleyi*
- P. arboreus* x *P. crassifolius*
- Pseudowintera axillaris*
- P. colorata*
- Schefflera digitata*
- Solanum aviculare*
- S. laciniatum*
- Sophora microphyllum* var. (shrub)
- S. microphyllum* var. (tree)*
- Syzygium maire*
- Tupeia antarctica*
- Urtica ferox*
- Vitex lucens**
- Weinmannia racemosa* sp.

Climbers, Lianes and Related Trailing Plants

Calystegia soldanella
C. tuguriorum
Clematis forsteri
C. paniculata
*Fuchsia procumbens**
Muehlenbeckia australis
M. complexa
M. australis x *M. complexa*
Parsonsia heterophylla
Passiflora tetrandra (*Tetrapathaea*)
Ripogonum scandens
Rubus cissoides
R. sp. (*R. australis*)

Grasses, Sedges, Rushes and Like Plants

Agropyron sp. (*A. scabrum* agg.)
Astelia frigans
A. solandri
Carex comans
C. dissita
C. flagellifera
C. forsteri
C. lessoniana
C. pumila
C. secta var. *secta*
C. spinirostris (as *C. vacilans*)
C. testacea
C. virgata
C. sp. (aff. *C. raoulii* and *C. testacea*)
Colospermum hastatum
Cortaderia toetoe
Cyperus ustulatus
Deyeuxia billardieri
Dichelachne crinita
Echinopogon ovatus
Eleocharis acuta
E. gracilis (as *E. cunninghamii*)
Gahnia pauciflora
G. setifolia
Hierochloe redolens
Juncus australis
J. caespiticius
J. gregiflorus
J. maritimus var. *australiensis*
J. pallidus
J. planifolius
J. sarophorus
Lepidosperma australe
Leptocarpus similis
Libertia grandiflora
L. ixioides
Luzula banksii var.
Microlaena avenacea
M. stipoides
Lachnagrostis filiformis (as *Deyeuxia filiformis*)
Phormium cookianum
P. tenax
Poa anceps
P. imbecilla
P. laevis

Puccinellia stricta

Rytidosperma caespitosum
R. clavatum
R. gracilis
R. petrosum
R. unarede
Scirpus cernuus
S. inundatus
S. nodosus
S. pungens
S. sp. (*S. caldwellii*)
Spinifex hirsutus
Triglochin striatum
Trisetum antarcticum
Uncinia scabra
U. uncinata
U. banksii

Monocot Herbs

Acianthus fornicatus
Arthropodium candidum
A. cirratum
Bulbophyllum pygmaeum
Caladenia catenata
Chiloglottis cornuta
Cordyline australis
*C. terminalis**
Corybas trilobus
C. sp.
Dendrobium cunninghamii
Dianella nigra
Drymoanthus adversus
Earina autumnalis
E. mucronata
Freycinetia baueriana ssp. *banksii*
Gastrodia cunninghamii
Microtis unifolia
Prasophyllum colensoi
Pterostylis alobula
P. australis
P. banksii
P. graminea
Rhopalostylis sapida
Ruppia megacarpa
Thelymitra uniflora
T. longifolia
Typha orientalis

Dicot Herbs

Acaena anserinifolia
Apium australe
Atriplex sp.
Cardamine sp. (*C. debilis* agg.)
Centella uniflora
Centipeda orbicularis
Chenopodium allanii
C. ambiguum
Colobanthus muelleri
Cotula membranacea
C. dioica
Crassula sieberiana

Dicot Herbs (cont.)

Daucus glochidiatus
Dichondra repens
D. sp. (D. brevifolia agg.)
Disphyma australe
*Elatostema rugosum**
Epilobium billardierianum
E. chionanthum
E. cinereum (as junceum)
E. linnaeoides
E. pallidiflorum
E. pubens
E. rotundifolium
E. komarovianum (as nerteroides)
E. nummularifolium
E. pedunculare
E. alsinoides
Euphrasia cuneata
Galium aparine
Galium propinquum
G. trilobum
Geranium microphyllum
G. sessiliflorum
Gnaphalium audax
G. gymnocephalum
G. involucratum
G. sp. (G. luteo-album agg.)
Haloragis erecta
Helichrysum filicaule
Hydrocotyle heteromeria
H. moschata
Hydrocotyle sp. (H. novae-zelandiae agg.)
Lagenifera pumila
Lepidium tenuicaule
L. oleraceum
Lilaeopsis sp. (L. orbicularis?)
Limosella lineata
Linum monogynum
Lobelia anceps
Myosotis sp. (M. pygmaea var. minutiflora)
Myriophyllum propinquum
Nertera depressa
Oxalis exilis
Parietaria debilis
Pelargonium inodorum
Peperomia urvilleana
Plantago raoulii
Polygonum sp. (P. decipiens auct N.Z.)
Potentilla anserinoides
Pratia perpusilla
Ranunculus acaulis
R. hirtus
R. macropus
R. rivularis
Rhagodia triandra
Rumex flexuosus
Samolus repens
Sarcocornia quinqueflora
Scandia geniculata
Scleranthus biflorus
Selliera radicans
Senecio glomeratus

S. hispidus

S. kirkii
S. laetus
S. minimus
S. quadridentatus
S. rufiglandulosus
Solanum nodiflorum
Sonchus kirkii
Spergularia media
Stellaria parviflora
Taraxacum magellanicum
Tetragonia tetragonoides
T. trigyna
Urtica incisa
Viola cunninghamii
Vittadinia australis
Wahlenbergia gracilis
W. marginata

Ferns and Fern Allies

Adiantum cunninghamii
A. sp. (cf. A. fulvum/A. viridescens)
Anarthropteris lanceolata
Arthropteris tenella
Asplenium bulbiferum
A. flabellifolium
A. flaccidum ssp. flaccidum
A. gracillimum
A. hookerianum
A. oblongifolium
A. obtusatum
A. polyodon
A. terreste ssp. maritimum
Azolla rubra
Blechnum chambersii
B. colensoi
B. discolor
B. filiform
B. fluviatile
B. minus (B. capense agg. swamp sp.)
B. nigrum
B. penna-marina
B. sp. (B. capense agg. large lowland sp.)
Botrychium australe
B. biforme
Cardiomanes reniforme
Cheilanthes distans
C. sieberi ssp. sieberi
Ctenopteris heterophylla
Cyathea cunninghamii
C. dealbata
C. medullaris
C. smithii
Dicksonia fibrosa
D. squarrosa
*Doodia media ssp. australis**
Grammitis billardieri
Histiopteris incisa
Hymenophyllum atrovirens
H. bivalve
H. demissum
H. dilatatum

Ferns and Fern Allies (cont.)

H. flabellatum
H. ferrugineum
H. multifidum
H. rarum
H. revolutum
H. sanguinolentum
H. scabrum
Hypolepis sp. (*H. tenuifolia* auct N.Z.)
H. sp. (as *Polypodium punctatum*)
H. millefolium
Lastreopsis glabella
L. hispida
L. microsora
L. velutina
Leptolepia novae-zelandiae
Leptopteris hymenophylloides
Lindsaea trichomanoides
Lunathyrium japonicum
Lycopodium varium
L. volubile
*Marattia salicina**
Ophioglossum coriaceum
Paesia scaberula
Pellaea rotundifolia
P. sp. (unnamed coastal and S.I. sp.)
Phymatosorus diversifolius
P. scandens
Pneumatopteris pennigera
Polystichum richardii
P. silvaticum
P. vestitum
Pteridium esculentum
Pteris comans
P. pendula (*P. macilenta* auct N.Z.)
P. tremula
Pyrrosia serpens
Rumohra adiantiformis
Tmesipteris elongata
Trichomanes lyalli
T. venosum

* = Planted species not native to the island.

** = Only natural in Dieffenbach's time (1843). Existing trees all considered to have been planted.

EXOTIC VASCULAR PLANTS ON KAPITI

<i>Achillea millefolium</i>	yarrow	(h)
<i>Agrostis gigantea</i>	redtop	(g)
<i>A. stolonifera</i>	creeping bent	(g)
<i>A. tenuis</i>	browntop	(g)
<i>Aira caryophyllea</i>	silvery hair grass	(g)
<i>Anagallis arvensis</i>	scarlet pimpernel	(h)
<i>Anthoxanthum odoratum</i>	sweet vernal	(g)
<i>Arrhenatherum elatius</i>	tall oat grass	(g)
<i>Bellis perennis</i>	daisy	(h)
<i>Briza major</i>	quaking grass	(g)
<i>B. minor</i>	shivery grass	(g)
<i>Bromus diandrus</i>	ripgut brome	(g)
<i>B. mollis</i>	soft brome	(g)
<i>B. unioloides</i>	prairie grass	(g)
<i>Callitricha stagnalis</i>	starwort	(h)
<i>Capsella bursa-pastoris</i>	shepherd's purse	(h)
<i>Carduus pycnocephalus</i>	slender winged thistle	(h)
<i>C. tenuiflorus</i>	winged thistle	(h)
<i>Carpobrotus edulis</i>	ice plant	(h)
<i>Centaurium erythraea</i>	centaury	(h)
<i>Cerastium fontanum</i> ssp. <i>triviale</i>	chickweed	(h)
<i>C. glomeratum</i>	mouse-eared chickweed	(h)
<i>Chamaecytisus palmensis</i>	tree lucerne	(t)
<i>Chenopodium album</i>	fathen	(h)
<i>C. pumila</i>		(h)
<i>Cirsium arvense</i>	Californian thistle	(h)
<i>C. vulgare</i>	Scotch thistle	(h)
<i>Conium maculatum</i>	hemlock	(h)
<i>Conyza floribunda</i>	fleabane	(h)
<i>Coronopus didymus</i>	twin cress	(h)
<i>C. squamatus</i>	wart cress	(h)
<i>Cotula australis</i>		(h)
<i>C. coronopifolia</i>	bachelor's button	(h)
<i>Crepis capillaris</i>	hawksbeard	(h)
<i>Crocosmia x crocosmifolia</i>	montbretia	(g)
<i>Cynosurus cristatus</i>	crested dogstail	(g)
<i>Dactylis glomerata</i>	cocksfoot	(g)
<i>Erigeron floribundus</i>		(h)
<i>Erodium cicutarium</i>	storksbill	(h)
<i>Euphorbia peplus</i>	milkweed	(h)
<i>Festuca arundinaceae</i>	tall fescue	(g)
<i>F. rubra</i> ssp. <i>commutata</i>	chewings fescue	(g)
<i>Fumaria muralis</i>	fumitory	(g)
<i>F. officinalis</i>		(h)
<i>Galium aparine</i>	cleavers	(h)
<i>Geranium molle</i>	dove's foot	(h)
<i>G. robertianum</i>	herb robert	(h)
<i>Glaucium flavum</i>	horned poppy	(h)
<i>Hedychium</i> sp.		(h)
<i>Holcus lanatus</i>	Yorkshire fog	(g)
<i>Hordeum murinum</i>	barley grass	(g)
<i>Hydrocotyle moschata</i>	pennywort	(h)
<i>Hypochaeris radicata</i>	cat's ear	(h)
<i>Juncus articulatus</i>	jointed-leaved rush	(g)
<i>Lagurus ovatus</i>	harestail	(g)
<i>Lamium purpureum</i>	red dead-nettle	(h)
<i>Lapsana communis</i>	nipplewort	(h)
<i>Leontodon taraxacoides</i>	hawkbit	(h)
<i>Lepidium</i> sp.	cress	(h)

<i>Lobelia anceps</i>	perennial rye-grass	(h)
<i>Lolium perenne</i>	lotus major	(g)
<i>Lotus peduncularis</i>	shrub lupin	(h)
<i>Lupinus arboreus</i>	boxthorn	(s)
<i>Lycium ferocissimum</i>	mallow	(s)
<i>Malva sp. (M. neglecta?)</i>	horehound	(h)
<i>Marrubium vulgare</i>	spotted bur medick	(h)
<i>Medicago arabica</i>		(h)
<i>M. hispida</i>	hairy medick	(h)
<i>M. lupulina</i>	spearmint	(h)
<i>Mentha spicata</i>		(h)
<i>M. viridis</i>		(h)
<i>Narcissus biflorus</i>	water cress	(h)
<i>Nasturtium officinale</i>		(h)
<i>Oxalis sp. (O. incarnata?)</i>	paspalum	(g)
<i>Paspalum dilatatum</i>	banana passion-fruit	(c)
<i>Passiflora mollissima</i>	cape gooseberry	(s)
<i>Physalis peruviana</i>	inkweed	(s)
<i>Phytolacca octandra</i>	ox tongue	(h)
<i>Picris echioides</i>	buck's-horn plantain	(h)
<i>Plantago coronopus</i>	narrow-leaved plantain	(h)
<i>P. lanceolata</i>	broad-leaved plantain	(h)
<i>P. major</i>	annual poa	(h)
<i>Poa annua</i>	Kentucky bluegrass	(g)
<i>P. pratensis</i>	allseed	(h)
<i>Polycarpon tetraphyllum</i>	wireweed	(h)
<i>Polygonum aviculare</i>	pigweed	(h)
<i>Portulaca oleracea</i>	selfheal	(h)
<i>Prunella vulgaris</i>	peach?	(t)
<i>Prunus sp.</i>	small-flowered buttercup	(h)
<i>Ranunculus parviflorus</i>	creeping buttercup	(h)
<i>R. repens</i>	hairy buttercup	(h)
<i>R. sardous</i>	celery-leaved buttercup	(h)
<i>R. sceleratus</i>	sweet briar	(s)
<i>Rosa rubiginosa</i>	blackberry	(s)
<i>Rubus fruticosus agg.</i>	sorrel	(h)
<i>Rumex acetosella</i>	clustered dock	(h)
<i>R. conglomeratus</i>	curled dock	(h)
<i>R. crispus</i>	broad-leaved dock	(h)
<i>R. obtusifolius</i>	fiddle dock	(h)
<i>R. pulcher</i>		(g)
<i>Rytidosperma pennicillatum</i>		(g)
<i>R. racemosum</i>	pearlwort	(h)
<i>Sagina procumbens</i>		(h)
<i>Senecio elegans</i>	ragwort	(h)
<i>S. jacobaea</i>	German ivy	(c)
<i>S. mikanioides</i>	wood groundsel	(h)
<i>S. sylvaticus</i>	groundsel	(h)
<i>S. vulgaris</i>	field madder	(h)
<i>Sherardia arvensis</i>	catchfly	(h)
<i>Silene gallica</i>	variegated thistle	(h)
<i>Silybum marianum</i>	black nightshade	(h)
<i>Solanum nigrum</i>	Jerusalem cherry	(s)
<i>S. pseudocapsicum</i>	Onehunga weed	(h)
<i>Soliva sp.</i>	prickly sowthistle	(h)
<i>Sonchus asper</i>	sow thistle	(h)
<i>S. oleraceus</i>	sand surrey	(h)
<i>Spergularia rubra</i>	rat's tail	(g)
<i>Sporobolus africanus</i>	chickweed	(h)
<i>Stellaria media</i>		(h)
<i>Stipa setacea</i>	dandelion	(h)
<i>Taraxacum officinale</i>		(h)

<i>Teline</i> sp. (<i>T. monspessulana</i> ?)	Montpellier broom	(s)
<i>Trifolium dubium</i>	suckling clover	(h)
<i>T. glomeratum</i>	clustered clover	(h)
<i>T. micranthum</i>	lesser suckling clover	(H)
<i>T. ornithopodioides</i>	trigonel	(h)
<i>T. repens</i>	white clover	(h)
<i>T. striatum</i>	striated clover	(h)
<i>Ulex europaeus</i>	gorse	(s)
<i>Urtica urens</i>	stinging nettle	(s)
<i>Verbascum thapsus</i>	woolly mullein	(h)
<i>Veronica agrestis</i> ?		(h)
<i>V. arvensis</i>	field speedwell	(h)
<i>V. serpyllifolia</i>	turf speedwell	(h)
<i>Vicia angustifolia</i>	narrow-leaved vetch	(h)
<i>V. hirsuta</i>	hairy vetch	(h)
<i>V. sativa</i>	vetch	(h)
<i>Vinca major</i>	periwinkle	(h)
<i>Viola</i> sp. (<i>V. odorata</i> ?)	violet	(h)
<i>Vulpia bromoides</i>	squirrel-tail fescue	(g)
<i>Wahlenbergia marginata</i>	harebell	(h)

(c) = climber

(g) = grass

(h) = herb

(s) = shrub

(t) = tree

