

*Orchids  
on display*

Checklist of indigenous vascular plants seen at: Gorge forest, Karakanui Station

Grid Ref.: NZMS 260 T25 571 475

Altitude 300m.asl

Visited: 14 May 2001, T. Silbery, J. Kirby

Time on site: 1 hour

## LIST # 58

### Revised

Site description:

The stream and main valley run NW to SE, with the forested slope facing more or less south. The slope is cut by two gullies running N - S. On the eastern margin there is regenerating manuka (*Leptospermum scoparium*) shrubland and a deep narrow gorge cuts through soft sandstone.

The forest is dominated by a dense growth of rewarewa (*Knightia excelsa*) with tawa (*Beilschmiedia tawa*) co-dominant in part. Hinau (*Elaeocarpus dentatus*) is common throughout.

The canopy is up to 15 - 20 metres and very dense, allowing little light to penetrate to the floor. The soils are thin and skeletal, with many exposed rocks, though there is a deep leaf litter and where topsoil accumulates it is deep and friable. There is little vegetation on the forest floor.

On the top of the ridge the forest gives way to a manuka shrubland to 2 metres tall growing on a weathered clay soil. There are some open spaces between the manuka bushes, a good spot for orchids at the right time, and the soil is a very thin layer over the sandstone.

Some deer sign was seen.

The whole site covers some 30ha., so this visit merely scratched the surface

Significant or unusual plants/associations:

Search effort

Recce

Moderate

Thorough

Nomenclature generally follows A. P. Druce's "A Checklist of Indigenous Vascular Plants of New Zealand", 10th revision, 1999 by Shannel Courtney

\* Indicates species listed on the Wellington Conservancy plant database

(unc) = uncommon, one or few plants seen.

### **Gymnosperm trees and shrubs**

*Dacrycarpus dacrydioides* \*  
*Dacrydium cupressinum*  
*Podocarpus totara* \*  
*Prumnopitys ferruginea*  
*Prumnopitys taxifolia*

### **Monocotyledonous trees and shrubs**

*Cordyline banksii*

### **Dicotyledonous trees and shrubs**

*Beilschmiedia tawa*  
*Brachyglottis repanda*  
*Carpodetus serratus*  
*Coprosma grandifolia*  
*Coprosma rhamnoides*  
*Coprosma robusta*  
*Coriaria arborea*  
*Elaeocarpus dentatus*  
“*Gaultheria novae-zelandiae*”  
*Geniostoma rupestre* var. *rupestre*  
*Hebe stricta* var. *atkinsonii*  
*Hoheria sexstylosa*  
*Knightia excelsa*  
*Leptospermum scoparium*  
*Leucopogon fasciculatus* var.  
*Melicytus ramiflorus*  
*Metrosideros robusta* (unc)  
*Nestegis cunninghamii* \*  
*Nestegis lanceolata*  
*Olearia rani* var. *colorata*  
*Ozothamnus leptophyllus* ssp. *leptophyllus*  
*Pomaderris phylicifolia* var. *ericifolia* \*  
*Pseudopanax arboreus*  
*Pseudopanax crassifolius*  
*Schefflera digitata*  
*Weinmannia racemosa* var. *racemosa*

### **Monocotyledonous lianes**

*Ripogonum scandens*

**Dicotyledonous lianes and related trailing plants**

*Metrosideros diffusa*  
*Parsonsia capsularis*  
*Passiflora tetrandra* (unc)  
*Rubus schmideliooides* var.

**Psilopsids, Lycopods and Quillworts**

**Ferns**

*Adiantum cunninghamii*  
*Asplenium bulbiferum*  
*Asplenium flaccidum*  
*Asplenium gracillimum*  
*Asplenium hookerianum*  
*Blechnum chambersii*  
*Blechnum fluviatile* agg.  
*Blechnum novae-zelandiae* var. *novae-zelandiae*  
*Cyathea dealbata*  
*Cyathea medullaris*  
*Cyathea smithii*  
*Dicksonia squarrosa*  
*Grammitis billardierei*  
*Histiopteris incisa*  
*Hymenophyllum demissum*  
*Hymenophyllum multifidum*  
*Hymenophyllum rarum*  
*Lastreopsis glabella*  
*Microsorium pustulatum*  
*Paesia scaberula*  
*Pneumatopteris pennigera*  
*Polystichum richardii*  
*Pteridium esculentum*  
*Pyrrosia eleagnifolia*

**Monocotyledonous herbs:**

**Orchids**

*Earina mucronata*

## **Grasses**

Poa anceps ssp. anceps

## **Sedges**

Carex solandri  
Gahnia setifolia  
Uncinia ferruginea  
Uncinia uncinata

## **Rushes and allied plants**

Juncus sarophorus

## **Monocotyledonous herbs other than orchids, grasses, sedges, rushes and allied plants**

Colospermum microspermum  
Dianella nigra

## **Dicotyledonous herbs - composites**

Anaphalioides trinervis (inc Anaphalis keriensis)  
Helichrysum filicaule  
Lagenifera pumila

## **Dicotyledonous herbs other than composites**

Cardamine debilis var. macrostylis (“Long style” of Pritchard 1957)  
Epilobium insulare  
Galium propinquum  
Geranium potentilloides var. potentilloides  
Hydrocotyle elongata  
Nertera depressa  
Ranunculus reflexus

## Birds

Bellbird  
Fantail  
Grey warbler

Kereru  
Tui



