TOPOMAP T27 & T28 370075 (2309)

FW

Orchids on above

Indigenous Vascular Plants at Kouratahi

Olaf John, Pat Enright 13/12/98 Peter Beveridge, Olaf John, Pat Enright 07/03/99

unc = uncommon

Site description:

This 15 hectare site is hillslope either side of a flat-bottomed valley with a small stream with a NW - SE trend. It is well fenced and does not appear to have been grazed for some time (good regeneration) but shows the effects of previous grazing in the lack of sedges and grasses. Most species are represented by a few individual plants except for the uncinias which are quite common in the upper parts of the bush.

There are some notable large podocarps in the area. Totara (Podocarpus totara), Matai (Prumnopitys taxifolia) Kahikatea (Dacrycarpus dacrydioides) and Rimu (Dacrydium cupressinum). Both black and white maire (Nestegis cunninghamii and N, lanceolata) are present but no mistletoe (Tupeia antarctica) was seen growing on them although it is in the area. Towards the top of the patch pepper tree (Pseudowintera colorata) edges the bush. There is quite a bit of tree nettle (Urtica ferox) especially fringing and in more open areas. Tree ferns were well represented in species (bot not in numbers) by some tattered and battered silver fern (Cyathea dealbata), a few stunted Dicksonia squarrosa, some large Cyathea medullaris, a few Cyathea smithii and one Dicksonia fibrosa. The orchid flora was notable for its paucity with the only ground orchid being Microtis sp. and only a few Earina mucronata patches and one occurrence of Earina autumnalis.

Species of note were Acaena juvenca which formed quite large patches under light scrub on the SE side and a large patch of the fern Leptolepia novae zelandiae growing on the valley floor under thick overhead scrub. A few plants of Botrychium biforme were seen under scrub halfway up the true right of valley. Both fuchsia species and the hybrid were seen in low numbers. The small mistletoe (Korthosella lindsayi) was seen growing on Melicope simplex and Neomyrtus pedunculata was seen near the top edge of the bush.

Possum control was only evident along the fenceline with the pasture in the valley floor but the health of both the Fuchsia species may indicate low levels of this pest. Weed infestation with rank grasses and cleavers (Galium aparine) will disappear in time as the bush cover increases. There is a resident population of peafowl in the bush with a peahen and her brood noted near the top of the area.

The survey of the area was reasonably thorough (6 hours) with a return visit to look for orchids in the spring a must.

In summary a very nice piece of bush with a range of vegetation types and some species not common in the Wairarapa.

Gymnosperm trees and shrubs

Dacrycarpus dacrydioides

Kahikatea

Dacrydium cupressinum

Rimu

Podocarpus totara

Totara

Prumnopitys ferruginea (unc)

Miro

Prumnopitys taxifolia

Matai

Dicotyledonous trees and shrubs

Aristotelia serrata

Wineberry

Alectryon excelsus var. excelsus

Titoki

Brachyglottis repanda

Rangiora

Carmichaelia australis (unc)

Carpodetus serratus

Putaputaweta, marbleleaf

Coprosma areolata

Coprosma linariifolia (unc)

Coprosma propinqua subsp. propinqua

Coprosma rhamnoides

Coprosma rigida

Coprosma rotundifolia

Coprosma rubra (unc)

Coprosma propinqua x C. robusta

Elaeocarpus dentatus Elaeocarpus hookerianus

Pokaka

Fuchsia excorticata

Fuchsia perscandens

Fuchsia excorticata x F. perscandens (unc)

Griselinia littoralis (unc)

Hedycarya arborea

Pigeonwood

Hoheria sexstylosa

Korthosella lindsayi

Mistletoe Rewarewa

Knightia excelsa Leucopogon fasciculatus

Lophomyrtus obcordata

Rohutu

Macropiper excelsum var. excelsum

Melicope simplex

Melicytus ramiflorus subsp. ramiflorus

Mahoe

Melicytus micranthus

Myoporum laetum (unc)

Ngaio Red Matipo

Myrsine australis Myrsine divaricata

Weeping Matipo

Myrsine salicina

Neomyrtus pedunculatus (unc)

Nestegis cunninghamii

Black Maire

Nestegis lanceolata

White maire

Olearia rani

Pennantia corymbosa

Kaikomako

Pittosporum eugenioides

Plagianthus regius

Raukaua anomalus

Pseudopanax arboreus

Pseudopanax crassifolius Pseudowintera colorata

Schefflera digitata

Solanum laciniatum

Sophora microphylla

Streblus heterophyllus

Urtica ferox

Tarata, lemonwood

Ribbonwood Whauwhaupaku

Horoeka, lancewood

Pepper tree

Pate

Kowhai

Turepo, milk tree

Monocotyledonous trees and shrubs

Cordyline australis

Cabbage tree

Monocotyledonous lianes

Ripogonum scandens

Supplejack

Dicotyledonous lianes and related trailing plants

Calystegia tuguriorum

Clematis foetida

Clematis paniculata

Metrosideros colensoi

Metrosideros diffusa

Muehlenbeckia australis

Muehlenbeckia complexa

Parsonsia capsularis

Parsonsia heterophylla

Akakiore

Parsonsia capsularis x P. heterophylla (unc)

Passiflora tetrandra

Passion vine

Pohuehue

Rubus cissoides (narrow leaved form)

Rubus schmidelioides

Psilopods, Lycopods and Quillworts

Ferns

Asplenium bulbiferum

Asplenium flabellifolium

Asplenium flaccidum ss

Asplenium gracillimum

Asplenium hookerianum

Asplenium oblongifolium

Asplenium polyodon

Manamana, Hen and Chicken fern

Necklace fern

Makawe, Hanging spleenwort

Petako, Sickle spleenwort

Asplenium gracillimum x A. hookerianum

Blechnum chambersii

Blechnum fluviatile Kiwakiwa

Blechnum novaezelandiae (unc) Kiokio

Blechnum pennamarina (unc) Botrychium biforme (unc)

Cyathea dealbata Ponga, Silver fern Cyathea medullaris Black mamaku

Cyathea smithii (unc) Dicksonia fibrosa (unc) Dicksonia squarrosa Histiopteris incisa (unc) Hypolepis ambigua

Hypolepis rufobarbata (unc)

Lastreopsis glabella Lastreopsis microsora Leptolepia novae zelandiae

Leptopteris hymenophylloides (unc)

Paesia scaberula (unc)

Pellaea rotundifolia Tarawera

Phymatosorus pustulatus (P. diversifolium)

Pneumatopteris pennigera

Polystichum richardii Pikopiko

Polystichum silvaticum Polystichum vestitum Pyrrosia eleagnifolia

Orchids

Earina autumnalis

Earina mucronata

Pekaawaka

Microtis aff. parviflorum

Grasses

Echinopogon ovatus Poa anceps supsp. Anceps Poa imbecilla Poa matthewsii

Sedges

Carex dissita (unc)
Carex forsteri
Carex solandri (unc)
Uncinia banksii (unc)
Uncinia laxiflora
Uncinia scabra

Uncinia uncinata

Rushes and allied plants

Remaining Monocotyledonous plants

Arthropodium candidum Collospermum hastatum Libertia sp.

Daisy-like herbs (Composites)

Lagenifera pumila Lagenifera strangulata Senecio minimus

Dicotyledonous herbs other than Composites

Acaena anserinifolia

Bidibidi

Acaena juvenca

Australina pusilla

Cardamine sp. (C. debilis agg.) ("Glossy Leaf" of Pritchard 1957)

Cardamine sp. (C. debilis agg.) ("Long Style" of Pritchard 1957) (unc)

Cardamine sp. (C. debilis agg.) ("Narrow Petal" of Pritchard 1957)

Epilobium nummulariifolium

Geranium microphyllum

Hydrocotyle elongata

Hydrocotyle heteromeria

Hydrocotyle novae-zelandiae

Oxalis exilis

Yellow oxalis

Parietaria debilis

Ranunculus reflexus (pp R. hirtus) Maruru, hairy buttercup

Stellaria decipiens

Urtica incisa

Wahlenbergia violacea

Birds:

Fantail Native pigeon Pea fowl Shining Cuckoo Tui

U:\data\lists\eastwai\kouratah.doc