

On bible ✓

orchid on
base ✓

LIST OF VASCULAR PLANTS

Linkwood PNAP site 3429, Eastern wairarapa

Grid Ref S28.193.759

Brief (reconnaissance) site visit 3 October 2000

Aalbert Rebergen

The forest remnant is situated on a South facing hill slope, along Whakapuni Stream, just off White Rock Road. Most of the forest block is fenced, although the fencing is often inadequate, with wiring fallen down and/or fenceposts fallen over. A dead tree has fallen over the fence allowing stock access.

The forest remnant has obviously been fenced for a long time, and is diverse and healthy. Dominant tree species are totara, kowhai and kanuka, with some black and white maire, matai, kahikatea and lancewood.

The WRC appears to do pest control in the area (bate stations). There are no significant weeds (other than some hawthorn).

Legal protection of the site is highly recommended, and should include repair (and possibly replacement) of (parts of) the fence.

Gymnosperm trees and shrubs

Dacrycarpus dacrydioides	kahikatea
Podocarpus totara	totara
Prumnopitys taxifolia	matai

Dicotyledonous trees and shrubs

Brachyglottis repanda	rangiora
Carmichaelia australis	native broom
Coprosma areolata	
Coprosma crassifolia	
Coprosma propinqua subsp. propinqua	mingimingi
Coprosma rhamnoides	
Coprosma rigida	
Coprosma rubra	
Coprosma rotundifolia	
Coprosma propinqua x C. robusta (unc)	
Coprosma robusta	
Elaeocarpus hookerianus	pokaka
Hebe stricta	
Helychrisum lanceolatum	
Hoheria sexstylosa	narrow leaved
lacebark	
Kunzea ericoides	kanuka
Leucopogon fasciculatus	mingimingi
Lophomyrtus obcordata	rohutu
Melicope simplex	poataniwha
Melicytus micranthus	
Melicytus ramiflorus	
Myrsine australis	mahoe
Nestegis cunninghamii	red matipo
Nestegis lanceolata	back maire
Pennantia corymbosa	white maire
Pittosporum eugenioides (unc)	kaikomako
	tarata, lemonwood

Pittosporum tenuifolium (unc)	kohuhu
Pseudopanax crassifolius	horoeaka, lancewood
Raukaua anomalus	
Sophora microphylla	kowhai
Streblus heterophyllus	turepo, milk tree
<u>Monocotyledonous trees and shrubs</u>	
Cordyline australis	ti, cabbage tree
<u>Monocotyledonous lianes</u>	
<u>Dicotyledonous lianes and related trailing plants</u>	
Clematis foetida	
Metrosideros colensoi	
Metrosideros diffusa	akatea
Muehlenbeckia australis	pohuehue
Parsonsia capsularis (unc)	
Parsonsia heterophylla	kaihua, N.Z.
jasmine	
Rubus schmidelioides	tataramoa, bush
lawyer	
<u>Psilopsids, Lycopods and Quillworts</u>	
<u>Ferns</u>	
Adiantum cunninghamii	maidenhair fern
Asplenium bulbiferum	hen and chicken
fern	
Asplenium flabellifolium	necklace fern
Asplenium flaccidum	hanging spleenwort
Asplenium hookerianum	
Azolla rubra	
Blechnum fluviatile	kiwakiwa
Hypolepis ambigua	
Lastreopsis glabella	
Pellaea rotundifolia	tarawera, button
fern	
Polystichum richardii	pikopiko
Pyrrosia eleagnifolia	ota, leather-leaf fern
Phymatosorus diversifolius	hound's tongue
<u>Orchids</u>	
Corybas trilobus "Trotters"	spider orchid
<u>Grasses</u>	
<u>Sedges</u>	
<u>Rushes and allied plants</u>	
<u>Remaining Monocotyledonous plants</u>	
Arthropodium candidum	

Daisy-like herbs (Composites)

Craspedia uniflora var. *grandis*

Dicotyledonous herbs other than Composites

<i>Acaena anserinifolia</i>	bidibidi
<i>Cardamine</i> sp.	
<i>Leptinella squalida</i>	
<i>Oxalis exilis</i>	yellow oxalis
<i>Plantago raoulii</i>	
<i>Ranunculus reflexus</i>	maruru, hairy
buttercup	
<i>Stellaria decipiens</i>	chickweed

Birds:

Eastern rosella
Fantail
Whitehead
Grey warbler
Magpie
Marsh harrier
Shining cuckoo
Tui

