

LOWES BUSH (704)

Topomap S26 285195 Alt 110m

Indigenous Vascular Plants.

Aalbert Rebergen, Tony Silbery 01/08/99 Olaf John, Pat Enright
09/08/99(3hrs),25/9/99(3hrs),2/10/99,18/12/99(2hrs)Tony Silbery, Pat Enright 6/11/99
(3hrs)

unc = uncommon

Site description:

The site is bounded by water races on the north and the south with the western end of the bush being slightly elevated with a slight bank where the bush drops down to the swampy area fringing the water race. Numerous waterways criss-cross and drain the area from north to south but would dry out in the summer months. There are a number of swampy areas within the site covered in the main by raupo (*Typha orientalis*) and fringed with *Olearia virgata*. The olearia is also found along a good part of the southern boundary along with swamp maire (*Syzygium maire*) and a number of sedges including *Baumea tenax*, *Carex lessoniana*, *C. dissita* and *Uncinia uncinata* which would indicate that browsing levels must have been low. Also present here was a species of spider orchid (*Corybas rivularis* {'waiouru'}).

Blechnum filiforme forms extensive mats under the main bush usually on mounds that are above the winter water level where ponding takes place. *Ranunculus amphitrichus* fills some of the water hollows and its smaller look alike species, *Ranunculus glabrifolius* prefers the boggy meadowland around the water races. Pukatea (*Laurelia novae zelandiae*) and kahikatea (*Dacrycarpus dacrydioides*) form the emergent species in the wetter hollows with matai (*Prumnopitys taxifolia*) and tawa (*Beilschmiedia tawa*) where the ground is a little drier. Titoki (*Alectryon excelsus*) and mahoe (*Melicytus ramiflorus*) form the main subcanopy with a shrubby understory, where light permits, of coprosma species.

Jerusalem cherry (*Pseudocapsicum*), wandering willie (*Tradescantia flumenensis*) and onion weed (*Allium triquetrum*) are the main weed species in this area.

The notable plants found in this site would be:

Dwarf musk (*Mazus novae zelandiae*) which forms some extensive mats in areas where it is seasonally wet but where water does not lie for any great period..

The sedge (*Carex maorica*) which although common nationally is uncommon in the Wellington conservancy.

The small mistletoe (*Korthosella lindsayi*) which is found on coprosma species and *Melicope simplex* where light and shelter conditions suit.

The willowherb *Epilobium pallidiflorum* which is patchily distributed around the conservancy.

Gymnosperm trees and shrubs

Dacrycarpus dacrydioides	kahikatea
Dacrydium cupressinum (unc)	rimu
Podocarpus totara	totara
Prumnopitys ferruginea (unc)	miro
Prumnopitys taxifolia	matai

Monocotyledonous trees and shrubs

Cordyline australis	ti kouka, cabbage tree
---------------------	------------------------

Dicotyledonous trees and shrubs

Alectryon excelsus subsp. excelsus	titoki
Aristotelia serrata	makomako, wineberry
Beilschmiedia tawa	tawa
Brachyglottis repanda	rangiora
Carmichaelia australis	native broom
Carpodetus serratus	putaputaweta
Coprosma areolata	
Coprosma crassifolia	
Coprosma grandifolia (unc)	
Coprosma propinqua subsp. propinqua	mingimingi
Coprosma rhamnoides	
Coprosma rigida	
Coprosma robusta	karamu
Coprosma rotundifolia	
Coprosma tenuicaulis	
Coprosma propinqua x C. robusta	
Elaeocarpus hookerianus (unc)	pokaka
Fuchsia excorticata (unc)	kotukutuku
Geniostoma rupestre var. lingustrifolium	hangehange
Griselinia lucida	puka, broadleaf
Hebe stricta var. atkinsonii	koromiko
Hedycarya arborea	porokaiwhiri, pigeonwood
Hoheria sexstylosa	houhi ongaonga, narrow leaved lacebark
Korthosella lindsayi (on Coprosma rigida, C. crassifolia, Melicope simplex)	mistletoe
Knightia excelsa	rewarewa
Kunzea ericoides (unc)	kanuka
Laurelia novae-zelandiae	pukatea
Leptospermum scoparium	manuka
Lophomyrtus obcordata	rohutu
Lophomyrtus obcordata x L. bullata (unc)	
Melicope simplex	poataniwha
Melicytus micranthus	small leaved mahoe
Melicytus ramiflorus subsp. ramiflorus	mahoe, whitey wood
Myrsine australis	red matipo
Myrsine salicina	
Neomyrtus pedunculata	
Nestegis cunninghamii	black maire

<i>Nestegis lanceolata</i>	white maire
<i>Olearia virgata</i>	
<i>Ozothamnus leptophylla</i>	tauhinu
<i>Pennantia corymbosa</i>	kaikomako
<i>Pittosporum eugeniooides</i>	tarata, lemonwood
<i>Pittosporum tenuifolium</i>	kohuhu
<i>Plagianthus regius</i>	lowland ribbonwood
<i>Pseudopanax arboreus</i>	
<i>Pseudopanax crassifolius</i>	horoeka, lancewood
<i>Schefflera digitata</i>	pate
<i>Solanum laciniatum</i>	poroporo
<i>Streblus heterophyllus</i>	turepo, milk tree
<i>Syzygium maire</i>	swamp maire
<i>Weinmannia racemosa</i>	kamahi

Monocotyledonous lianes

<i>Freycinetia banksii</i>	kiekie
<i>Ripogonum scandens</i>	rareao, supplejack

Dicotyledonous lianes and related trailing plants

<i>Clematis foetida</i> (unc)	
<i>Clematis paniculata</i>	puawhananga
<i>Metrosideros colensoi</i>	
<i>Metrosideros diffusa</i>	akatea
<i>Metrosideros fulgens</i>	
<i>Metrosideros perforata</i>	akatea
<i>Muehlenbeckia australis</i>	pohuehue
<i>Parsonsia heterophylla</i>	kaihua
<i>Passiflora tetrandra</i>	kohia, passionvine
<i>Rubus australis</i>	tataramoa, bush lawyer
<i>Rubus cissoides</i> (very narrow leaf)	tataramoa, bushlawyer
<i>Rubus schmideliooides</i>	tataramoa, bush lawyer

Ferns

<i>Asplenium flabellifolium</i> (unc)	necklace fern
<i>Asplenium bulbiferum</i>	manamana
<i>Asplenium flaccidum</i>	
<i>Asplenium gracillimum</i>	makawe, hanging spleenwort
<i>Asplenium hookerianum</i>	manamana
<i>Asplenium oblongifolium</i>	
<i>Asplenium polyodon</i>	huruhuru whenua
<i>Asplenium gracillimum</i> x <i>A. hookerianum</i> (unc)	petako
<i>Azolla filiculoides</i>	
<i>Blechnum chambersii</i>	
<i>Blechnum filiforme</i>	panako
<i>Blechnum membranaceum</i> (unc)	
<i>Blechnum novae zelandiae</i> (both forms)	kiokio
<i>Blechnum pennamarina</i> (unc)	
<i>Cyathea dealbata</i> (unc)	ponga
<i>Dicksonia squarrosa</i>	wheki
<i>Histiopteris incisa</i> (unc)	
<i>Hymenophyllum demissum</i>	

Hymenophyllum rarum (unc)	
Hymenophyllum sanguinolentum (unc)	
Hypolepis ambigua	
Hypolepis lactea (unc)	
Lastreopsis glabella	
Lastreopsis hispida	
Lastreopsis microsora	
Paesia scaberula	
Pellaea rotundifolia	tarawera
Phymatosorus pustulatus	kowaowao
Phymatosorus scandens	
Pneumatopteris pennigera	pakauroharoha, gully fern
Pteridium esculentum	rauaruhe, bracken
Pteris macilenta	
Pteris tremula	turawera, shaking brake
Pyrrosia eleagnifolia	leather-leaf fern
Tmesipteris elongata	

Orchids

Caladenia sp. (unc)	
Chiloglottis cornuta (unc)	duck orchid
Corybas trilobus	
Corybas "waiouru"	spider orchid
Earina mucronata (unc)	
Microtis unifolia	
Pterostylis banksii	tutukiwi, greenhood orchid
Pterostylis graminea	
Pterostylis montana	
Pterostylis aff. montana	

Grasses

Cortaderia fulvida	toetoe
Echinopogon ovatus	
Microlaena avenacea	bush rice grass
Microlaena stipoides	
Rytidosperma gracile	

Sedges

Baumea rubignosa (unc)	
Baumea tenax	
Carex dissita	
Carex forsteri	
Carex geminata	
Carex lambertiana	
Carex lessoniana	
Carex maorica (unc)	
Carex secta	
Carex testacea	purei
Carex virgata	
Eleocharis acuta	
Eleocharis gracilis	
Isolepis prolifer	

Isolepis reticularis
Schoenus maschalinus
Uncinia uncinata matau a Maui

Rushes and allied plants

Juncus australis
Juncus distegus
Juncus gregiflorus
Juncus pallidus
Juncus planifolius
Juncus sarophorus wiwi

Remaining Monocotyledonous plants

Astelia fragrans
Lemna minor
Phormium tenax
Typha orientalis karearea
harakeke
raupo

Daisy-like herbs (Composites)

Cotula coronopifolia bachelors buttons
Gnaphalium gymnocephalum
Gnaphalium involucratum
Gnaphalium limosum (unc)
Senecio biserratus

Dicotyledonous herbs other than Composites

Acaena anserinifolia piripiri, bidibidi
Callitricha muelleri
Cardamine sp. (C. debilis agg.) ("Glossy Leaf" of Pritchard 1957)
Cardamine sp. (C. debilis agg.) ("Long Style" of Pritchard 1957)
Cardamine sp. (C. debilis agg.) ("Narrow Petal" of Pritchard 1957)
Cardamine sp. (aff. C. corymbosa)
Centella uniflora
Epilobium insulare
Epilobium nummulariifolium
Epilobium pallidiflorum
Epilobium pedunculare
Geranium microphyllum
Hydrocotyle elongata (unc)
Hydrocotyle heteromeria
Hydrocotyle microphylla
Hydrocotyle moschata
Hydrocotyle novae zelandiae (2 different entities that key here)
Mazus novae zelandiae subsp. novae zelandiae
Nertera depressa
Oxalis exilis
Plantago raoulii tukorehu
Ranunculus amphitrichus waoriki
Ranunculus glabrifolius
Ranunculus reflexus maruru
Ranunculus sp.
Stellaria decipiens

Urtica incisa

Birds:

Blue heron
Eastern rosella
Fantail
Goldfinch
Grey warbler
Kingfisher
Magpie
Marsh harrier
Pukeko
Shining cuckoo
Starling
Tui