

On file ✓

## Appendix IV

### LIST OF NATIVE VASCULAR PLANTS FOR MANAWATU PLAINS ECOLOGICAL DISTRICT, PLUS SIGNIFICANT ADVENTIVE SPECIES IN NATURAL AREAS.

Last revised 21.4.94

24.11.832

\* = adventive species

#### Abundance Ratings

u = uncommon (or actual no. of specimens stated)

l = local (species in small area, but can be common or abundant there)

#### Gymnosperm Trees

*	Cupressus macrocarpa	macrocarpa
	Dacrycarpus dacrydioides	kahikatea
	Dacrydium cupressinum	rimu
*	Pinus radiata	
	Podocarpus totara	totara
	Prumnopitys ferruginea	miro
	Prumnopitys taxifolia	matai

#### Monocot Trees and Shrubs

Cordyline australis	cabbage tree, ti kouaka
Cordyline banksii	
Rhopalostylis sapida	nikau

#### Dicot Trees and Shrubs

Alectryon excelsus	titoki
Aristotelia serrata	makomako, wineberry
Beilschmiedia tawa	tawa
*	
Berberis glaucocarpa	barberry
Brachyglottis repanda	rangiora
Carmichaelia arborea var.	NZ broom
Carpodetus serratus	putaputaweta
Coprosma areolata	
Coprosma crassifolia	
Coprosma grandifolia	raurekau
Coprosma lucida	shining karamu
Coprosma propinqua	
Coprosma repens	taupata
Coprosma rhamnoides	

<i>Coprosma rigida</i>	karamu
<i>Coprosma robusta</i>	round-leaved coprosma
<i>Coprosma rotundifolia</i>	
<i>Coprosma tenuicaulis</i>	
<i>Coprosma propinqua</i> x C.	robusta
<i>Coriaria arborea</i>	tutu
<i>Corynocarpus laevigatus</i>	karaka
* <i>Crataegus monogyna</i>	hawthorn
* <i>Cytisus scoparius</i>	broom
<i>Elaeocarpus dentatus</i>	hinau
<i>Elaeocarpus hookerianus</i>	pokaka
<i>Gaultheria antipoda</i>	snowberry
<i>Geniostoma rupestre</i> var. <i>ligustrifolium</i>	hangehange
<i>Griselinia lucida</i>	puka
<i>Hebe stricta</i> var. <i>stricta</i>	koromiko
<i>Hedycarya arborea</i>	pigeonwood
<i>Helichrysum aggregatum</i>	
<i>Hoheria angustifolia</i>	narrow-leaved lacebark
<i>Hoheria populnea</i> var. (= <i>H. sexstylosa</i> )	lacebark
* <i>Humulus lupulus</i>	hops
* <i>Hydrangea macrophylla</i>	hydrangea
* <i>Hypericum androsaemum</i>	tutsan
<i>Ileostylis micranthus</i>	mistletoe
* <i>Ilex aquifolium</i>	holly
* <i>Justicia</i> (= <i>Jacobinia</i> )	carnea
<i>Korthalsella lindsayi</i>	mistletoe
<i>Knightia excelsa</i>	rewarewa
<i>Kunzea ericoides</i>	kanuka
<i>Laurelia novae-zelandiae</i>	pukatea
<i>Leptospermum scoparium</i>	manuka
<i>Leucopogon fasciculatus</i>	mingimingi
<i>Leycesteria formosa</i>	Himalayan honeysuckle
<i>Lophomyrtus bullata</i>	ramarama
<i>Lophomyrtus obcordata</i>	rohutu
<i>Lophomyrtus bullata</i> x <i>L. obcordata</i>	
<i>Macropiper excelsum</i>	kawakawa
<i>Melicope simplex</i>	poataniwha
<i>Melicytus micranthus</i>	
<i>Melicytus ramiflorus</i>	mahoe
<i>Melicytus micranthus</i> x <i>M. ramiflorus</i>	
<i>Metrosideros robusta</i>	northern rata
<i>Myoporum laetum</i>	ngaio
<i>Myrsine australis</i>	mapou

<i>Mysine salicina</i>	toro
<i>Nestegis cunninghamii</i>	black maire
<i>Nestegis lanceolata</i>	white maire
<i>Nothofagus solandri</i> var. <i>solandri</i>	black beech
<i>Olearia rani</i>	heketara
<i>Olearia solandri</i>	
<i>Olearia townsonii</i>	
<i>Pennantia corymbosa</i>	kaikomako
<i>Pittosporum cornifolium</i>	
<i>Pittosporum eugenoides</i>	tarata, lemonwood
<i>Pittosporum tenuifolium</i> var. <i>tenuifolium</i>	kohuhu
<i>Plagianthus regius</i> var. <i>regius</i>	ribbonwood
<i>Pseudopanax anomalus</i>	
<i>Pseudopanax arboreus</i>	five finger
<i>Pseudopanax crassifolius</i>	lancewood
* <i>Pyrus communis</i>	pear
<i>Rhabdothamnus solandri</i>	turepo
* <i>Salix cinerea</i>	grey willow
* <i>Salix fragilis</i>	crack willow
* <i>Sambucus nigra</i>	elderberry
<i>Schefflera digitata</i>	pate
<i>Solanum aviculare</i>	poroporo
<i>Solanum laciniatum</i>	poroporo
* <i>Solanum mauritianum</i>	woolly nightshade
* <i>Solanum pseudocapsicum</i>	Jerusalem cherry
<i>Sophora microphylla</i>	kowhai
<i>Streblus heterophyllus</i>	small-leaved milk tree
<i>Syzygium maire</i>	swamp maire, maire tawake
* <i>Sambucus nigra</i>	elderberry
<i>Teucrium parvifolium</i>	
* <i>Ulex europaeus</i>	gorse
<i>Urtica ferox</i>	shrub nettle
<i>Weinmannia racemosa</i> ssp. <i>racemosa</i>	kamahi

### Dicot Names

<i>Calystegia sepium</i> agg.	convolvulus
<i>Calystegia tuguriorum</i>	
<i>Clematis foetida</i>	
<i>Clematis forsteri</i>	
<i>Clematis paniculata</i>	
* <i>Clematis vitalba</i>	old man's beard
* <i>Cobaea scandens</i>	cathedral bells
<i>Fuchsia perscandens</i>	climbing fuchsia

*	<i>Hedera helix</i>	ivy
*	<i>Lonicera japonica</i>	Japanese honeysuckle
	<i>Metrosideros colensoi</i>	white rata vine
	<i>Metrosideros diffusa</i>	white rata vine
	<i>Metrosideros fulgens</i>	scarlet rata vine
	<i>Metrosideros perforata</i>	white rata vine
	<i>Muehlenbeckia australis</i>	pohuehue
	<i>Muehlenbeckia complexa</i>	small-leaved pohuehue
	<i>Parsonsia capsularis</i>	NZ jasmine
*	<i>Parsonsia heterophylla</i>	NZ jasmine
*	<i>Passiflora mollissima</i>	banana passionfruit
	<i>Passiflora tetrandra</i>	NZ passionflower
	<i>Rubus australis</i>	bush lawyer
	<i>Rubus cissoides</i> var. <i>cissoides</i>	bush lawyer
*	<i>Rubus fruticosus</i> agg.	blackberry
*	<i>Rubus laciniatus</i>	cut-leaved blackberry
	<i>Rubus schmideliooides</i> var. <i>schmideliooides</i>	bush lawyer
	<i>Rubus squarrosus</i>	leafless lawyer
	<i>Rubus australis</i> x <i>R. schmideliooides</i>	
	<i>Rubus cissoides</i> x <i>R. australis</i>	
	<i>Rubus schmideliooides</i> X <i>R. squarrosus</i>	
*	<i>Solanum dulcamara</i>	bittersweet
*	<i>Solanum jasminoides</i>	potato vine
*	<i>Wisteria sinensis</i>	wisteria

### *Monocot Lianes*

*	<i>Bomarea multiflora</i>	kiekie
	<i>Freycinetia baueriana</i> subsp. <i>banksii</i>	
	<i>Ripogonum scandens</i>	supplejack

### *Dicot Herbs*

*	<i>Acaena anserinifolia</i>	piripiri, bidibidi
*	<i>Aegopodium podagraria</i>	goutweed
*	<i>Anagallis arvensis</i>	scarlet pimpernel
	<i>Anaphalis keriensis</i>	
	<i>Anaphalis subrigida</i>	
*	<i>Apium nodiflorum</i>	water celery
*	<i>Arctium minus</i>	burdock
*	<i>Bidens frondosa</i>	beggar's ticks
	<i>Callitrichie muelleri</i>	forest starwort
*	<i>Callitrichie stagnalis</i>	starwort
*	<i>Cardamine pratensis</i>	cuckoo cress
	<i>Cardamine</i> sp. [unnamed; <i>C. debilis</i> agg.]	
"	" Long Style" of Pritchard 1957]	bittercress

	Cardamine sp. [unnamed; <i>C. debilis</i> agg.]	
"	Narrow Petal" of Pritchard 1957]	bittercress
*	<i>Carduus tenuiflorus</i>	slender winged thistle
*	<i>Cerastium glomeratum</i>	mouse-eared chickweed
*	<i>Ceratophyllum demersum</i>	hornwort
*	<i>Cirsium arvense</i>	Californian thistle
*	<i>Cirsium vulgare</i>	Scotch thistle
*	<i>Conium maculatum</i>	hemlock
*	<i>Conyza albida</i>	fleabane
*	<i>Coronopus didymus</i>	twin cress
	<i>Cotula coronopifolia</i>	batchelor's button
	<i>Craspedia minor</i>	woollyhead
	<i>Dichondra</i> sp. [ <i>D. brevisolia</i> agg.]	
	<i>Drosera binata</i>	forked sundew
*	<i>Duchesnea indica</i>	Indian strawberry
	<i>Elatostema rugosum</i>	parataniwha
	<i>Epilobium chionanthum</i>	willow-herb
*	<i>Epilobium ciliatum</i>	willow-herb
	<i>Epilobium insulare</i>	willow-herb
	<i>Epilobium nummulariifolium</i>	willow-herb
	<i>Epilobium pallidiflorum</i>	willow-herb
	<i>Epilobium pedunculare</i>	willow-herb
	<i>Epilobium rotundifolium</i>	willow-herb
*	<i>Eupatorium cannabinum</i>	hemp agrimony
*	<i>Galega officinalis</i>	goat's rue
*	<i>Galium aparine</i>	cleavers
*	<i>Galium palustre</i>	marsh bedstraw
	<i>Galium propinquum</i>	bedstraw
	<i>Galium trilobum</i>	
	<i>Geranium microphyllum</i>	
	<i>Gnaphalium audax</i>	cudweed
	<i>Gnaphalium gymnocephalum</i>	cudweed
	<i>Gnaphalium involucratum</i>	cudweed
	<i>Gnaphalium limosum</i>	cudweed
*	<i>Gnaphalium purpureum</i>	cudweed
	<i>Gnaphalium sphaericum</i>	cudweed
	<i>Gonocarpus micranthus</i>	
	<i>Gunnera monoica</i>	
	<i>Haloragis erecta</i>	
	<i>Hydrocotyle elongata</i>	waxweed
	<i>Hydrocotyle heteromeria</i>	hairy pennywort
	<i>Hydrocotyle moschata</i>	
	<i>Hydrocotyle novae-zeelandiae</i>	marsh pennywort

	<i>Hydrocotyle pterocarpa</i>	
*	<i>Hypericum japonicum</i>	
*	<i>Hypochoeris radicata</i>	
*	<i>Leontodon taraxacoides</i>	
	<i>Lobelia anceps</i>	cat's ear
*	<i>Lotus pedunculatus</i>	hawkbit
*	<i>Lythrum hyssopifolia</i>	
	<i>Mazus novaezeelandiae</i>	lotus major
*	<i>Mentha pulegium</i>	hyssop loosestrife
*	<i>Mimulus moschatus</i>	dwarf mazus
*	<i>Mycelis muralis</i>	pennyroyal
*	<i>Myosotis laxa</i> var. <i>caespitosa</i>	soft musk
	<i>Myriophyllum propinquum</i>	wall lettuce
	<i>Nertera depressa</i>	water forget-me-not
	<i>Ourisia macrophylla</i> var. <i>robusta</i>	milfoil
	<i>Oxalis exilis</i>	
*	<i>Parentucellia viscosa</i>	mountain foxglove
	<i>Parietaria debilis</i>	
*	<i>Phytolacca octandra</i>	tarweed
*	<i>Plantago major</i>	
	<i>Plantago raoulii</i> [narrow-leaved var.]	inkweed
*	<i>Polygonum aviculare</i>	broad-leaved plantain
*	<i>Polygonum hydropiper</i>	
	<i>Polygonum salicifolium</i>	wire-weed
	<i>Pratia angulata</i> agg.	water pepper
*	<i>Prunella vulgaris</i>	willow-weed
	<i>Pseudognaphalium</i> sp. [ <i>P. luteo-album</i> agg.]	
*	<i>Ranunculus acris</i>	self-heal
	<i>Ranunculus amphitrichus</i>	cudweed
	<i>Ranunculus macropus</i>	giant buttercup
	<i>Ranunculus reflexus</i>	waoriki
*	<i>Ranunculus repens</i>	
*	<i>Ranunculus sceleratus</i>	bush buttercup
*	<i>Rorippa microphylla</i>	creeping buttercup
*	<i>Rorippa nasturtium-aquaticum</i>	celery-leaved buttercup
	<i>Rorippa palustris</i>	watercress
*	<i>Rumex conglomeratus</i>	watercress
*	<i>R. crispus</i>	
*	<i>Sagina procumbens</i>	clustered dock
*	<i>Senecio bipinnatisectus</i>	curled dock
	<i>Senecio glomeratus</i>	pearlwort
	<i>Senecio hispidulus</i>	fireweed
*	<i>Senecio jacobaea</i>	fireweed
		fireweed
		ragwort

	<i>Senecio minimus</i>	fireweed
*	<i>Senecio rufiglandulosus</i>	
*	<i>Solanum chenopodioides</i>	velvety nightshade
*	<i>Solanum nigrum</i>	black nightshade
*	<i>Sonchus asper</i>	prickly sowthistle
*	<i>Sonchus oleraceus puwha</i>	sowthistle
*	<i>Spergularia rubra</i>	sand spurry
*	<i>Stachys sylvatica</i>	hedge woundwort
	<i>Stellaria alsine</i>	bog stitchwort
	<i>Stellaria decipiens</i>	
*	<i>Stellaria graminea</i>	stitchwort
*	<i>Stellaria media</i>	chickweed
*	<i>Taraxacum officinale</i>	dandelion
*	<i>Trifolium pratense</i>	clover
*	<i>Trifolium repens</i>	white clover
	<i>Urtica incisa</i>	stinging nettle
	<i>Urtica linearifolia</i>	swamp nettle
*	<i>Urtica urens</i>	nettle
*	<i>Verbena bonariensis</i>	purpletop
*	<i>Vicia sativa</i>	vetch
	<i>Viola lyallii</i>	
*	<i>Wahlenbergia marginata</i>	harebell

### *Orcbids*

	<i>Bulbophyllum pygmaeum</i>	
	<i>Bulbophyllum tuberculatum</i>	
	<i>Chiloglottis cornuta</i>	spider orchid
	<i>Corybas macranthus</i>	spider orchid
	<i>Corybas trilobus</i>	
	<i>Dendrobium cunninghamii</i>	
	<i>Drymoanthus adversus</i>	
	<i>Earina autumnalis</i>	autumn orchid
	<i>Earina mucronata</i>	
	<i>Microrhynchium unifolium</i>	onion-leaved orchid
	<i>Pterostylis alobula</i>	greenhood orchid
	<i>Pterostylis banksii</i>	greenhood orchid
	<i>Pterostylis sp. [unnamed; aff. P. montana]</i>	greenhood orchid
	<i>Spiranthes sinensis</i>	lady's tress orchid
	<i>Thelymitra longifolia</i>	sun orchid

### *Grasses*

*	<i>Agrostis capillaris</i>	browntop
*	<i>Agrostis stolonifera</i>	creeping bent
*	<i>Alopecurus geniculatus</i>	kneed foxtail

*	<i>Alopecurus pratensis</i>	meadow foxtail
*	<i>Anthoxanthum odoratum</i>	sweet vernal
*	<i>Bromus hordeaceus</i>	soft brome
*	<i>Bromus sterilis</i>	sterile brome
*	<i>Bromus willdenowii</i>	prairie grass
*	<i>Cortaderia selloana</i>	pampas
*	<i>Cortaderia fulvida</i>	toetoe
*	<i>Cortaderia toetoe</i>	toetoe
*	<i>Cynosurus cristatus</i>	crested dogtail
*	<i>Dactylis glomerata</i>	cocksfoot
*	<i>Echinopogon ovatus</i>	hedgehog grass
*	<i>Ehrharta erecta</i>	veld grass
*	<i>Festuca arundinacea</i>	tall fescue
*	<i>Festuca nigrescens</i>	Chewing's fescue
*	<i>Glyceria declinata</i>	floating sweet grass
*	<i>Holcus lanatus</i>	Yorkshire fog
*	<i>Hordeum murinum</i>	barley grass
*	<i>Isachne globosa</i>	swamp millet
*	<i>Lolium multiflorum</i>	Italian ryegrass
*	<i>Lolium perenne</i>	perennial ryegrass
*	<i>Microlaena avenacea</i>	bush rice grass
*	<i>Microlaena polynoda</i>	bamboo rice grass
*	<i>Microlaena stipoides</i>	meadow rice grass
*	<i>Oplismenus imbecillus</i>	
*	<i>Pennisetum clandestinum</i>	kikuyu grass
*	<i>Phalaris arundinacea</i>	reed canary grass
*	<i>Phalaris aquatica</i>	canary grass
*	<i>Poa anceps</i> ssp. <i>anceps</i>	
*	<i>Poa annua</i>	annual poa
*	<i>Poa pratensis</i>	Kentucky bluegrass
*	<i>Rytidosperma gracile</i>	danthonia
*	<i>Rytidosperma racemosum</i>	danthonia

### Sedges

	<i>Baumea rubiginosa</i>	
	<i>Baumea tenax</i>	
	<i>Bolboschoenus fluviatilis</i>	Purua grass
	<i>Carex dipsacea</i>	
	<i>Carex dissita</i>	
*	<i>Carex divulsa</i>	
	<i>Carex forsteri</i>	
	<i>Carex geminata</i> s.s.	
	<i>Carex inversa</i>	

<i>Carex lambertiana</i>	
<i>Carex lessoniana</i>	
<i>Carex maorica</i>	
<i>Carex secta</i> s.s.	
<i>Carex solandri</i>	
<i>Carex virgata</i>	
<i>Carex</i> sp. [unnamed, aff. <i>C. geminata</i> ; large sp.]	
* <i>Cyperus congestus</i>	
* <i>Cyperus eragrostis</i>	
<i>Cyperus ustulatus</i>	mariscus
<i>Eleocharis acuta</i>	
<i>Eleocharis gracilis</i>	sharp spike sedge
<i>Gahnia lacera</i>	
<i>Gahnia xanthocarpa</i>	
<i>Isolepis prolifer</i>	
<i>Isolepis reticularis</i>	
<i>Isolepis distigmatosa</i>	
* <i>Isolepis setacea</i>	
* <i>Isolepis sepulchralis</i>	
<i>Machaerina sinclairii</i>	tūhara
<i>Schoenoplectus validus</i>	kapungawha
<i>Schoenus maschalinus</i>	
<i>Uncinia banksii</i>	hookgrass
<i>Uncinia clavata</i>	hookgrass
<i>Uncinia distans</i>	hookgrass
<i>Uncinia uncinata</i>	hookgrass

### Rushes

* <i>Juncus articulatus</i>	jointed-leaved rush
* <i>Juncus bufonius</i>	toad rush
<i>Juncus caespiticius</i>	
<i>Juncus distegus</i>	
* <i>Juncus effusus</i>	
<i>Juncus gregiflorus</i>	
<i>Juncus pallidus</i>	
<i>Juncus pauciflorus</i>	
<i>Juncus planifolius</i>	
<i>Juncus sarophorus</i>	
<i>Luzula picta</i> s.s.	wood rush

### Other Monocot Herbs

* <i>Alisma lanceolatum</i>	water plantain
* <i>Aponogeton distachyus</i>	water hawthorn
* <i>Arum italicum</i>	Italian arum

Astelia fragrans	
Astelia solandri	perching lily
Canna indica	canna lily
Colospermum hastatum	perching lily
* Crocosmia x crocosmiiflora	montbretia
Dianella nigra	turutu, blueberry
Elodea canadensis	Canadian pondweed
* Iris foetidissima	stinking iris
Lemna sp. [L. minor auct NZ]	duckweed
Libertia sp.	
Phormium cookianum	wharariki, mountain flax
Phormium tenax	harakeke, NZ flax
* Potamogeton crispus	curled pondweed
Sparganium subglobosum	bur-reed
* Spirodela punctata	purple-backed duckweed
* Tradescantia fluminensis	wandering Jew
Triglochin striatum	arrow-grass
Typha orientalis	raupo
Wolffia australiana	water meal
* Zantedeschia aethiopica	arum lily

### Fern Allies

Lycopodium scariosum	clubmoss
Lycopodium varium	clubmoss
Lycopodium volubile	climbing clubmoss
Tmesipteris elongata	
Tmesipteris tannensis	
* Selaginella kraussiana	selaginella

### Ferns

Adiantum cunninghamii	maidenhair fern
Adiantum diaphanum	maidenhair fern
Adiantum formosum	giant maidenhair
Anarthropteris lanceolata	
Arthropteris tenella	jointed fern
Asplenium bulbiferum	hen and chicken fern
Asplenium colensoi	
Asplenium flaccidum s.s.	hanging spleenwort
Asplenium gracillimum	
Asplenium hookerianum	
Asplenium oblongifolium	
Asplenium polyodon	
Asplenium bulbiferum (?) x A. colensoi	
Asplenium flaccidum x A. oblongifolium	shining spleenwort

<i>Asplenium flaccidum</i> x <i>A. gracillimum</i>	
<i>Asplenium gracillimum</i> x <i>A. hookerianum</i>	
<i>Azolla filiculoides</i> ssp. <i>rubra</i>	
<i>Blechnum chambersii</i>	
<i>Blechnum colensoi</i>	
<i>Blechnum filiforme</i>	
<i>Blechnum fluviatile</i>	
<i>Blechnum membranaceum</i>	
<i>Blechnum minus</i>	
<i>Blechnum procerum</i>	
<i>Blechnum</i> sp. [unnamed; <i>B. capense</i> agg.]	
"Black Spot"]	kiokio
<i>Blechnum</i> sp. [unnamed; <i>B. capense</i> agg.]	
"Green Bay form"]	cliff kiokio
<i>Blechnum chambersii</i> x <i>B. membranaceum</i>	
<i>Botrychium biforme</i>	parsley fern
<i>Cyathea cunninghamii</i>	gully tree fern
<i>Cyathea dealbata</i>	ponga, silver fern
<i>Cyathea medullaris</i>	mamaku
<i>Cyathea smithii</i>	katote, soft tree fern
<i>Deparia petersenii</i>	
<i>Dicksonia fibrosa</i>	wheki-ponga
<i>Dicksonia squarrosa</i>	wheki
<i>Diplazium australe</i>	
<i>Doodia media</i>	
<i>Hymenophyllum demissum</i>	
<i>Hymenophyllum dilatatum</i>	
<i>Hymenophyllum ferrugineum</i>	
<i>Hymenophyllum flexuosum</i>	
<i>Hymenophyllum rarum</i>	
<i>Hymenophyllum revolutum</i>	filmy fern
<i>Hymenophyllum sanguinolentum</i>	
<i>Hymenophyllum scabrum</i>	
<i>Hypolepis ambigua</i>	
<i>Hypolepis lactea</i>	
<i>Hypolepis rufobarbata</i>	
<i>Lastreopsis glabella</i>	
<i>Lastreopsis hispida</i>	
<i>Lastreopsis microsora</i>	
<i>Lastreopsis velutina</i>	velvet fern
<i>Leptopteris hymenophylloides</i>	
<i>Lindsaea trichomanoides</i>	
<i>Paesia scaberula</i>	ring fern

<i>Pellaea rotundifolia</i>	button fern
<i>Pellaea</i> sp. [unnamed? cf. <i>P. falcata</i> / <i>P. rotundifolia</i> - rhizomatous]	
<i>Phymatosorus pustulatus</i>	hounds tongue fern
<i>Phymatosorus scandens</i>	
<i>Pneumatopteris pennigera</i>	
<i>Polystichum richardii</i>	
<i>Polystichum silvaticum</i>	
<i>Pteridium esculentum</i>	bracken
<i>Pteris pendula</i> [ <i>P. macilenta</i> of NZ authors]	
<i>Pteris tremula</i>	shaking brake
<i>Pyrrosia elaeagnifolia</i>	
<i>Rumohra adiantiformis</i>	
<i>Trichomanes venosum</i>	bristle fern

# Manawatu Plains Ecological District

## Survey Report For The Protected Natural Areas Programme

D.A. RAVINE



New Zealand Protected Natural Areas Programme No. 33

ISSN 0112-9252

ISBN 0-478-01715-4

Department of Survey and Land Information Licence 1991/42:

Crown Copyright Reserved.

Published by

Department of Conservation

Wanganui

New Zealand

1995

Printed on recycled paper