

**Vascular Plants of Mangakowhiriwhiri Stream (Grid. Ref. NZMS 260 T17 542015,  
Conservation Unit No. 60134)**

This list encompasses most of the stream vegetation, within and out of the Mangakowhiriwhiri Stream Conservation Area. The list was compiled by Barry Spring-Rice and N.J.D.Singers on Atiamuri PNA survey, 01/94, and Cathy Jones and the Rotorua Botanical Society on a field trip 28/06/95.

Revised by Nicholas Singers, 05/99.

**Abundance Key**

Species abundance was quantified subjectively using the following abundance key.

r = rare

u = uncommon

l = local

o = occasional

c = common, also lc = locally common

a = abundant, also la = locally abundant

\* = exotic/adventive species

**Gymnosperm Trees**

<i>Dacrydium cupressinum</i>	rimu
<i>Dacrycarpus dacrydioides</i>	kahikatea
<i>Podocarpus totara</i>	totara
<i>Prumnopitys ferruginea</i>	miro
<i>Prumnopitys taxifolia</i>	matai
<i>Phyllocladus trichomanoides</i>	tanekaha

**Monocot Trees**

<i>Cordyline australis</i>	cabbage tree
----------------------------	--------------

**Dicot Trees**

<i>Aristotelia serrata</i>	makomako, wineberry
<i>Carpodetus serratus</i>	putaputaweta
<i>Fuchsia excorticata</i>	tree fuchsia
<i>Griselinia littoralis</i>	papauma, broadleaf
<i>Knightia excelsa</i>	rewarewa
<i>Melicytus lanceolatus</i>	mahoe-wao
<i>Melicytus ramiflorus</i> subsp. <i>ramiflorus</i>	mahoe
<i>Myrsine australis</i>	red mapou, red matipo
<i>Pennantia corymbosa</i>	kaikomako
<i>Pittosporum tenuifolium</i> var. <i>colensoi</i>	kohukohu
<i>Pseudopanax arboreus</i>	whauwhaupaku, five-finger
<i>Pseudopanax crassifolius</i>	horoeka, lancewood
<i>Salix cinerea</i>	grey willow
<i>Streblus heterophyllus</i>	milk tree, turepo

<i>Weinmannia racemosa</i>	kamahi
<b>Dicot shrubs</b>	
<i>Brachyglottis repanda</i>	rangiora
<i>Carmichaelia australis</i>	native broom
<i>Coprosma grandifolia</i>	kanono, raurekau
<i>Coprosma lucida</i>	karamu
<i>Coprosma propinqua subsp. <i>propinqua</i></i>	mingimingi
<i>Coprosma rhamnoides</i>	
<i>Coprosma robusta</i>	karamu
<i>Coprosma sp. t: "taylorae" (Eagle, 1982)</i>	tutu
<i>Coriaria arborea</i>	prickly mingimingi
<i>Cyathodes juniperina</i>	scotch broom
<i>Cytisus scoparius</i>	
<i>Dracophyllum strictum</i>	monoao
<i>Dracophyllum subulatum</i>	snowberry
<i>Gaultheria antipoda</i>	snowberry
<i>Gaultheria oppositifolia</i>	
<i>Gaultheria paniculata</i>	
<i>Geniostoma rupestre</i>	hangehange, N.Z. privit
<i>Hebe stricta var. <i>stricta</i></i>	koromiko
<i>Kunzea ericoides</i>	kanuka
<i>Leptospermum scoparium</i>	manuka
<i>Leucopogon fasciculatus</i>	mingimingi
<i>Melicope simplex</i>	poataniwha
<i>Pomaderris ericifolia</i>	
<i>Urtica incisa</i>	scrub stinging nettle

<b>Ferns</b>	
<i>Asplenium bulbiferum</i>	hen and chicken fern
<i>Asplenium flaccidum</i>	hanging spleenwort
<i>Asplenium lamprophyllum</i>	spleenwort
<i>Asplenium oblongifolium</i>	shining spleenwort
<i>Asplenium polyodon</i>	sickle spleenwort
<i>Blechnum novae-zelandiae</i>	kiokio
<i>Blechnum chambersii</i>	lance fern
<i>Blechnum fluviatile</i>	kiwakiwa
<i>Blechnum vulcanicum</i>	mountain hard fern
<i>Cyathea cunninghamii</i>	ponga
<i>Cyathea dealbata</i>	ponga, silver fern
<i>Cyathea medullaris</i>	mamaku
<i>Cyathea smithii</i>	soft tree fern
<i>Dicksonia fibrosa</i>	wheki-ponga
<i>Dicksonia squarrosa</i>	harsh tree fern, wheki
<i>Hymenophyllum demissum</i>	drooping filmy fern
<i>Hymenophyllum ferrugineum</i>	rusty filmy fern
<i>Hymenophyllum sanguinolentum</i>	filmy fern
<i>Hypolepis ambigua</i>	
<i>Lastreopsis glabella</i>	smooth shield fern

<i>Leptopteris hymenophylloides</i>	single crepe fern
<i>Pellaea rotundifolia</i>	N. Z. cliff brake
<i>Phymatosorus pustulatus</i>	
<i>Pneumatopteris pennigera</i>	feather fern
<i>Polystichum vestitum</i>	prickly shield fern
<i>Pteridium esculentum</i>	bracken
<i>Pteris macilenta</i>	sweet fern
<i>Trichomanes reniforme</i>	kidney fern
<i>Trichomanes venosum</i>	veined bristle fern

### Lycopods, and Fern allies

<i>Lycopodium scariosum</i>	creeping clubmoss
<i>Lycopodium varium</i>	hanging clubmoss
<i>Lycopodium volubile</i>	climbing clubmoss
<i>Tmesipteris elongata</i>	chain fern

### Dicot herbs

<i>Acaena anserinifolia</i>	bidibid, hutiwai
<i>Astelia fragrans</i>	kakaha
* <i>Dactylis glomeratus</i>	cocksfoot
* <i>Digitalis purpurea</i>	common foxglove
<i>Hydrocotyle elongata</i>	hydocotyle
<i>Jovellana repens</i>	
<i>Nertera depressa</i>	nertera

### Dicot lianes

<i>Metrosideros colensoi</i>	rata
<i>Metrosideros diffusa</i>	white rata
<i>Muehlenbeckia australis</i>	pohuehue
<i>Parsonsia capsularis</i>	N.Z. jasmine
<i>Passiflora tetrandra</i>	N.Z. passionfruit
<i>Rubus cissoides</i>	bush lawyer
* <i>Rubus sp. (R. fruticosus agg.)</i>	blackberry
<i>Rubus schmideloides</i>	bush lawyer

### Grasses

<i>Cortaderia fulvida</i>	toetoe
<i>Carex spp.</i>	sedge

### Sedges and rushes

<i>Morelotia affinis</i>	
<i>Uncinia gracilenta</i>	hook grass
<i>Uncinia uncinata</i>	hook grass

### Orchids

<i>Corybas trilobus</i>	spider orchid
<i>Earina autumnalis</i>	Easter orchid
<i>Earina mucronata</i>	bamboo orchid

*Thelymitra* spp.

sun orchid