

CHECKLIST OF VASCULAR PLANTS OF MATIU (NZMS 260 R27663925, Altitude 72m a.s.l) AND ADJACENT ROCKSTACKS, WELLINGTON HARBOUR

Peter J. de Lange, Science & Research Division, Department of Conservation, PO Box 10-420, Wellington.

Based on a seven hour visit by P. DL, (19 September 1991) and a checklist published by Freegard & Weeber (1986). Additions made by members of the Wellington Botanical Society (1 August 1992), (8 additions), by P.de Lange & G. M.Crowcroft (4 September 1992), (29 additions), by P. de Lange, C.J. West and P.N. Johnson (June 1993), (1 addition), and P. de Lange and J.W.D. Sawyer (October 1995 and October 1996), (X additions).

Abbreviations

(Unc)	=	Uncommon
p	=	planted (116 species)
n	=	planted on Matiu and subsequently naturalised but not considered indigenous to the island (33 species)
i	=	species indigenous to Matiu but also naturalised from plantings of unprovenanced material (12 species)
*	=	adventive or exotic species planted and/or naturalised on Maitu (152 species)
+	=	species additions to those recorded by Freegard & Weeber (1986) (219 species) (Freegard & Weeber 1986) = species not seen by P.J. de Lange (9 species)

Doubtful and erroneous records are listed separately.

FERNS

<i>Adiantum cunninghamii</i> +	
<i>Asplenium bulbiferum</i>	
<i>A. flabellifolium</i> +	
<i>A. flaccidum</i>	
<i>A. hookerianum</i> +(Unc)	
<i>A. oblongifolium</i> (Unc)	
<i>A. obtusatum</i> +	WELT P8727
<i>A. polyodon</i> +	
<i>A. terreste</i> subsp. <i>maritimum</i> +	
<i>Blechnum blechnoides</i>	
<i>B. minus</i> +	
<i>B. sp. "black spot"</i> (<i>B. capense</i> sensu Allan 1961)	
+ (Unc)	
<i>Cyathea dealbata</i>	
<i>C. medullaris</i> p, i	
<i>Dicksonia squarrosa</i> +- small plant	
<i>Hypolepis ambigua</i> +(Unc)	
<i>H. lactea</i> (Unc)	
<i>Lastreopsis microsoria</i> subsp. <i>pentangularis</i> +(Unc)	
<i>Pellaea rotundifolia</i> +	
<i>Phymatosorus pustulatus</i> subsp. <i>pustulatus</i>	
<i>Polystichum richardii</i>	
<i>Pteridium esculentum</i>	
<i>Pyrrosia eleagnifolia</i>	

FERN ALLIES

* <i>Sellaginella kraussiana</i>

GYMNOSPERMS (9)

<i>Agathis australis</i> +	p
* <i>Cupressus macrocarpa</i>	p,n
<i>Dacrycarpus dacrydioides</i>	p
<i>Dacrydium cupressinum</i> +	p
* <i>Pinus radiata</i>	p,n
<i>Phyllocladus trichomanoides</i> +	p
<i>Podocarpus totara</i> (Unc) - one tree only	
CHR	
<i>Prumnopitys ferruginea</i>	p
<i>P. taxifolia</i>	p (Freegard & Weeber 1986)

MONOCOTYLEDONOUS TREES (2)

<i>Cordyline australis</i>	p,i
<i>Rhopalostylis sapida</i>	+

MONOCOTYLEDONOUS LIANES (2)

<i>Freycinetia banksii</i> +(Unc)
<i>Ripogonum scandens</i> +(Unc) Seedling

DICOTYLEDONOUS TREES & SHRUBS (105)

* <i>Acacia melanoxylon</i> +	p,n
<i>Alectryon excelsus</i> var. <i>excelsus</i>	p
<i>Aristotelia serrata</i>	p
* <i>Berberis glaucocarpa</i>	
<i>Brachyglottis repanda</i>	p, ?n
<i>B. monroi</i> var. "compacta" +(Unc)	p
<i>B. greyii</i> var. <i>greyii</i> +(Unc)	p
<i>B. greyii</i> x <i>B. monroi</i> var. "compacta"	+
* <i>Buddleja davidii</i>	
<i>Cassinia leptophylla</i> s.l.	
* <i>Chamaecytisus palmensis</i>	+ p,n
* <i>Chrysanthemoides monilifera</i>	+(Unc)

- Clianthus puniceus* p
Coprosma crassifolia+ (Unc)
C. grandifolia
C. lucida+ (Unc) p,i
C. macrocarpa s.s. + p
C. parviflora s.s p (Freegard & Weeber 1986)
C. propinqua
C. repens
C. rhamnoides
C. robusta p,i
C. propinqua x *C. repens*+ (Unc)
C. propinqua x *C. robusta*
Corokia buddleoides p (Freegard & Weeber 1986)
C. cotoneaster p
C. buddleoides x *C. cotoneaster* (*C. xvirgata*)+ p
Corynocarpus laevigatus p,i
**Cotoneaster lacteus*
Dodonaea viscosa p,n
Dysoxylum spectabile p
Elaeocarpus dentatus+ p
**Entelea arborescens*+ p
**Erica lusitanica*+
**Eucalyptus saligna* sp. + p,n
Geniostoma rupestre var. *ligustrifolium*+ (Unc)
Griselinia littoralis p
G. lucida p,i
Hebe "arborea"+, p
H. cupressoides+ (Unc) p
H. elliptica var. *elliptica*+ p,n
 CHR
H. odora+ p
H. albicans + p
H. speciosa s.s. p
H. stricta var. *atkinsonii*+
H. stricta var. *macroura*+
H. stricta var. *stricta*+ (Unc) p
H. stricta var. *atkinsonii* = var. *macroura*+ (Unc)
H. stricta x *H. speciosa*
H. xandersonii 'Andersonii' (*H. salicifolia* x *H. speciosa*) + p
H. xandersonii 'Andersonii variegata' (*H. salicifolia* x *speciosa*) + (Unc) p
H. 'Boulder Lake' (*H. diosmifolia* x *H. parviflora*) + p
H. cv. inspiration' (*H. diosmifolia* x *speciosa*) + p
H. xcarnea 'Carnea' (*H. speciosa* x '?') + (Unc) p
H. xfrancisana 'Blue Gem' (*H. elliptica* var. *elliptica* (Falklands provenance) x *H. speciosa*) + p,n
H. cv. 'La Seduisante' (*H. speciosa* x '?') + p,n
H. speciosa cv. 'variegata' + (Unc) p
Hedycarya arborea p
- Hoheria populnea* p
Knightia excelsa p
Kunzea ericoides var. *ericoides* p
Leptospermum scoparium (+cultivars) p
Leucopogon fasciculatus+ (Unc)
L. fraserii
**Lupinus arboreus*
**Lycium ferocissimum*
Macropiper excelsum subsp. *excelsum* p, ?I
Malus xdomesticos
Melicytus crassifolius
M. aff. obovatus (Unc)
 CHR
M. ramiflorus subsp. *ramiflorus* p,i
Meryta sinclairii+ (Unc) p
Metrosideros excelsa p,n
M. kermadecensis p
Myoporum insulare+ p
M. laetum var. *laetum* p,i
M. insulare x *M. laetum*
Myrsine australis
**Olea europaea* p (Freegard & Weeber 1986)
Olearia albida+
O. angulata+ p
O. paniculata
O. solandri (Unc)
O. traversii p
O. xhaastii (*O. aviceniifolia* x *moschata*)+ p
Pimelea prostrata (incl. semi-erect forms
 possibly planted on island)
P. urvilleana+ (Unc)
Pittosporum crassifolium p,n
P. eugenoides p
P. ralphii p
P. tenuifolium subsp. *tenuifolium* p
**P. undulatum*+ p
Pomaderris apetala p
**P. aspera*+ (Unc) p,n
P. ericafolia+ (Unc) (seedlings only)
P. kumeraho p (Freegard & Weeber 1986)
Pseudopanax x *arboreus* p
P. crassifolius p
P. ferox+ (Unc) p
P. laetus p
P. lessonii p
P. crassifolius x *P. lessonii*+ p
Sambucus nigra
Schefflera digitata+ p
Solanum aviculare p,i
S. laciniatum
Sophora chathamica +
S. microphylla p CHR
S. tetraptera+ p
**Ulex europaeus*+
Vitex lucens+ p
- DICOTYLEDONOUS LIANES AND RELATED SCRAMBLING PLANTS (12)**
- Calystegia sepium* agg.+ (Unc)

C. soldanella
C. turguriorum+
Clematis forsterii+
C. paniculata (Freegard & Weeber 1986)
Fuchsia procumbens+ p.?n
Metrosideros perforata+
Muehlenbeckia australis
M. complexa+
M. australis x *M. complexa+*
**Rubus fruticosus agg.*+
Tetragonia trigyna

GRASSES (38)

**Agrostis capillaris*
**A. stolonifera+*
**Aira caryophylla* subsp. *caryophylla*+
**Ammophila arenaria* (Unc)
**Arrhenatherum elatius* subsp. *elatius*
**Anthoxanthum odoratum*
**Bromus diandrus*
**B. hordeaceus+*
**B. willdenowii*
**Catapodium rigidum*+
Cortaderia fulvida
**C. jubata* + p,n
**Cortaderia selloana*
C. toetoe+
**Dactylis glomerata*+
Deyeuxia avenoides +
**Ehrharta erecta*+
**Elymus rectisetus* (Unc)+
E. 'Glaucous'
**Festuca arundinacea*+
F. multinodis+
**F. rubra*+
**Holcus lanatus*
**Hordeum murinum*
Lachnagrostis billardieri +
L. filiformis s.s +
L. pilosa subsp. *pilosa*
**Lolium perenne*
Oplismenus imbecillus (Unc)
Poa anceps var. *anceps*
 WELT 61219
**P. annua*+
P. cita+
**P. pratensis*+
**Pseudosasa japonica* (Unc) p,n
Puccinella stricta+
**Rytidosperma racemosum*+
**R.. unarede* +
**Sporobolus africanus*+
Trisetum antarcticum s.s.+

ORCHIDS (3)

Bulbophyllum pygmaeum (Unc)
Microlis unifolia p,i
Thelemitra longifolia +

RUSHES (4)

Juncus distegis
J. gregiflorus (Unc)
J. krausii var. *australiensis* (Unc)
Luzula banksiana var. *banksiana*

SEDGES (12)

**Carex divulsa*+
Carex flagellifera+
C. lessoniana (Unc) -
C. trifida p (Freegard & Weeber 1986)
C. virgata+
**Cyperus tenellus*+
C. ustulatus
Isolepis cernua+
I. habrus (Unc) - WELT 20142
**I. marginata*+
I. nodosa
**I. sepulcralis*+

MONOCOTYLEDONOUS HERBS (Other than Grasses, Orchids, Rushes and Sedges) (16)

**Aloe arborescens* p
**Allium triquetrum*+
Arthropodium candidum+
A. cirrhatum p
Astelia solandri (Unc)
**Kniphofia uvaria* p
Lemna minor (Unc)
Leucojum aestivum (Unc) p
Libertia ixioides p,i
**Lilium formosanum*
**Narcissus x incomparabilis* (Unc) p,n
**N. pseudonarcissus* p,n
**N. tarzetta* var. *italica* p,n
Phormium cookianum
P. tenax p,n
**Sisyrinchium iridifolium*+
**Tradescantia fluminensis*
**Tradescantia zebrina*
Triglochin striata
**Zantedeschia aethiopica*

DICOTYLEDONOUS COMPOSITE HERBS (36)

**Achillea millefolium*
**Arctotheca calendula*
**Bellis perennis*+
**Carduus nutans* (Unc)
**C. tenuiflorus*+
**Cirsium arvense*+
**C. vulgaris*
Cotula australis+
C. coronopifolia+

<i>Craspedia uniflora</i> var. <i>maritima</i> + (Unc)	<i>C. sieberiana</i>
* <i>Crepis capillaris</i> +	* <i>C. spathulata</i> + (Unc) p,n
* <i>Conyza albida</i> +	* <i>C. tetragona</i> + (Unc) p,n
<i>Gnaphalium audax</i>	<i>Dichondria repens</i> +
* <i>Helminotheca echioides</i> +	<i>Disphyma australe</i> subsp. <i>australe</i>
* <i>Hypochaeris radicata</i>	* <i>Drosanthemum floribundum</i> + p,n
<i>Lagenifera petiolata</i> +	* <i>Echeveria secunda</i>
* <i>Lapsana communis</i> +	* <i>Echium candicans</i> + (Unc) p,n
* <i>Leontodon taraxacoides</i> +	<i>Einadia triandra</i>
<i>Leptinella dioica</i> subsp. <i>dioica</i> + (Unc)	<i>Epilobium nummularifolium</i> +
* <i>Mycelis muralis</i> +	* <i>Erodium circutarium</i> +
* <i>Osteospermum fruticosum</i> + p,n	* <i>Euphorbia peplus</i> +
<i>Pseudognaphalium</i> sp. <i>luteo-album</i> agg.+	* <i>Foeniculum vulgare</i> +
* <i>Senecio angulatus</i> + (Unc) - eradicated	* <i>Fumaria muralis</i>
* <i>S. elegans</i> + (Unc)	* <i>Galium aparine</i>
* <i>S. glastifolius</i> + (Unc) - one plant (eradicated)	<i>G. propinquum</i> + (Unc)
<i>S. glomeratus</i> +	* <i>Geranium dissectum</i> +
<i>S. laetus</i> var. <i>lautus</i>	* <i>G. molle</i>
CHR	* <i>Glaucum flavum</i>
<i>S. serpens</i> + p,n	<i>Haloragis erecta</i> subsp. <i>erecta</i>
<i>S. sterquilinus</i> +	* <i>Hibiscus trionum</i> (form lacking blotched centre)+ (Unc) p
CHR	<i>Hydrocotyle heteromeria</i> + (Unc) - naturalised? only in lawns
<i>S. laetus</i> var. <i>lautus</i> x <i>S. sterquilinus</i> CHR	<i>H. "laciniata"</i> + (Unc) - naturalised? only in lawns
* <i>Silybum marginatum</i> +	<i>H. microphylla</i> + (Unc) - naturalised? only in lawns
* <i>Solvia sessilis</i> +	<i>H. moschata</i> s.s.
* <i>Sonchus asper</i> +	* <i>Lavatera arborea</i>
<i>S. kirkii</i> + (Unc)	<i>Lilaeopsis novae-zelandiae</i>
* <i>S. oleraceus</i>	<i>Limosella lineata</i> + (Unc) - one patch on eastern side by jetty
* <i>Taraxacum officinale</i>	<i>Linum monogynum</i>
DICOTYLEDONOUS HERBS (Other than composites) (110)	
* <i>Acaena novae-zelandiae</i>	WELT 51076
<i>Aciphylla squarrosa</i> s.s.	<i>Lobelia anceps</i>
* <i>Aeonium arboreum</i> + p	* <i>Marrubium vulgare</i>
* <i>A. harworthii</i> + p,n	* <i>Medicago arabica</i>
* <i>Anagallis arvensis</i> subsp. <i>arvensis</i> var. <i>arvensis</i> +	<i>Myosotis petiolata</i> var. <i>pottiana</i> +p
<i>Apium prostratum</i>	* <i>Orobanche minor</i>
* <i>Atriplex prostrata</i>	<i>Oxalis exilis</i> +
* <i>Brassica oleraceus</i> +	* <i>O. incarnata</i> +
* <i>Callitricha stagnalis</i> +	* <i>O. latifolia</i>
* <i>Capsella bursa-pastoris</i> + (Unc)	<i>O. rubens</i> + (Unc)
* <i>Cardamine hirsuta</i> +	<i>Parietaria debilis</i> + (Unc)
<i>Centella uniflora</i> +	<i>P. judacia</i> +
* <i>Cerastium glomeratum</i> +	* <i>Pelargonium xasperum</i> + (Unc) p
<i>Colobanthus muelleri</i>	* <i>P. xdomesticum</i> + (Unc) p
* <i>Coronopus didymus</i> +	<i>Peperomia urvilleana</i> +
* <i>C. squamatus</i> + (Unc)	* <i>Phytolacca octandra</i> +
* <i>Cotyledon orbiculatus</i> var. <i>orbiculatus</i> +(Unc) p,n	* <i>Plantago australis</i>
* <i>Crassula coccinea</i> + p	* <i>P. coronopus</i>
* <i>C. decumbens</i>	* <i>P. lanceolata</i>
<i>C. moschata</i>	* <i>Polycarpon tetraphyllum</i>
* <i>C. multicava</i>	* <i>Portulaca oleracea</i> +
<i>C. peduncularis</i> + (Unc) - one patch on eastern side by jetty	* <i>Raphanus raphanistrum</i> subsp. <i>maritimum</i>
<i>C. ruamahanga</i> + (Unc) - one patch near lighthouse in shaded pool	* <i>Rapistrum rugosum</i> +
	<i>Ranunculus acaulis</i>
	* <i>R. parviflorus</i> +
	* <i>R. repens</i> +

**Rorippa nasturtium-officinale*+
 **Rumex acetosella*
 **R. aviculare*+
 **R. conglomeratus*+
 **R. crispus*
 **R. obtusifolius*+
 **R. pulcher*+ (Unc)
 **Sagina procumbens*
Samolus repens
Sarcocornia quinquefolia var. *quinquefolia*
 **Saxifraga stolonifera*+ (Unc) p,n
 **Sedum acre*+ (Unc) p,n
 **S. praealtum*+ (Unc) p,n
Selleria radicans
 **Silene gallica*
Solanum americanum+ (Unc)
 **S. nigrum*
 **S. tuberosum*+ (Unc) p,n
Spergularia marginatum (Unc)
 **S. rubra*+
 **Stellaria media*+
 **Sisymbrium orientale*
 **Trifolium pratense*
 **T. repens*
 **Urtica dioica* subsp. *dioica*+
 **U. urens*
 **Veronica persica*+
 **V. serpyllifolia*+
 **Verbascum thapsus*+
 **Vicia hirsuta* (Freegard & Weeber 1986)
 **V. sativa* var. *sativa*
 **Vinca major*
Wahlenbergia ramosa+ WELT
W. violacea 44794

TOTAL: 370 species and hybrids (145 of these are considered indigenous to Matiu)

DOUBTFUL AND ERRONEOUS RECORDS (3 species)

Record	Probable identity
<i>Elymus rectisetus</i> ¹ (Freegard & Weeber 1986)	<i>E. 'glaucous'</i> (In part)
<i>Myrsine divaricata</i> (Freegard & Weeber 1986)	?
<i>Urtica ferox</i> (Freegard & Weeber 1986)	<i>U dioica</i> subsp. <i>dioica</i>

¹ True *E. rectisetus* is an uncommon plant on Matiu, confined to a small area of rough pasture of the northern end of the island. It is quite probable then that Freegard & Weeber (1986) confused *E. rectisetus* for *E. 'glaucous'* as this is the more common species on the island. For this reason *E. rectisetus* s.s is treated as a new record for Matiu and *E. 'glaucous'* is not.

REFERENCES

- Freegard, J, Weeber, Y.B. 1986: Vegetation of coast and islands, Wellington Harbour planning area. Wellington Harbour Maritime Planning Authority, Centre for Resource Management, Wellington. 86 pp.