

Indigenous Vascular Plants of Maungakotukutuku Valley, including Eastern Ridge and Maunganui (2322')

(with Bot. Soc. [C.C.Ogle (for 7/11/76)]

List compiled from numerous visits: 3/2/73, 29-31/12/73, 2/12/76, 14/2/76, 3/3 - 2/4/76, 7/8/76 (with Bot.Soc.). Also several from List 34 of A.P. Drue for "Mt Maunganui", not seen again on 7.8.76. Also records from earlier Bot. Soc. lists passed on to me by R. Lewington (marked †) (u) = unconfirmed on ~~19~~^{Bot. So}

GYMNOSPERMS

- Dacrydium cupressinum*
- Podocarpus dacrydioides*
- P. ferrugineus*
- P. hallii*
- P. spicatus*
- P. hallii x P. nivalis (?) [A.R.D.]*

MONOCOT TREES

- Cordyline indivisa*
- Rhopalostylis sapida*

DICOT TREES & SHRUBS

- Alseuosmia pusilla*
- Aristotelia serrata*
- Beilschmiedia tawa*
- Brachyglottis repanda*
- Carpodetus serratus*
- Cassinia leptophylla*
- Coprosma areolata*
- C. australis* C. colensoi
- C. foetidissima*
- C. lucida*
- ~~†~~ *C. propinquua*
- C. rhamnoides*
- ~~†~~ *C. robusta*
- C. rotundifolia* C. tenuicaulis
- C. sp. (mountain sp. incl.
in C. parviflora by Allan)* C. rob x prop.
- Cyathodes empetrifolia*
- C. fasciculata*
- Dracophyllum filifolium*
- Elaeocarpus dentatus*
- E. hookerianus*
- Fuchsia excorticata*
- Gaultheria antipoda*
- G. sp. (un-named, incl. in
G. depressa as var. nz by
Franklin 1962.)*

*Griselinia littoralis**G. lucida**Hebe stricta* var. *atkinsonii**Hedycarya arborea**Knightia excelsa**Laurelia novae-zelandiae**Leptospermum ericoides**L. scoparium* (On summit only)*Lophomyrtus bullata*~~†~~ *Macropiper excelsum*(†) *Melicytus lanceolatus**M. ramiflorus**Metrosideros robusta**Mida salicifolia**Myrsine australis**M. divaricata**M. salicina**Neomyrtus pedunculata*(u) *Nestegis* sp.*Olearia arborescens*(u) *O. paniculata* (planted ?)*O. lacunosa**O. rani**O. solandri* Paratrophis microphylla*Pennantia corymbosa**Pentachondra pumila*(†) *Pimelea* sp.~~†~~ *Pittosporum cornifolium*~~†~~ *P. eugeniooides**Pseudopanax arboreus**P. colensoi**P. crassifolius**P. edgerleyi**P. simplex* var. *Sinclairii**Pseudowintera axillaris**P. colorata**Schefflera digitata*(†) *Senecio kirkii*~~†~~ *Solanum aviculare*

MONOCOT. LIANES

Freycinetia baueriana ssp. *banksii*
Ripogonum scandens

DICOT. LIANES

- (t) *Clematis forsteri*
- C. paniculata*
- Metrosideros diffusa*
- M. fulgens*
- M. perforata*
- Muehlenbeckia australis*
- Parsonsia heterophylla*
- (u) *Passiflora tetrandra*
- Rubus cissoides*

DICOT HERBS other than Composites

- Acaena anserinifolia*
- (t) *E. novae-zelandiae*
- (t) *Australina pusilla*
- (t) *Callitricha muelleri*
- (t) *Cardamine* sp. "long style = broad petal"
Dichondra repens [*C.* "apetalous"
C. "narrow petal"
C. "glossy leaf"]
- Epilobium brunnescens*
- (t) *E. insulare*
- (t) *E. neteroides*
- E. nummularifolium*
- (t) *E. pedunculare* (incl. *E. linnæoides*)
- E. pubens*
- (t) *E. rotundifolium*
- Geranium microphyllum*
- Gonocarpus micranthus* (= *Halaragis micrantha*)
- (t) *Hydrocotyle americana*
- H. elongata*
- H. moschata* } *Hypericum japonicum*
Jovellana repens
- (t) *Myriophyllum propinquum*
- Nertera depressa*
- (t) *N. setulosa*
- (t) *Oxalis* sp. (≥ 6 mm diam. yellow fl.)
- Ranunculus hirtus*
- Stellaria parviflora*
- (t) *Urtica incisa*
- Viola filicaulis*
- Wahlenbergia marginata*

2.

COMPOSITE HERBS

- Cotula membranacea*
- Gnaphalium audax*
- (t) *G. gymnocephalum*
- (t) *G. ilmosum* *G. involucratum*
- G. sphaericum*
- G. sp. (luteo-album agg.)*
- Helichrysum filicaule* *Ch. bellidioide*
- H. keriere*
- (t) *Lagenifera pumila*
- Raoulia glabra*
- (t) *R. tenuicaulis*
- Senecio minimus*
- Gnaphalium keriere* x *Helichrysum bel*
lio

ORCHIDS

- Aporostylis bifolia*
- (t) *Bulbophyllum pygmaeum*
- Caladenia catnea* *Chiloglottis* cor
- Dendrobium cunninghamii*
- (t) *Drymoanthus adversus*
- (t) *Earina autumnalis*
- E. mucronata*
- (u) *Gastrodia cunninghamii*
- (t) *Microtis unifolia* *Orthoceras* stri
- (t) *Pterostylis banksii* *P. montana*
- Thelymitra longifolia*
- T. pauciflora*

SEDGES

- Carex dissita*
- (t) *C. forsteri*
- (u) *C. solandri*
- (t) *C. virgata*
- C. sp. (Section Acutæ)*
- (t) *Eleocharis acuta*
- (t) *E. gracilis*
- Gahnia pauciflora*
- G. setifolia*
- Oreobolus pectinatus*
- O. strictus*
- Schoenus maschalinus*
- (u) *Scirpus cernuus*
- S. habrus*
- (u) *S. inundatus* (?)
- (t) *S. prolifer*
- (t) *S. reticularis*
- Uncinia astonii*
- U. banksii*
- (u) *U. ferrugineus*
- U. filiformis*
- U. gracilenta*
- U. uncinaris*

RASSES

- Agropyron kirkii*
- Chionochloa conspicua* var. *cunninghamii*
- Cortaderia toetoe* C. *fulvida*
- (*) *Dichanthachne crinita*
- Microlaena avenacea*
- (*) *M. stipoides*
- Notodontonia gracilis*
- (u) *N. penicillata*
- (u) *N. racemosa*

RUSHES

- (u) *Juncus australis*
- J. gregiflorus*
- J. novae-zelandiae* [A.P.D.]
- J. planifolius*
- (u) *J. sarophorus*
- Luzula picta* ss.

OTHER MONOCOT HERBS


(All except sedges, rushes, orchids, grasses)

- Astelia fragrans*
- A. solandri*
- Collospermum hastatum*
- C. microspermum*
- Dianella nigra*
- (*) *Lemna minor*
- Libertia grandiflora*
- (u) *L. ixioides*
- Luzuriaga parviflora*
- Spirodela oligorhiza*
- *Triglochin striata*
- *Typha (muelleri) orientalis*

FERN ALLIES

- Lycopodium scariosum*
- L. varium* (incl. *L. billardieri* and *L. novae-zelandiae*)
- L. volubile*
- Tmesipteris elongata*
- T. tannensis*

3.





Cotula membranacea

Distribution (after Lloyd 1972)

Northland, South Auckland, Whitiā Heads, Matata, Hokio, Otaki Gorge R, Gollans Valley, Kenepuru Sound, Fare Spit,

Also seen and collected Pukerua Bay (Kerehoma Farm), Maunga Kotukutuku St, Kakaramea Beach (N. of Patea). c.



Glume : Keel slightly excurrent, red tinged; wings pale green, pinched in beside keel.

Nut : trigonous

Scirpus reticularis Maunga Kotukutuku stream : in stagnant backwaters of gravel river

3.2.73

Note proliferating flower head.

Teeth on margin of physis as well as upper margin

FERNS

4.

- (-) *Anarthropteris lanceolata*
- Arthropteris tenella*
- Asplenium bulbiferum*
- (u) *A. colensoi* *A. flaccidum* ssp. *flaccidum*
- A. falcatum*
- A. hookerianum* (incl. *A. colensoi*)
- A. lucidum*
- A. polyodon* *A. gracilis* agg.
common forest sp.)
- (-) *A. lucidum* x *A. flaccidum* *A. hook. x A. bulb.* *Lastreopsis glabella*
- (-) *Azolla rubra*
- Blechnum chambersii*
- B. dissolor* *B. colensoi*
- B. filiforme*
- B. fluviatile*
- B. membranaceum* ~~lvs~~ *B. capense* agg.
low land sp.)
- B. nigrum*
- B. procerum*
- B. sp. (a)* (*B. capense* agg.:
common lowland sp.)
- (-) *B. sp. (b)* (*B. capense* agg.:
bog sp.)
- B. procerum* x *B. sp. (a)* *B. cham. x B. mem.*
- (u) *Botrychium austale* var. *austale*
- Cardiomanes reniforme*
- Ctenopteris heterophylla*
- Cyathea dealbata*
- C. cunninghamii*
- C. medullaris*
- C. smithii*
- Dicksonia fibrosa*
- D. squarrosa*
- Gleichenia cunninghamii*
- G. dicarpa*
- Grammitis billardieri* *G. ciliata*
- Histopteris incisa*
- Hymenophyllum armstrongii*
- H. bivalve*
- H. demissum*
- H. dilatatum*
- (-) *H. ferrugineum*
- H. flabellatum*
- (-) *H. flexuosum*
- (+) *H. lyallii*
- H. multifidum*
- H. pulcherrimum*
- H. rarum*
- H. revolutum*
- H. sanguinolentum*
- H. scabrum*
- Hypolepis rufobracteata*
- (-) *H. rugosula*
- (u) *H. tenuifolia*
- Leptolepia novae-zelandiae*
- Lindsaea trichomanoides*
- Ophioglossum* sp.
- Paesia scaberula*
- (-) *Pellaea rotundifolia*
- Phymatodes diversifolium*
- P. scandens*
- Polystichum richardii*
- (-) *P. silvaticum*
- (-) *P. vestitum*
- Pteridium aquilinum* var.
esculentum
- (-) *Pteris macilenta*
- P. tremula* *Pyrrosia serpens*
- Rumohra adiantiformis*
- Todea hymenophylloides*
- T. superba*
- T. hymenophylloides* x *T. superba*
- Thelypteris penniger*
- (u) *Trichomanes elongatum*
- T. venosum*
- T. endlicherianum*
- No. of fern spp. = ~~122~~ (+ 11)
- Fern allies = 5
- Gymnosperms = 5
- Monocots. = ~~7~~ (+ 1 doubtful)
- Dicots. = ~~121~~ (+ 2 ..)
- TOTAL = 274
- Hybrids = ~~7~~ 7