Moetope Bush
Indigenous Vascular Plants at Kowhai Station (updated vessor of

Tony Silbery, Olaf John, Pat Enright 11/4/99

unc = uncommon

Site description:

This site is in the Wainuioru river valley on Kowhai station near the end of Admiral Station Road. It is on a terrace on the true right of the river and for some distance up the steep hillslope behind. The main area of the bush has been fenced off and does not appear to have been grazed for some time. This survey concentrated mainly of the fenced area, was thorough and took 4 hours)

There are a number of large Matai (Prumnopitys taxifolia), kahikatea (Dacrycarpus dacrydioides) and totara (Podocarpus totara) with a lower story of black maire (Nestegis cunninghamii), white maire (Nestegis lanceolata), titoki (Alectryon excelsus var. excelsus) ribbonwood (Plagianthus regius) lacebark (Hoheria sexstylosa) and kowhai (Sophora microphylla & Sophora sp.). The understory was fairly sparse but there were thickets of regenerating mahoe (Melicytus ramiflorus subsp. ramiflorus), coprosma species and rohutu (Lophomyrtus obcordata. There appeared to be some old flood channels which now form damp depressions and contained isolated plants of coprosma, tree fern (Dicksonia fibrosa) and weeping matipo (Myrsine divaricata).

Outside the fenced area there is no regeneration and very little native herbaceous material.

The main item of note was a single healthy specimen of Olearia gardneri, a species with a national listing of endangered. There was no sign of any regeneration of this species. Fuchsia perscandens was also locally abundant in some small areas.

Gymnosperm trees and shrubs

Dacrycarpus dacrydioides

Kahikatea

Podocarpus totara

Totara

Prumnopitys taxifolia

Matai

Monocotyledonous trees and shrubs

Cordyline australis

cabbage tree

Dicotyledonous trees and shrubs

Alectryon excelsus var. excelsus

Titoki

Brachyglottis repanda

Rangiora

Carmichaelia australis

Coprosma areolata Coprosma crassifolia

Coprosma propinqua subsp. propinqua

Coprosma rhamnoides

Coprosma rigida

* Coprosma robusta

Karamu

Coprosma rotundifolia

Coprosma rubra Coprosma "violacea" (unc)

Coprosma propinqua x C. robusta

Hebe stricta var. atkinsonii

Koromiko

Hoheria sexstylosa

Kunzea ericoides Kanuka

Lophomyrtus obcordata

Melicope simplex

Melicytus ramiflorus subsp. ramiflorus

Mahoe

Melicytus micranthus

Melicytus micranthus x M. ramiflorus (unc)
Myrsine divaricata Weeping Matipo
Nestegis cunninghamii Black Maire

Nestegis lanceolata White maire

* Nothofagus solandri var. solandri

Olearia gardneri (unc)

Pennantia corymbosa Kaikomako Plagianthus regius Ribbonwood

* Pseudopanax arboreus

Raukaua anomalus Whauwhaupaku

Pseudopanax crassifolius Horoeka, lancewood

Sophora microphylla Kowhai

Sophora tetraptera (leaflets 13mm long) Kowhai

Streblus heterophyllus Turepo, milk tree

Urtica ferox Tree nettle

Monocotyledonous lianes

Dicotyledonous lianes and related trailing plants

Calystegia tuguriorum

Clematis foetida

Clematis paniculata

Fuchsia perscandens

Metrosideros colensoi

Muehlenbeckia australis

Pohuehue

Muehlenbeckia complexa

Parsonsia capsularis

Parsonsia heterophylla

Akakiore

Passiflora tetrandra

Passion vine

Rubus cissoides

Rubus schmidelioides

Rubus squarrosus (unc)

Psilopods, Lycopods and Quillworts

Ferns

Adiantum cunninghamii

Maidenhair fern

Asplenium gracillimum

Asplenium flabellifolium

Necklace fern

Asplenium flaccidum ss (unc)

Makawe, Hanging spleenwort

Asplenium hookerianum

Blechnum fluviatile

Kiwakiwa

Dicksonia fibrosa (unc)

Histiopteris incisa

Hypolepis ambigua

Lastreopsis glabella

Pellaea rotundifolia

Tarawera

Pneumatopteris pennigera Polystichum richardii

Polystichum silvaticum Pyrrosia eleagnifolia

Pteridium esculentum

Bracken

Orchids

Grasses

Echinopogon ovatus Microlaena polynoda

Sedges

Carex dissita Carex flagellifera Carex forsteri Carex solandri Carex virgata

Rushes and allied plants

Juncus gregiflorus

Wiwi

Juncus sarophorus

Remaining Monocotyledonous plants

Daisy-like herbs (Composites)

Gnaphalium gymnocephalum Leptinella squalida

Dicotyledonous herbs other than Composites

Acaena anserinifolia

Bidibidi

Australina pusilla

Cardamine sp. (C. debilis agg.) ("Narrow Petal" of Pritchard 1957)

Dichondra aff brevifolia (petioles long, thick and unflattened)

Galium propinquum

Haloragis erecta (unc)

Hydrocotyle elongata

Hydrocotyle heteromeria

Hydrocotyle novae-zelandiae

Mazus novaezelandiae subsp novaezelandiae (unc) (Aalbert Rebergen pers. comm.)

Oxalis exilis

Yellow oxalis

Plantago raoulii (unc)

Pratia angulata

Ranunculus reflexus (pp R. hirtus) Maruru, hairy buttercup

Stellaria decipiens (unc)

Urtica incisa

Birds:

Fantail

Grey warbler

Native pigeon

Paradise duck

Spurwinged plover

Tui

U:\data\lists\eastwai\kowhai2.doc

SAWYER, John [TSO,WGT]

From:

ENRIGHT, Pat [TTNZ]

To:

Subject:

SAWYER, John [TSO,WGT] MOETAPU BUSH ON KOWHAI STATION

Date:

Tuesday, 13 April 1999 09:15AM

Hi John

We went to the bush patch on Kowhai station and had a good look around in the fenced area. We did not see the mazus but it may have been outside the fence. It is really only notable for the olearia but looks like a good place to revegetate with this species. I am probaley becoming a bit too critical and expecting a real flora bonanza each

I have a couple of sites not far from Ahi Paku to have a look at hopefully this weekend. One of them does not show on your map. It is on Patera and is 2 gullies over from Ahi Paku. According to Dave McLaren it has a lot of kowhai and scrub.

Cheers

< < lkowhai.doc > >

< < File Attachment: lkowhai.doc > >

