

CHECKLIST OF THE VASCULAR TAXA OF MT TE AROHA

M.R. Boase and S.M. Beadel 1988 (RBS Newsletter 13)

(NZMS 260 T13526 039; 12 m-953 asl)

Based on visits in March 1987 (M.R Boase), and September 1987 (Rotorua Botanical Society) and on the publications of Adams (1885), Gudex (1963), Bartlett (1984) and Druce elal. (1982). Additions by M.C. Smale, P.J. de Lange and A Garrick

- | | |
|---|---|
| <i>*Acacia</i> sp. (<i>dealbata</i> or <i>mearnsii</i>) | <i>A. solandri</i> |
| <i>Acaena anserinifolia</i> | <i>A. trinervia</i> |
| <i>Acianthus sinclairii</i> | A sp. (unnamed: aff. <i>A. nervosa</i>) Lvs green, not silvery as in <i>A. nervosa</i>) |
| <i>Aciphylla</i> sp. | <i>*Aster subulatus</i> |
| <i>*Adiantum capillus-veneris</i> (de Lange, 1985; Waik 6693) | <i>*Barbarea</i> sp. |
| <i>A. cunninghamii</i> | <i>Baumea articulata</i> (Adams, 1885 as <i>Cladium articulatum</i>) |
| <i>A. diaphanum</i> (Franklin, 1957; NZFRI 8116) | <i>B. juncea</i> (Adams, 1885 as <i>Cladium juncicum</i>) |
| <i>A. fulvum</i> | <i>B. rubiginosa</i> (Adams. 1885 as <i>Cladium glomeratum</i>) |
| <i>A. hispidulum</i> | <i>B. teretifolia</i> (Adams, 1885 as <i>Cladium teretifolium</i>) |
| <i>A. viridescens</i> | <i>Beilschmedia tarairi</i> (Adams, 1885) |
| <i>Agathis australis</i> | <i>B. tawa</i> |
| <i>*Agrostis capillaris</i> | <i>Blechnum</i> "black spot" |
| <i>*A. stolonifera</i> | <i>B. chambersii</i> |
| <i>*Albizia lophantha</i> | <i>B. colensoi</i> |
| <i>Alectryon excelsus</i> | <i>B. discolor</i> |
| <i>Alseuosmia macrophylla</i> | <i>B. filiforme</i> |
| <i>*Anagallis arvensis</i> | <i>B. fluitatile</i> |
| <i>Anarthropteris lanceolata</i> | <i>B. fraseri</i> |
| <i>*Anthoxanthum odoratum</i> | <i>B. membranaceum</i> |
| <i>Arthropodium candidum</i> (Adams, 1885) | <i>B. nigrum</i> |
| <i>Aristotelia fruticosa</i> (Adams. 1885) | <i>B. procerum</i> |
| <i>A. serrata</i> | <i>B. vulcanicum</i> |
| <i>Arthropteris tenella</i> (Adams, 1885 as <i>Polyodium tenellum</i>) | <i>Bolboschoenus</i> sp. (Adams, 1885 as <i>Scirpus maritimus</i>) |
| <i>Asarina lucida</i> (Bartlett. 1984) | <i>Botrychium australe</i> (Adams, 1885 as <i>B. ternatum</i>) |
| <i>Asplenium bulbiferum</i> S.s. | <i>Brachyglottis repanda</i> |
| <i>A. flaccidum</i> ssp. <i>flaccidum</i> | <i>Brachyglottis kirkii</i> var. <i>kirkii</i> |
| <i>A. hookerianum</i> (Adams, 1885) | <i>Bulbophyllum pygmaeum</i> |
| <i>A. lamprophyllum</i> | <i>Callitricha stagnalis</i> (Adams, 1885 as <i>C. verna</i>) |
| <i>A. oblongifolium</i> | <i>Calystegia sepium</i> |
| <i>A. polyodon</i> | <i>Cardamine</i> sp. (<i>C. debilis</i> agg.) |
| <i>Astelia banksii</i> (Adams, 1885) | |
| <i>A. fragrans</i> | |
| <i>A. grandis</i> | |

- **C. hirsuta*
- Cardiomanes reniforme*
- Carex dissita*
- **C. divulsa*
- C. fascicularis* (Adams, 1885)
- C. forsteri* (Adams, 1885)
- C. gaudichaudiana* (Adams, 1885)
- C. solandri*
- C. spinirostris* (Adams, 1885)
- C. subdola* (Hamlin, 1954)
- C. virgata* (Adams, 1885)
- C. sp.* (*C. geminata* agg.)
- Carmichaelia arborea* var. (*C. aligera*)
(Adams. 1885 as *C. australis*)
- Carpodetus serratus*
- Celmisia gracilenta* var.
- Centella uniflora* (Adams, 1885 as
Hydrocotyle asiatica)
- **Centaurium erythraea*
- **Cerastium fontanum*, ssp. *triviale*
- **Chamaecyparis lawsoniana*
- Chenopodium glaucum* (Adams, 1885)
- Chiloglottis cornuta*
- **Chrysanthemum leucanthemum*
- **Cirsium arvense*
- **C. vulgare*
- Clematis cunninghamii*
- C. forsteri*
- C. paniculata*
- Collospermum hastatum*
- **Conyza floribunda*
- Coprosma arborea*
- C. areolata*
- C. colensoi* (incl. *C. banksii*)
- C. dodonaeifolia* (de Lange. 1985; Waik, 1948)
- C. foetidissima*
- C. grandifolia*
- C. lucida*
- C. rhamnoides*
- C. rotundifolia* (Adams, 1885)
- C. robusta*
- C. tenuifolia* (Cheeseman. 1906)
- Cordyline australis* (Adams, 1885)
- C. banksii*
- C. indirisa*
- C. pumilio*
- C. banksii* x *C. pumilio* (PdL)
- Coriaria arborea* var. *arborea*
- Corokia buddleioides* (Gudex, 1963 and A Garrick pers. comm. in 1987)
- Cortaderia fulvida*.
- C. jubata*
- **C. selloana*
- C. toetoe*
- Corybas acuminatus* (f)
- C. macranthus* (f)
- C. oblongus* (Adams, 1885 as *Corysanthes oblonga* and *C. rotundifolia*)
- C. trilobus* (f)
- Corynocarpus laevigatum*
- **Cotula australis* (Adams, 1885)
- C. coronopifolia* (Adams, 1885 near hot springs only)
- C. squalida* var. *squalida*
- **Crocospmia* x *crocospmiaiflora*
- Ctenopteris heterophylla*
- Cyathea cunninghamii*
- C. dealbata*
- C. medullaris*
- C. smithii*
- Cyathodes juniperina**
- Cyperus eragrostis*
- C. ustulatus* (Adams, 1885)
- **Cytisus scoparius*
- Dacrydium cupressinum*
- Dacrycarpus dacrydioides* (seedling)
- **Dactylis glomerata*
- Daucus glochidiatus* (Adams. 1855 as *D. brachiatus*)
- Dendrobium cunninghamii*
- Deschampsia caespitosa* (Adams. 1855)
- Deyeuxia avenoides* (Adams, 1855)
- D. billardierei* (Adams, 1855)
- D. sp.* (*D. quadrisetum* agg.) (Adams, 1855)
- Dodonaea viscosa*
- Dianella nigra*
- Dichelachne crinita*
- D. micrantha?* (Adams. 1855 as *D. sciurea*)
- Dicksonia lanata*

- D. squarrosa*
Dodonaea viscosa
Doodia media ssp. *australis*
Dracophyllum latifolium (incl. *D. mathewsi*)
D. lessonianum (Oliver. 1929)
D. subulatum
D. traversii (incl. *D. pyramidale*)
Drosera binata (Adams, 1885)
D. peltata ssp. *auriculata* (f)
Drymoanthus adversus
Dysoxylum spectabile
Earina autumnalis
E. mucronata
Echinopogon ovatus (Adams, 1885)
Elaeocarpus dentatus
E. hookerianus (A. Garrick pers. comm. in 1987)
Elatostema rugosum
Eleocharis sphacelata (Adams, 1885)
Elymus multiflorus (Adams. 1885 as *Triticum multiflorum*)
E. narduroides (Adams, 1885 as *Gymnostichum gracile*)
Epacris pauciflora (Adams, 1885)
Epilobium alsinoides
E. billardierianum (Adams, 1885)
E. brunnescens
E. cinereum (Adams, 1885 as *E. junceum*)
E. nummularifolium
E. pallidiflorum (Adams. 1885)
E. pedunculare
E. pubens
E. rotundifolium (Adams. 1885)
*iErica lusitanica
*iEucalyptus sp.
*iFoeniculum vulgare
Freyinetia, *baueriana* subsp. *banksii*
Fuchsia excorticata
Gahnia lacera
G. pauciflora
G. setifolia
G. sp. (c.f. *G. procera* and *G. pauciflora*)
Galium trilobum (Adams. 1885 as *G. tenuicaule*)
Gaultheria antipoda
Geniostoma rupestre var. *ligustrifolium*
*iGeranium dissectum (Adams, 1885 as *G. pilosum*)
G. microphyllum (Adams, 1885)
Gleichenia dicarpa (Adams, 1885)
Gnaphalium audax
G. gymnocephalum
G. involucratum (Adams, 1885)
G. keriere
*iG. spicatum
*iG. sphaericum
Gonocarpus aggregatus (Adams, 1885 as *Haloragis depressa*)
G. incanus (Incl. *G. montanus*)
Grammitis billardierei
G. ciliata
G. magellanica ssp. *nothofageti*
Griselinia littoralis
G. lucida
Haloragis erecta ssp. *erecta*
*iHakea sp. (A. Garrick pers. comm. in 1987)
Hebe stricta var. *egmontiana*
H. stricta var. *stricta*
*iHedera helix
Hedycarya arborea
Helichrysum bellidioides
H. lanceolatum
Hierochloe redolens (Adams, 1885)
Histiopteris incisa
*iHolcus lanatus
Hydrocotyle dissecta
H. heteromeria
H. moschata
H. novae-zelandiae (Adams, 1885)
H. pterocarpa (Adams, 1885)
Hymenophyllum armstrongii
H. bivalve (Adams, 1885)
H. demissum
H. dilatatum
H. ferrugineum
H. flabellatum
H. flexuosum
H. hyallii (NZFRI 48)
H. malingii

<i>H. minimum</i> (Adams, 1885)	* <i>Mentha pulegium</i> .
<i>H. multifidum</i>	<i>Metrosideros carminea</i>
<i>H. peltatum</i>	<i>M. diffusa</i>
<i>H. pulcherrimum</i>	<i>M. fulgens</i>
<i>H. rarum</i>	<i>M. perforata</i>
<i>H. revolutum</i>	<i>M. robusta</i>
<i>H. rufescens</i>	* <i>Miscanthus nepalensis</i>
<i>H. sanguinolentum</i>	<i>Microlaena avenacea</i>
<i>H. rarum</i>	<i>M. polynoda</i> (Adams. 1885)
<i>H. villosum</i> (Cheeseman, 1925)	<i>M. stipoides</i>
<i>Hypericum japonicum</i> (Adams, 1885)	<i>Microtis unifolia</i>
<i>Hypolepis ambigua</i> (Adams, 1885 as <i>Polypodium punctatum</i>)	<i>Morelotia affinis</i>
<i>H. rufobarbata</i>	<i>Muehlenbeckia australis</i>
<i>Isachne globosa</i> (Adams, 1885 as <i>I.</i> <i>australis</i>)	<i>M. complexa</i> (Adams, 1885)
<i>Isolepis cernua</i> (Adams, 1885 as <i>Scirpus</i> <i>riparia</i>)	* <i>Mycelis muralis</i>
<i>I. inundata</i> Adams, 1885 as <i>Scirpus</i> <i>Inundatus</i>)	<i>Myriophyllum propinquum</i> (Adams, 1885 as <i>M. variaefolium</i>)
<i>I. nodosa</i> (Adams, 1885)	<i>M. robustum</i> (Adams, 1885)
<i>I. prolifer</i> (Adams, 1885)	<i>M. triphyllum</i> (Adams, 1885 as <i>M.</i> <i>elatinoides</i>)
<i>I. sulcatus</i> (<i>Scirpus sulcatus</i> var. <i>distigmatosus</i>)	<i>Myrsine australis</i>
<i>Ixerba brexioides</i>	<i>M. salicina</i>
* <i>Juncus articulatus</i>	<i>Neomyrtus pedunculata</i> (Adams, 1885 as <i>Myrtus pedunculata</i>)
* <i>J. bufonius</i>	* <i>Nephrolepis cordifolia</i> (de Lange. 1985; Waik6686)
<i>J. effusus</i>	<i>Nestegis cunninghamii</i> (Adams, 1885 as <i>Olea cunninghamii</i>)
<i>J. gregiflorus</i>	<i>N. lanceolata</i> (Adams, 1885 as <i>Olea</i> <i>lanceolata</i>)
<i>J. holoschoenus</i> (Adams, 1885)	<i>N. montana</i> (Adams, 1885 as <i>Olea</i> <i>montana</i>)
<i>J. planifolius</i>	<i>Nertera ciliata</i> (Druce <i>et al.</i> 1982)
<i>J. tenuis</i>	<i>N. depressa</i>
<i>Knightia excelsa</i>	<i>N. dichondrifolia</i> (Adams., 1885)
<i>Kunzea ericoides</i> var. <i>ericoides</i>	<i>Nothofagus fusca</i>
<i>Lagenifera pumila</i>	<i>N. menziesii</i>
<i>L. strangulata</i> (Adams, 1885 as <i>L.</i> <i>petiolata</i>)	<i>N. truncata</i> (K Garrick, pers comm. in 1987)
<i>Lastreopsis glabella</i>	<i>Olearia albida</i> (Adams, 1885)
<i>L. hispida</i>	<i>O. furfuracea</i>
<i>L. microsora</i> ssp. <i>pentangularis</i>	<i>O. rani</i>
<i>L. velutina</i> (M.C. Smale, pers. comm.) (NZFRI)	<i>O. solandri</i>
<i>Melicope simplex</i> (Adams. 1885)	<i>Ophioglossum coriaceum</i> (Adams, 1855 as <i>O. lusitanicum</i>)
<i>M. ternata</i>	<i>Oplismenus aemulus</i> var. <i>flaccidus</i>
<i>Melicytus lanceolatus</i>	
<i>M. ramiflorus</i> ssp. <i>ramiflorus</i>	

- Orthoceras strictum* agg.
Ourisia colensoi (Druce et. al 1982)
 **Oxalis corniculata* (Adams, 1885)
Paesia scaberula
Parahebe sp.
Paratrophis microphylla
Parsonia heterophylla
 **Paspalum distichum* (Adams, 1885)
Pelargonium inodorum (Adams, 1885 as *P. astrale*)
Pellaea falcata (Adams, 1885)
P. rotundifolia (Adams, 1885)
Peperomia urvilleana
Peraxilla colensoi (de Lange. 1985
 CHR438714)
P. tetrapetala (Adams, 1855, as *Loranthus tetrapetalus*)
Pernettya macrostigma
Phormium cookianum
P. tenax (Adams, 1885)
Phyllocladus alpinus
P. glaucus
P. trichomanoides
Phymatosorus diversifolium
P. novae-zelandiae
P. scandens
 **Physalis peruviana*
Phytolacca octandra
 **Picea* sp.
Pimelea prostrata s.s. (Adams, 1885)
 **Pinus radiata*
 **P.* sp. (2 needles/ fascicle)
Pittosporum cornifolium (Adams, 1885)
P. crassifolium (Adams, 1885)
P. tenuifolium ssp. *tenuifolium*
P. umbellatum (Adams. 1885)
Plagianthus regius (M.C. Smale, pers. comm.) NZFRI)
 **Plantago lanceolata*
 **P. major*
Pneumatopteris pennigera
Poa anceps var. *anceps*
Podocarpus cunninghamii
 **Polygonum aviculare* (Adams. 1885)
P. decipiens (Adams, 1885)
- Polystichum richardii*
P. silvaticum (de Lange, 1985; Waik 5081)
P. vestitum
Pomaderris ericifolia
 **Populus nigra* cv. *Italica*
Potamogeton suboblongus (Adams, 1885 as *P. polygonifolius*)
Potentilla anserinoides (Adams. 1885 as *P. anserina*)
 **P. reptans*
Pratia angulata
 **Prunella vulgaris*
Prumnopitys ferruginea
P. taxifolia (see. (A. Garrick. pers. comm., 1987)
Pseudognaphalium luteo-album
Pseudopanax anomalus
P. arboreus
P. colensoi
P. crassifolius
P. discolor (K Garrick pers. comm. In 1987)
P. edgerleyi (Adams, 1885)
P. laetus
P. simplex
 **Pseudotsuga menziesii*
Pseudowintera axillaris
P. colorata
Pteridium esculentum
Pteris macilenta
P. tremula
Pterostylis alobula
P. banksii
P. trullifolia
Puccinellia stricta (Adams, 1885 as *Glyceria stricta*)
Pyrrosia serpens
 **Quercus robur* (de Lange, 1985., Waik 6689)
Quintinia serrata (incl. *Q. acutifolia* & *Q. elliptica*)
Raukia tenuicantha (Adams, 1885)
Ranunculus amphitricha (Adams, 1855 as *R. rivularis*)
Ranunculus hirtus s.s.
 **R. repens*

<i>Rhabdothamnus solandri</i>	* <i>Teline monspessulana</i>
<i>Rhopalostylis sapida</i>	<i>Teucrium parvifolium</i> (Adams, 1885)
<i>Ripogonum scandens</i>	<i>Thelymitra longifolia</i>
<i>Rorippa gigantea</i> (Adams, 1885 as <i>R. gigantea</i>)	<i>Tmesipteris elongata</i> (incl. <i>T. elongata</i> ssp. <i>robusta</i>)
<i>R. palustris</i> (Adams. 1855 as <i>Nasturtium palustre</i>)	<i>T. lanceolata</i>
<i>Rubus australis</i> (Adams, 1885)	<i>T. tannensis</i>
<i>R. cissoides</i>	<i>Toronia toru</i> (Adams, 1885 as <i>Persoonia toru</i>)
<i>R. (R. fruticosus agg.)</i>	<i>Trichomanes elongatum</i>
<i>Rumohra adiantiformis</i>	<i>T. endlicherianum</i>
<i>Rytidosperma gracile</i>	<i>T. strictum</i> (de Lange, 1985. Waik 1881)
* <i>Salix × reichardtii</i>	<i>T. venosum</i>
<i>Schefflera digitata</i>	* <i>Trifolium repens</i>
<i>Schizaea bifida</i> (Adams, 1885)	<i>Typha orientalis</i> (Adams, 1885 as <i>T. angustifolia</i>)
<i>Schoenoplectus validus</i> (Adams, 1885 as <i>Schoenoplectus lacustris</i>)	* <i>Ulex europaeus</i>
<i>Schoenus apogon</i> (Adams. 1885 as <i>Schoenus brownii</i>)	<i>Uncinia banksii</i>
<i>S. maschalinus</i> (Adams, 1885 as <i>S. axillaris</i>)	<i>U. ferruginea</i> (Adams. 1885)
<i>S. tendo</i>	<i>U. filiformis</i> .
* <i>Selaginella kraussiana</i>	<i>U. rupestris</i> (incl. <i>U. angustifolia</i> (Adams. 1885))
* <i>Senecio bipinnatisectus</i>	<i>U. uncinata</i>
<i>S. glomeratus</i> (Adams, 1885 as <i>Erechtites arguta</i>)	<i>U. zotovii</i>
* <i>S. jacobaea</i>	<i>Viola filicaulis</i>
* <i>S. minimus</i>	<i>Vitex lucens</i>
* <i>S. sylvaticus</i>	<i>Wahlenbergia albomarginata</i>
<i>S. quadridentatus</i> (Adams, 1885 as <i>Erechtites quadri dentata</i>)	* <i>W. marginata</i>
* <i>Solanum mauritianum</i>	<i>Weinmannia racemosa</i>
<i>S. nigrum*</i>	
<i>S. pseudocapsicum</i>	
* <i>S. sp. (ariculare or laciniatum)</i>	
* <i>Sonchus oleraceus</i>	KEY:
<i>Sparganium subglobosum</i> (Adams, 1885 as <i>S. simplex</i>)	* adventive (78)
<i>Stellaria decipiens</i> (incl. <i>S. minuta</i> & <i>S. parviflora</i>)	introduced native - planted or derived from plantings (10)
* <i>S. media</i>	NZFRI Forest Research Institute Herbarium, Rotorua
<i>Sticherus cunninghamii</i>	WAIKWaikato University Herbarium
<i>S. flabellatus</i> (Adams, 1885 as <i>Gleichenia flabellata</i>)	fflowering
<i>Syzygium maire</i> (Adams, 1885)	
<i>Taraxacum magellanicum</i> (Adams, 1885 as <i>T. deng-leonis</i>)	

FERNS ON MT. TE AROHA

**List of ferns seen on Mt. Te Aroha
5.11.06 (E. Grove and C. Beard)
(Waikato BotSoc Newsletter 24
Dec06).**

- Adiantum cunninghamii*
Adiantum viridescens
Anarthropteris lanceolata
Asplenium bulbiferum
Asplenium flaccidum
Asplenium lamprophyllum
Asplenium oblongifolium
Asplenium polyodon
Blechnum chambersii
Blechnum discolor
Blechnum filiforme
Blechnum fluviatile
Blechnum membranaceum
Blechnum nigrum
Blechnum novae-zelandiae
Blechnum procerum
Cyathea dealbata
Cyathea medullaris
Cyathea smithii
Dicksonia squarrosa
Doodia australis
Grammitis spp.
Histopteris incisa
Huperzia varia (Lycopodium varium)
Hymenophyllum armstrongii
Hymenophyllum demissum
Hymenophyllum dilatatum
Hymenophyllum ferrugineum
Hymenophyllum flabellatum
Hymenophyllum lyallii
Hymenophyllum malingii
Hymenophyllum multifidum
Hymenophyllum pulcherrimum
Hymenophyllum revolutum
Hymenophyllum sanguinolentum
Hymenophyllum villosum
Hypolepis rufobarbata
Lastreopsis glabella
Lastreopsis hispida
Leptopteris hymenophylloides
Lindsaea trichomanoides
Lycopodium deuterodensum
Lygodium articulatum
Microsorum (Phymatosorus) pustulatum
Microsorum (Phymatosorus) scandens
Paesia scaberula
Pneumatopteris pennigera
Polystichum neo-zelandicum (P. richardii)
Pteridium esculentum
Pteris macilenta
Pteris tremula
Pyrrosia eleagnifolia
Rumohra adiantiformis
Sticherus cunninghamii
Tmesipteris elongata
Tmesipteris lanceolata
Tmesipteris tannensis
Trichomanes endlicherianum
Trichomanes elongatum
Trichomanes venosum