

*Orchids on
slope*

O. III.

**NGA RATA Q.E.2 COVENANT NO. 310 (ROAD BUSH) ON NGA RATA ROAD (280 - 360m
a.s.l.)**

NZMS 260 T25 610510

Indigenous Vascular Plants

sw

Pat Enright, Olaf John, Aalbert Rebergen, Tony Silbery 13/9/98

Pat Enright, Olaf John 26/9/98

unc = uncommon

Site description:

This is a bush block of 21.0ha beside the Nga Rata Road on Nga Rata Station, Northern Wairarapa and owned by R.Mc., H., and A.E. Falloon. It is the second largest of 11 Q.E. II covenants on this station. It comprises a streambed, some alluvial flats and moderate to steep slopes rising to about 300m a.s.l. above the stream.

The hill slopes are mainly dry forest with a SW aspect dominated by tawa higher up with podocarps thinly spread on the lower slopes and in the stream gully. Several seepage and water courses descend the slopes and provide a much wetter habitat for the likes of *Dicksonia squarrosa*, *Microlaena avenacea*, *Carex dissita*, *Plantago raoulii*, *Myosotis forsteri* and *Australina pusilla* hence their relative rarity in the area. The hilltop is very exposed and the vegetation reflects this low tight bushes of *Lophomyrtus obcordata* and small leaved *Coprosma* species have some emergent but stunted Totara and *Pennantia corymbosa* with most if not all of the foliage growing on the lee side of the tree. This tight fringing growth and the low canopy together with some dense Ripogon growth makes penetration of this area difficult Manuka with a grouping of *Olearia virgata* cloaks the ?? slope with quite a lot of *Corybas trilobus* and some *Pterostylis banksii* underneath

The streambed and the small amount of alluvial flats also have some interesting flora with *D. fibrosa*, *Cyathea smithii* and *Schizeilema trifoliolatum* being found there.



There are also small areas of swamp (*Carex geminata*) and dry sunny manuka mounds with *Drosera auriculata*, *Thelymitra* species, *Microtis unifolia* and *Leucopogon fraseri* present.

A large Northern rata was noted midslope and looked to be in very good condition and this together with the presence of Fuchsia and a good regeneration of seedlings points to a low possum population. Evidence of browsing and fresh deer, sheep and cattle sign was found. One sheep was seen along with a hare and a hedgehog.

This survey was thorough in the area covered but subsequent visits are required to cover the orchid season (summer and autumn) and the seed season for grasses and sedges.

There is a very large *Berberis darwinii* (Darwins barberry, at present in full flower, growing in a bit of a clearing on the house side of the bush but there does not seem to be any seedling growth.

Gymnosperm trees and shrubs

<i>Dacrycarpus dacrydioides</i>	Kahikatea
<i>Dacrydium cupressinum</i>	Rimu
<i>Podocarpus totara</i>	Totara
<i>Prumnopitys ferruginea</i> (unc)	Miro
<i>Prumnopitys taxifolia</i>	Matai

Dicotyledonous trees and shrubs

<i>Alectryon excelsus</i> (unc)	Titoki
<i>Aristotelia serrata</i>	Wineberry, makomako
<i>Beilschmiedia tawa</i>	Tawa
<i>Brachyglottis repanda</i>	Rangiora
<i>Carpodetus serratus</i>	Putaputaweta, marbleleaf
<i>Coprosma areolata</i>	Raurekau
<i>Coprosma grandifolia</i> (unc)	Karamu
<i>Coprosma lucida</i> (unc)	
<i>Coprosma propinqua</i>	
<i>Coprosma rhamnoides</i>	
<i>Coprosma rigida</i>	
<i>Coprosma robusta</i>	Karamu
<i>Coprosma rotundifolia</i>	
<i>Coprosma propinqua x C. robusta</i>	
<i>Elaeocarpus dentatus</i> (unc)	Hinau
<i>Fuchsia excorticata</i> (unc)	Fuchsia, kotukutuku
<i>Gaultheria antipoda</i>	
<i>Geniostoma rupestre</i>	Hangehange
<i>Griselinia lucida</i>	Puka
<i>Hebe stricta</i> var. <i>atkinsonii</i>	Koromiko
<i>Hedycarya arborea</i>	Pigeonwood
<i>Hoheria sexstylosa</i>	
<i>Knightia excelsa</i>	Rewarewa
<i>Kunzea ericoides</i>	Kanuka
<i>Leptospermum scoparium</i>	Manuka
<i>Leucopogon fasciculatus</i> (small leaved) (unc)	
<i>Leucopogon fraseri</i>	
<i>Lophomyrtus bullata</i> (unc)	Ramarama
<i>Lophomyrtus obcordata</i>	
<i>Lophomyrtus bullata x L. obcordata</i>	
<i>Macropiper excelsum</i> (unc)	Kawakawa
<i>Melicope simplex</i>	
<i>Melicytus ramiflorus</i>	Mahoe
<i>Metrosideros robusta</i> (unc) *	Northern rata

<i>Myrsine australis</i>	Red Matipo
<i>Neomyrtus pedunculata</i>	
<i>Nestegis cunninghamii</i>	Black Maire
<i>Nestegis lanceolata</i>	White maire
<i>Nestegis montana</i>	Narrow leaved maire
<i>Olearia rani</i>	Heketaro
<i>Olearia solandri</i> (unc)	
<i>Olearia virgata</i>	
<i>Pennantia corymbosa</i>	Kaikomako
<i>Pittosporum eugeniooides</i>	Tarata, lemonwood
<i>Pittosporum tenuifolium</i>	Kohuhu
<i>Plagianthus regius</i>	Ribbonwood
<i>Raukaua anomalus</i>	Whauwhaupaku
<i>Pseudopanax arboreus</i> (unc)	Puahou, Five finger
<i>Pseudopanax crassifolius</i>	Horoeka, lancewood
<i>Schefflera digitata</i>	Pate
<i>Solanum aviculare</i> (unc)	Poroporo
<i>Sophora microphylla</i> (unc)	Kowhai
<i>Streblus heterophylla</i>	Turepo, milk tree
<i>Urtica ferox</i> (unc)	Tree nettle, ongaonga
<i>Weinmannia racemosa</i>	Kamahi

Monocotyledonous trees and shrubs

<i>Cordyline australis</i>	cabbage tree
<i>Cordyline banksii</i> (unc)	

Monocotyledonous lianes

<i>Ripogonum scandens</i>	Supplejack
---------------------------	------------

Dicotyledonous lianes and related trailing plants

<i>Clematis foetida</i>	
<i>Clematis paniculata</i>	Puawananga
<i>Metrosideros colensoi</i>	
<i>Metrosideros diffusa</i>	
<i>Muehlenbeckia australis</i>	Pohuehue
<i>Parsonsia capsularis</i>	
<i>Parsonsia heterophylla</i>	Akakiore
<i>Rubus australis</i> (unc)	
<i>Rubus cissoides</i>	
<i>Rubus schmidelioides</i>	
<i>Tetrapathea tetrandra</i>	Passion vine

Psilotops, Lycopods and Quillworts

<i>Lycopodium varium</i>

Ferns

<i>Adiantum cunninghamii</i>	Maidenhair fern
<i>Asplenium bulbiferum</i>	Manamana, Hen and Chicken fern
<i>Asplenium flaccidum</i> ss	Makawe, Hanging spleenwort
<i>Asplenium hookerianum</i>	
<i>Asplenium oblongifolium</i>	Huruhuruwhenua, Shining spleenwort
<i>Asplenium polyodon</i>	Petako, Sickle spleenwort
<i>Asplenium bulbiferum</i> x <i>A. flaccidum</i>	
<i>Asplenium bulbiferum</i> x <i>A. hookerianum</i>	
<i>Blechnum chambersii</i>	Nini
<i>Blechnum discolor</i>	
<i>Blechnum filiforme</i>	Paanako
<i>Blechnum fluviatile</i>	Kiwakiwa
<i>Blechnum membranaceum</i>	
<i>Blechnum novaezelandiae</i>	(pp <i>B. capense</i>)
<i>Blechnum pennamarina</i>	Kiokio
<i>Cyathea dealbata</i>	
<i>Cyathea medullaris</i>	Ponga, Silver fern
<i>Cyathea smithii</i> (unc)	Mamaku
<i>Dicksonia fibrosa</i>	
<i>Dicksonia squarrosa</i>	Wheki
<i>Histiopteris incisa</i> (unc)	Maataaa, Water fern
<i>Hymenophyllum demissum</i>	
<i>Hymenophyllum multifidum</i> (unc)	
<i>Hymenophyllum sanguinolentum</i>	
<i>Hypolepis ambigua</i>	
<i>Lastreopsis glabella</i>	
<i>Lastreopsis hispida</i>	
<i>Lastreopsis velutina</i>	
<i>Leptopteris hymenophylloides</i>	Heruheru, Single crepe fern
<i>Paesia scaberula</i>	
<i>Pellaea rotundifolia</i>	Tarawera
<i>Phymatosorus pustulatus</i>	
<i>Phymatosorus scandens</i> (unc)	(P. <i>diversifolium</i>)
<i>Pneumatopteris pennigera</i>	
<i>Polystichum richardii</i>	Moki
<i>Polystichum silvaticum</i>	
<i>Polystichum vestitum</i> (unc)	Pikopiko
<i>Pteridium esculentum</i>	
<i>Pteris macilenta</i>	Bracken, rauaruhe
<i>Pteris tremula</i>	
<i>Pyrrosia eleagnifolia</i>	Ota, Leather-leaf fern
<i>Trichomanes venosum</i> (unc)	

Orchids

Corybas trilobus ✓
Earina autumnalis ✓
Earina mucronata ✓
Microtis unifolia ✓

Raupeka
Pekaawaka

Pterostylis banksii ✓
Thelymitra longifolia ✓
Winika cunninghamii (unc) ✓ Tutukiwi

Grasses

Cortaderia fulvida
Deyeuxian avenoides
Microlaena avenacea
Poa anceps Paatiitii, Bush rice grass
Rytidosperma gracile

Sedges

Carex dissita (unc)
Carex flagellifera (unc)
Carex geminata ss
Carex forsteri
Carex virgata
Isolepis reticularis
Uncinia scabra
Uncinia uncinata Watu, Hook grass

Rushes and allied plants

Juncus gregiflorus (J. polyanthemus) Wiwi
Juncus sarophorus
Luzula banksiana

Remaining Monocotyledonous plants

Arthropodium candidum
Astelia fragrans (unc) Kakaha
Astelia solandri
Colospermum hastatum
Colospermum microspermum (unc)
Libertia ixioides (unc) Mikoikoi

Daisy-like herbs (Composites)

Pseudognaphalium luteoalbum agg.
Senecio minimus (Erechtites minima) Fireweed
Senecio rufiglandulosos (unc)

Dicotyledonous herbs other than Composites

Acaena anserinifolia Bidibidi
Australina pusilla (unc)
Callitrichie petriei
Cardamine sp. (C. debilis agg.) ("glossy Leaf" of Pritchard 1957)

Cardamine sp. (*C. debilis* agg.) ("Long Style" of Pritchard 1957)
Cardamine sp. (*C. debilis* agg.) ("Narrow Petal" of Pritchard 1957)
Centella uniflora
Dichondra brevifolia agg.
Drosera auriculata
Epilobium insulare
Epilobium nummulariifolium
Galium propinquum
Geranium microphyllum
Haloragis erecta (unc)
Helichrysum filicaule
Hydrocotyle elongata
Hydrocotyle heteromeria
Hydrocotyle moschata
Myosotis forsteri (unc)
Oxalis exilis Yellow oxalis
Nertera setulosa
Plantago raoulia var (unc)
Ranunculus reflexus (pp R. hirtus) Maruru, hairy buttercup
Schizeilema trifoliolatum (unc)
Stellaria decipiens
Urtica incisa

Birds:

Fantail
Grey warbler
Kingfisher
Morepork
Rifleman
Wood Pigeon