

## Scientific names of animals and plants mentioned in the text

Australian green frog *Litoria aurea*  
 Banded Dotterel *Charadrius bicinctus*  
 Beech *Nothofagus* spp.  
 Bellbird *Anthornis melanura*  
 Black-backed gull *Larus dominicanus*  
 Black beech *Nothofagus solandri* var. *solandri*  
 Blackbird *Turdus merula*  
 Black Shag *Phalacrocorax carbo*  
 Broadleaf *Griselinia* spp.  
 Brown trout *Salmo trutta*  
 Buddleia *Buddleia davidii*  
 Bullies *Gobiomorphus* spp.  
 Californian quail *Lophortyx californica*  
 Cat *Felis catus*  
 Cattle *Bos bovis*  
 Chaffinch *Fringilla coelebs*  
 Cicada *Amphipsalta zelandica*, *A. cingulata*  
 Climbing rata *Metrosideros fulgens*  
 Common skink *Leiolopisma zelandica*  
 Copper skink *Leiolopisma aeneum*  
 Crown fern *Blechnum discolor*  
 Eels *Anguilla* spp.  
 Falcon *Falco novaeseelandiae*  
 Fantail *Rhipidura fuliginosa*  
 Fivefinger *Pseudopanax arboreus*  
 Forest gecko *Hoplodactylus granulatus*  
 Fuchsia *Fuchsia excorticata*  
 Goat *Capra hircus*  
 Goldfinch *Carduelis carduelis*  
 Greenfinch *Carduelis chloris*  
 Green gecko *Naultinus elegans*  
 Grey duck *Anas superciliosa*  
 Grey warbler *Gerygone igata*  
 Hall's totara *Podocarpus hallii*  
 Hard beech *Nothofagus truncata*  
 Hare *Lepus europaeus*  
 Harrier *Circus approximans*  
 Hedgehog *Erinaceus europaeus*  
 Hedge sparrow *Prunella modularis*  
 Heketara *Olearia rani*  
 Helm's butterfly *Dodonidia helmsi*  
 Hinau *Elaeocarpus dentatus*  
 Hookgrass *Urcinia* spp.  
 House mouse *Mus musculus*  
 Kahikatea *Podocarpus dacrydioides*  
 Kaikomako *Pennantia corymbosa*  
 Kaka *Nestor meridionalis*  
 Kamahi *Weinmannia racemosa*

Kanuka *Leptospermum ericoides*  
 Kidney fern *Trichomanes reniforme*  
 Kiekie *Freycinetia baueriana* subsp. *banksii*  
 Kingfisher *Halcyon sancta*  
 Kiwi *Apteryx australis*  
 Kokako *Callaeas cinerea*  
 Lacebark *Hoheria* spp.  
 Lancewood *Pseudopanax crassifolius*  
 Long-tailed Cuckoo *Eudynamis taitensis*  
 Lowland horopito *Pseudowintera axillaris*  
 Mahoe *Melicytus ramiflorus*  
 Mallard *Anas platyrhynchos*  
 Mamaku *Cyathea medullaris*  
 Manuka *Leptospermum scoparium*  
 Mapou *Myrsine australis*  
 Matai *Podocarpus spicatus*  
 Mingimingi *Cyathodes* spp.  
 Miro *Podocarpus ferrugineus*  
 Morepork *Ninox novaeseelandiae*  
 Native trout *Galaxias* spp.  
 Nettle *Urtica ferox*  
 Nikau *Rhopalostylis sapida*  
 Norway rat *Rattus norvegicus*  
 Ongaonga *Urtica ferox*  
 Parakeet *Cyanoramphus novaeseelandiae*  
 Pate *Schefflera digitata*  
 Pied Tit *Petroica macrocephala*  
 Pig *Sus scrofa*  
 Pigeon *Hemiphaga novaeseelandiae*  
 Pigeonwood *Hedycarya arborea*  
 Pipit *Anthus novaeseelandiae*  
 Ponga *Cyathea dealbata*  
 Possum *Trichosurus vulpecula*  
 Fukatea *Laurelia novaeseelandiae*  
 Pukeko *Porphyrio porphyrio*  
 Puriri moth *Aenetus viriscens*  
 Putaputaweta *Carpodetus serratus*  
 Rabbit *Oryctolagus cuniculus*  
 Rangiora *Brachyglottis repanda*  
 Rata *Metrosideros robusta*  
 Raukawa *Pseudopanax edgerlyi*  
 Red Admiral butterfly *Bassaris gonerilla*  
 Red deer *Cervus elaphus*  
 Red tobacco pouch fungus *Weraroa erythrocephala*  
 Redpoll *Acanthis flammea*  
 Rewarewa *Knighthia excelsa*  
 Rifleman *Acanthisitta chloris*  
 Rimu *Dacrydium cupressinum*  
 Robin *Petroica australis*  
 Sheep *Ovis aries*  
 Shining Cuckoo *Chalcites lucidus*  
 Ship rat *Rattus rattus*  
 Silver beech *Nothofagus menziesii*

Publications based on research in the Orongorongo Valley

- Silver fern  
Silvereye  
Song thrush  
Stoat  
Supplejack  
Tauhinu  
Tawa  
Titoki  
Toro  
Torrent fish  
Totara  
Tui  
Tutu  
Upland horopito  
Weasel  
Weta  
White-backed magpie  
Whitehead  
Wineberry
- Cyathea dealbata*  
*Zosterops lateralis*  
*Turdus philomelos*  
*Mustela erminea*  
*Ripogonum scandens*  
*Cassinia leptophylla*  
*Bellischnedia tawa*  
*Alectryon excelsus*  
*Myrsine salicina*  
*Cheimarrichthys fosteri*  
*Podocarpus totara*  
*Prosthemadera novaeseelandiae*  
*Coriaria arborea*  
*Pseudowintera colorata*  
*Mustela nivalis*  
*Hemideina thoracica*  
*Gymnorhina tibicen*  
*Mohoua albigilla*  
*Aristotelia serrata*
- Batcheler, C.L., Darwin, J.H. & Pracy, L.T. 1967. Estimation of opossum (*T. vulpecula*) populations and results of poison trials from trapping data. *New Zealand Journal of Science* 10: 97-114.
- Bell, A. 1975. Fungal succession on dung of the brush-tailed opossum in New Zealand. *New Zealand Journal of Botany* 13: 437-462.
- Crawley, M.C. 1970. Longevity of Australian brush-tailed opossums (*Trichosurus vulpecula*) in indigenous forest in New Zealand. *New Zealand Journal of Science* 13(3): 348-351.
- Crawley, M.C. 1973. A live-trapping study of Australian brush-tailed possums, *Trichosurus vulpecula* (Kerr), in the Orongorongo Valley, Wellington, New Zealand. *Australian Journal of Zoology* 21: 75-90.
- Cunningham, A., Arnott, W.B. 1964. Observations following a heavy rainfall on the Rimutaka Range. *Journal of Hydrology (N.Z.)* 3(2): 15-24.
- Daniel, M.J. 1972. Bionomics of the ship rat (*Rattus r. rattus*) in a New Zealand indigenous forest. *New Zealand Journal of Science* 15(3): 313-341.
- Daniel, M.J. 1973. Seasonal diet of the ship rat (*Rattus r. rattus*) in lowland forest in New Zealand. *Proceedings of the N.Z. Ecological Society* 20: 21-30.
- Daniel, M.J. 1975. Preliminary account of litter production in a New Zealand lowland podocarp-rata-broadleaf forest. *New Zealand Journal of Botany* 13: 173-187.
- Daniel, M.J. 1978. Population ecology of ship and Norway rats in New Zealand. In "Ecology and Control of Rodents in N.Z. Nature Reserves". N.Z. Department of Lands and Survey, Information Series.4. Pp.145-154.
- Dunnet, G.M., Harvie, A.E. & Smit, T.J. 1973. Estimating the proportions of various leaves in the diet of the opossum, *Trichosurus vulpecula* Kerr, by faecal analysis. *Journal of Applied Ecology* 10: 737-745.
- Fitzgerald, A.E. 1976. Diet of the opossum *Trichosurus vulpecula* (Kerr) in the Orongorongo Valley, Wellington, New Zealand, in relation to food-plant availability. *New Zealand Journal of Zoology* 3: 399-419.
- Fitzgerald, A.E. 1977. Number and weight of faecal pellets produced by opossums. *N.Z. Ecological Society Proceedings* 24: 76-78.

Ward, G.D. 1977. Tracking opossums by radio in native bush. *Forest & Bird* 204: 37-39.

Ward, G.D. 1979. Habitat use and home range of radio-tagged opossums *Trichosurus vulpecula* (Kerr) in New Zealand lowland forest. In

G. Gene Montgomery, editor, *The Ecology of Arboreal Folivores*.

Proceedings of National Zoological Park Symposia, No.1.

Washington, D.C. Smithsonian Institution Press. Pp.267-87.

Whitaker, A.H. 1972. An improved mist net rig for use in forests.

*Bird-Banding* 43(1): 1-8.

Winstanley, W.J. 1980. The larval habitat of *Uropetala carovei carovei* (Odonata: Petaluridae) in the North Island of New Zealand, and the geographical limits of the species. *New Zealand Journal of Zoology* 7: 127-134.

