

LIST 1: SOME INDIGENOUS VASCULAR PLANTS IN BOTH BLOCKS OF "POST OFFICE BUSH" MAKARA, CENTRED ON NZMS 260 SHEET R27 Pt.Q27, WELLINGTON, G.R. 526956 AND 527953, COMPILED ON 31/7/93 BY B.J. MITCALFE AND J.C.HORNE, REVISED ON 5/9/98 BY WELLINGTON BOTANICAL SOCIETY.

NOTE: Species marked "N" were seen in the North Block only; those marked "P" are presumed to have been planted.

GYMNOSPERMS

Dacrycarpus dacrydioides
Dacrydium cupressinum
Podocarpus totara (N)
Prumnopitys ferruginea (N)
Prumnopitys taxifolia

MONOCOT TREES

Cordyline australis
Rhopalostylis sapida

DICOT TREES AND SHRUBS

Agathis australis (P) (N)
Alectryon excelsus
Aristotelia serrata
Beilschmiedia tawa
Brachyglottis repanda
Carpodetus serratus
Coprosma areolata
Coprosma grandifolia
Coprosma propinqua
Coprosma rhamnoides
Coprosma robusta
Coprosma rotundifolia
Corynocarpus laevigatus
Dysoxylum spectabile
Elaeocarpus dentatus
Fuchsia excorticata
Geniostoma rupestre var. ligustrifolium
Griselinia sp (N)
Hebe stricta var. atkinsonii
Hedycarya arborea
Knightia excelsa
Kunzea ericoides
Leptospermum scoparium
Leucopogon fasciculatus
Lophomyrtus bullata
Macropiper excelsum

Melicope ternata (N)
Melicytus crassifolius
Melicytus ramiflorus
Metrosideros umbellata (N)
Myoporum laetum
Myrsine australis
Nestegis sp.
Olearia paniculata
Olearia rani
Ozothamnus leptophylla
Pennantia corymbosa
Pittosporum eugenioides
Pittosporum tenuifolium
Pseudopanax arboreus
Pseudopanax crassifolius
Schefflera digitata
Solanum laciniatum (N)
Syzygium maire (south block only)
Urtica incisa

MONOCOT LIANES

Freycinetia baueriana var. banksii
Ripogonum scandens

DICOT LIANES

Clematis forsteri
Clematis paniculata
Metrosideros colensoi
Metrosideros diffusa
Metrosideros fulgens
Metrosideros perforata
Muehlenbeckia australis
Muehlenbeckia complexa
Parsonsia heterophylla
Passiflora tetrandra (N)
Rubus cissoides

FERNS

Adiantum cunninghamii
Asplenium bulberiferum
Asplenium colensoi
Asplenium flaccidum
Asplenium oblongifolium
Asplenium polyodon
Blechnum chambersii
Blechnum discolor

Blechnum filiforme
Blechnum fluviatile
Blechnum membranaceum
Blechnum minus
Blechnum novae-zelandiae
Cyathea dealbata
Cyathea medullaris
Dicksonia squarrosa
Grammitis sp.
Histiopteris incisa
Hymenophyllum demissum
Lastreopsis glabella
Lastreopsis hispida
Lastreopsis velutina
Leptopteris hymenophylloides
Paesia scaberula
Pellaea rotundifolia
Phymatosorus pustulatus
Phymatosorus scandens
Pneumatopteris pennigera
Polystichum richardii
Pteridium esculentum
Pteris macilenta
Pyrrosia eleagnifolia
Rumohra adiantiformis (N)

ORCHIDS

Corybas trilobus

GRASSES

Festuca multinodis
Microlaena avenacea
Poa anceps

SEDGES

Carex flagellifera
Carex lessoniana
Carex virgata
Gahnia xanthocarpa
Uncinia uncinata

RUSHES

Cyperus ustulatus
Juncus pallidus

MONOCOT HERBS

Astelia fragrans
Collospermum hastatum
Phormium tenax

COMPOSITE HERBS

Senecio rufiglandulosus

DICOT HERBS OTHER THAN COMPOSITES

Centella uniflora
Crassula sieberiana
Galium perpusillum
Hydrocotyle moschata
Pratia angulata
Stellaria decipiens

LIST 2: ADVENTIVE PLANTS

Crocsmifolia Xcrocsmiiflora
Hedera helix
Tradescantia fluminensis
Ulex europaeus

LIST 3: INDIGENOUS BIRDS

riroriro grey warbler