

SOME INDIGENOUS VASCULAR PLANTS OF CATCHMENT OF T.R. HEAD OF STREAM FLOWING NORTHWEST FROM HAWKINS HILL ROAD TO A CONFLUENCE WITH THE TRUE LEFT HEAD OF SILVER STREAM, AT NZMS 260 MAP R27 PtQ 27, WELLINGTON, CENTRED ON G.R. 537854, LONG GULLY, COMPILED ON 6-10-97 BY B.J. MITCALFE AND J.C. HORNE.

BOTANICAL NAME	MAAORI NAME	COMMON NAME
DICOT TREES/SHRUBS		
<i>Aristotelia serrata</i>	makomako	wineberry
<i>Brachyglottis repanda</i>	rangiora	rangiora
<i>Carpodetus serratus</i>	putaputawetaa	marbleleaf
<i>Coprosma crassifolia</i>		
<i>Coprosma grandifolia</i>	kaanono	
<i>Coprosma propinqua</i>		
<i>Coprosma rhamnoides</i>		
<i>Coprosma rigida</i>		
<i>Coprosma robusta</i>	karamu	karamu
<i>Coprosma rotundifolia</i>		
<i>Coprosma propinqua</i> x <i>C. robusta</i>		
<i>Fuchsia excorticata</i>	kootukutuku	tree fuchsia
<i>Geniostoma rupestre</i>		
var. <i>ligustrifolium</i>	hangehange	hangehange
<i>Gaultheria antipoda</i>	taawiniwini	snowberry
<i>Hebe stricta</i> var. <i>atkinsonii</i>	koromiko	koromiko
<i>Hebe macroura</i>		
<i>Hebe</i> (<i>Veronica arborea</i>)	koromiko taranga	tree hebe
<i>Kunzea ericoides</i>	kaanuka	kanuka
<i>Leptospermum scoparium</i>	maanuka	manuka
<i>Leucopogon fasciculatus</i>	mingimingi	mingimingi
<i>Leucopogon fraseri</i>	paatootara	
<i>Macropiper excelsum</i>	kawakawa	kawakawa
<i>Melicytus ramiflorus</i>	maahoe	whiteywood
<i>Myrsine australis</i>	maapou	red matipo
<i>Olearia paniculata</i>	akiraho	akiraho
<i>Olearia solandri</i>		
<i>Ozothamnus leptophyllus</i>	tauhiu	tauhiu
<i>Pittosporum crassifolium</i>	karo	karo
<i>Schefflera digitata</i>	patee	pate
<i>Urtica ferox</i>	ongaonga	tree nettle
MONOCOT LIANES		
<i>Ripogonum scandens</i>	kareao	supplejack
DICOT LIANES		
<i>Clematis forsteri</i>	pikiarero	clematis
<i>Clematis paniculata</i>	puawaananga	"
<i>Metrosideros diffusa</i>	raataa	climbing rata

<i>Muehlenbeckia australis</i>	poohuehue	pohuehue
<i>Muehlenbeckia complexa</i>	"	"
<i>Rubus cissoides</i>	taataraamo	bush lawyer
 LYCOPODS		
<i>Lycopodium fastigiatum</i>		club moss
 FERNS		
<i>Adiantum cunninghamii</i>	huruhuru tapairu	maidenhair
<i>Asplenium bulbiferum</i>	mouku	hen and chicken
<i>Asplenium flaccidum</i>	makawe o Raukatauri	hanging spleenwort
<i>Asplenium oblongifolium</i>	huruhuruwhenua	shining spleenwort
<i>Asplenium terrestre</i>	nini	
<i>Blechnum chambersii</i>	piupiu	crown fern
<i>Blechnum discolor</i>	paanako	climbing threadfern
<i>Blechnum filiforme</i>	kiwakiwa	
<i>Blechnum fluviatile</i>		
<i>Blechnum membranaceum</i>		
<i>Blechnum minus</i>		
<i>Blechnum penna-marina</i>		
<i>Blechnum procerum</i>		
<i>Blechnum vulcanicum</i>	korokio	
<i>Blechnum novae-zealandiae</i>	kiokio	kiokio
<i>Ctenopteris heterophylla</i>		
<i>Cyathea medullaris</i>	mamaku	mamaku
<i>Grammitis billiardierei</i>		
<i>Hymenophyllum minimum</i>	mauku	filmy fern
<i>Hymenophyllum multifidum</i>	"	"
<i>Hymenophyllum rarum</i>	"	"
<i>Hymenophyllum sanguinolentum</i>	"	"
<i>Lastreopsis glabella</i>		
<i>Lastreopsis hispida</i>		
<i>Paesia scaberula</i>	maataa	ringfern
<i>Pellaea rotundifolia</i>	tarawera	
<i>Phymatosorus pustulatus</i>	koowaowao	hound's tongue
<i>Pneumatopteris pennigera</i>	paakau	gully fern
<i>Polystichum richardii</i>	pikopiko	shield fern
<i>Polystichum vestitum</i>	puuniu	
<i>Pteridium esculentum</i>	raarahu	bracken
<i>Pteris macilenta</i>		
<i>Pyrrosia eleagnifolia</i>	ota	leather leaf
 ORCHIDS		
<i>Microtis unifolia</i>	maikaika	onion-leaved orchid
<i>Thelymitra longifolia</i>	maaikuku	sun orchid
 GRASSES		
<i>Microlaena polynoda</i>	wii	silver tussock
<i>Poa cita</i>		

SEDGES

<i>Carex flagellifera</i>	maanaia
<i>Carex secta</i>	puurei
<i>Carex</i> sp.	
<i>Uncinia uncinata</i>	matau a Maaui
	hook grass

RUSHES

Juncus pallidus
Juncus sarophorus
Juncus sp.
Luzula sp.

MONOCOT HERBS OTHER THAN ORCHIDS, SEDGES, RUSHES

<i>Astelia fragrans</i>	kakaha	
<i>Libertia ixioides</i>	mikoikoi	NZ iris
<i>Phormium cookianum</i>	wharariki	coastal flax

COMPOSITE HERBS

Craspedia minor
Helichrysum filicaule
Lagenifera pumila
Gnaphalium keriense
Leptinella squalida
Raoulia glabra
Senecio minimus

DICOT HERBS OTHER THAN COMPOSITES

<i>Acaena anserinifolia</i>		
<i>Aciphylla squarrosa</i>	<i>taramea</i>	<i>spaniard</i>
<i>Cardamine sp.</i>		
<i>Centella uniflora</i>		
<i>Colobanthus muelleri</i>		
<i>Drosera peltata</i>	<i>wahu</i>	
<i>Epilobium nerteroides</i>		
<i>Epilobium nummularifolium</i>		
<i>Epilobium rotundifolium</i>		
<i>Epilobium sp.</i>		
<i>Hydrocotyle moschata</i>		
<i>Nertera depressa</i>		
<i>Oreomyrrhis colensoi</i> var. <i>colensoi</i>		<i>oxalis</i>
<i>Oxalis exilis</i>		<i>buttercup</i>
<i>Ranunculus reflexus</i>		
<i>Stellaria decipiens</i>		
<i>Urtica incisa</i>		<i>nettle</i>

LIST 2

ADVENTIVES PLANTS

Berberis darwinii	Darwin's barberry
Erica sp.	heath
Pinus sp.	pine
Ulex europaeus	gorse

LIST 3.

INDIGENOUS BIRDS

piwaiwaka	fantail
riroriro	greywarbler
pihoihoi	NZ pipit

ADVENTIVE BIRDS

hedge sparrow
skylark

ECOLOGICAL NOTES

Largely indigenous sward in upper reaches

Occasional logs to 70cms

Hanging valleys with small wetlands, mostly non-indigenous

Scree - possibly good lizard habitat.