

OLD FIVE-MILE TRACK AND ORONGORONGO TRACK, RIMUTAKA RANGE. MAP 260-R27, R28 & Pt. Q27, CENTRED ON GRID REFERENCE c. 732833. ROUTE: ALONG TRACKS FROM CATCHPOOL CARPARK TO BOTTOM OF McKERROW TRACK.

Lists derived from lists including only Māori or common names, prepared 3 May 1993 for Tararua Tramping Club field trip. Reformatted to include botanical names 29 July 2009.

LIST 1: SOME INDIGENOUS VASCULAR PLANTS

BOTANICAL NAME	MĀORI NAME	COMMON NAME
-----------------------	-------------------	--------------------

* = not naturally occurring in Tararua Ecological District

GYMNOSPERM TREES

<i>Dacrycarpus dacrydioides</i>	kahikatea	kahikatea
<i>Dacrydium cupressinum</i>	rimu	rimu
<i>Podocarpus totara</i>	tōtara	tōtara
<i>Prumnopitys ferruginea</i>	miro	miro
<i>Prumnopitys taxifolia</i>	mataī	mataī

MONOCOTYLEDONOUS TREES

<i>Cordyline australis</i>	tī kōuka	cabbage tree
<i>Rhopalostylis sapida</i>	nīkau	nīkau

DICOTYLEDONOUS TREES AND SHRUBS

<i>Alectryon excelsum</i>	tītoki	tītoki
<i>Aristotelia serrata</i>	makomako	wineberry
<i>Beilschmiedia tawa</i>	tawa	tawa
<i>Brachyglottis repanda</i>	rangiora	rangiora
<i>Carpodetus serratus</i>	putaputawētā	
<i>Coprosma grandifolia</i>	kanono	kanono
<i>Coprosma lucida</i>	karamū	karamū
<i>Coprosma rhamnoides</i>		
<i>Coprosma robusta</i>	karamū	karamū
<i>Coprosma tayloriae</i>		
<i>Coriaria arborea</i>	tutu	tutu
* <i>Corynocarpus laevigatus</i>	karaka	karaka
<i>Elaeocarpus dentatus</i>	hīnau	hīnau
<i>Elaeocarpus hookerianus</i>	pōkaka	pōkaka
<i>Fuchsia excorticata</i>	kōtukutuku	tree fuchsia
<i>Gaultheria antipoda</i>	tāwiniwini	bush snowberry
<i>Geniostoma ligustrifolium</i> var. <i>ligustrifolium</i>	hangehange	hangehange
<i>Griselinia littoralis</i>	kāpuka	broadleaf
<i>Griselinia lucida</i>	puka	puka
<i>Hebe stricta</i>	koromiko	common koromiko
<i>Hedycarya arborea</i>	porokaiwhiri	pigeonwood
<i>Helichrysum lanceolatum</i>	niniao	niniao
<i>Hoheria (sextylosa?)</i>	houhere	lacebark

<i>Knightia excelsa</i>	rewarewa	rewarewa
<i>Kunzea ericoides</i>	kānuka	kānuka
<i>Laurelia novae-zelandiae</i>	pukatea	pukatea
<i>Leptecophylla juniperina</i>	mingimingi	prickly mingimingi
<i>Leptospermum scoparium</i>	mānuka	mānuka
<i>Leucopogon fasciculatus</i>	mingimingi	big mingimingi
<i>Macropiper excelsum</i>	kawakawa	kawakawa
<i>Melicytus ramiflorus</i>	māhoe	māhoe
<i>Metrosideros robusta</i>	rātā	northern rātā
<i>Nestegis lanceolata</i>	maire	white maire
<i>Nothofagus solandri</i> var. <i>solandri</i>	tawhai rauriki	black beech
<i>Nothofagus truncata</i>	tawhai raunui	hard beech
<i>Olearia rani</i>	heketara	heketara
<i>Ozothamnus leptophyllus</i>	tauhinu	tauhinu
<i>Pennantia corymbosa</i>	kaikōmako	kaikōmako
<i>Pittosporum eugenioides</i>	tarata	tarata
<i>Pittosporum tenuifolium</i>	kohuhu	kohuhu
<i>Pseudopanax arboreus</i>	whauwhaupaku	five-finger
<i>Pseudopanax crassifolius</i>	horoeka	lancewood
<i>Pseudowintera (colorata?)</i>	horopito	horopito
<i>Schefflera digitata</i>	patē	seven-finger
<i>Syzygium maire</i>	maire tawake	swamp maire
<i>Weinmannia racemosa</i>	kāmahi	kāmahi

MONOCOTYLEDONOUS LIANES

<i>Freycinetia banksii</i>	kiekie	kiekie
<i>Ripogonum scandens</i>	kareao	supplejack

DICOTYLEDONOUS LIANES

<i>Clematis paniculata</i>	puawānanga	white clematis
<i>Metrosideros colensoi</i>		
<i>Metrosideros fulgens</i>	akakura	scarlet rātā
<i>Muehlenbeckia australis</i>	pōhuehue	pōhuehue
<i>Passiflora tetrandra</i>	kōhia	NZ passion flower
<i>Rubus cissoides</i>	tatarāmoa	bush lawyer

FERNS AND FERN ALLIES

<i>Asplenium bulbiferum</i>	manamana	hen & chickens
<i>Asplenium flaccidum</i>	makawe o Raukatauri	hanging spleenwort
<i>Asplenium oblongifolium</i>	huruhuruwhenua	shining spleenwort
<i>Asplenium polyodon</i>	petako	sickle spleenwort
<i>Blechnum discolor</i>	piupiu	crown fern
<i>Blechnum filiforme</i>	pānako	threadfern
<i>Blechnum fluviatile</i>	kiwakiwa	ray water fern
<i>Blechnum novaezelandiae</i>	kiokio	kiokio
<i>Cyathea dealbata</i>	ponga	silver fern
<i>Cyathea medullaris</i>	mamaku	mamaku
<i>Cyathea smithii</i>	kātote	soft tree fern
<i>Dicksonia squarrosa</i>	whekī	whekī

Grammitis sp.		a strap fern
Histiopteris incisa	mātātā	water fern
Hymenophyllum ssp.		filmy ferns
Leptopteris hymenophylloides	heruheru	crepe fern
Lycopodium sp.		a club moss
Microsorium pustulatum	kōwaowao	hound's tongue
Microsorium scandens	mokimoki	fragrant fern
Pneumatopteris pennigera	pakau	gully fern
Pteridium esculentum	rārahu	bracken
Pteris tremula	turawera	shaking brake
Trichomanes reniforme	raurenga	kidney fern

ORCHIDS

Earina autumnalis	raupeka	Easter orchid
-------------------	---------	---------------

GRASSES

Cortaderia sp.	toetoe	toetoe
Microlaena avenacea		bush rice grass

SEDGES

Gahnia sp.		
Uncinia uncinata	matau a Māui	hooked sedge

RUSHES

None recorded

MONOCOTYLEDONOUS HERBS, other than orchids, grasses, sedges, rushes

Astelia solandri	kōwharawhara	perching astelia
Dianella nigra	tūrutu	blueberry

DICOTYLEDONOUS HERBS

Euphrasia sp.	tūtae kiore	an eyebright sp.
---------------	-------------	------------------

LIST 2: SOME ADVENTIVE VASCULAR PLANTS

NOTE: The following species were recorded mostly along the Old Five Mile Track in the lower Catchpool Stream and lower Graces Stream sections of the track.

GYMNOSPERM TREES

Pinus radiata		radiata pine
---------------	--	--------------

DICOTYLEDONOUS TREES AND SHRUBS

Cytisus scoparius		broom
-------------------	--	-------

Erica lusitanica	Spanish heath
Eucalyptus sp.	a gum sp.
Paraserianthes lophanta	brush wattle
Salix sp.	a willow sp.
Ulex europaeus	gorse

GRASSES

Cortaderia selloana	pampas grass
---------------------	--------------

DICOTYLEDONOUS HERBS

Cirsium vulgare	Scotch thistle
Conyza sp.	a fleabane sp.
Senecio jacobaea	ragwort
Solanum nigrum	black nightshade
Sonchus oleraceus	pūwhā

LIST 3: SOME INDIGENOUS BIRDS

Acanthisitta chloris	titipounamu	rifleman
Gerygone igata	riroriro	grey warbler
Hemiphaga novaeseelandiae	kererū	kererū
Mohoua albigilla	popokatea	whitehead
Prothemadera novaeseelandiae	tūī	tūī
Rhipidura fuliginosa	pīwakawaka	fantail
Zosterops lateralis	tauhou	waxeye