

LIST OF VASCULAR PLANTS IN PORIRUA SCENIC RESERVE AND THE BUSH ON PIKARERE FARM CLOSED OFF BY THE ELECTRIC FENCE INCLUDING MILL CREEK CATCHMENT

Pat Enright 23/8/97, 30/8/97 (Elsdon carpark to bushline)
Peter Beveridge, Olaf John, Pat Enright 16/10/99 (Rangituhi Crescent main entrance to top of track)
Peter Beveridge, Olaf John, Pat Enright (old logging track through Mill Creek catchment) 8/01/00
Arnold Allen, Peter Beveridge, Olaf John, Pat Enright (Mill Stream catchment, fenceline, logging track to 4wd track) 15/1/00
Olaf John, Pat Enright 16/10/99 (Rangituhi Crescent bottom entrance to kanuka spur)
Olaf John, Pat Enright 22/1/00 (Takapuwahia stream to small gorge at sharp left bend)
Olaf John, Pat Enright 23/1/00 (Up watecourse at Aparangi St to ridge track and along)
Arnold Dench, Olaf John, Pat Enright 23/10/99 (Elsdon carpark to Aparangi St)
Olaf John, Pat Enright (Waiho Terrace track) 25/10/99
Pat Enright (Elsdon Camp track to bushline) 31/10/99
Pat Enright (Ngahue Street entrance to head of creek) 5/1/00
Pat Enright (Rangituhi track and up Takapuwahia stream to first side stream) 7/11/99
Pat Enright and Arnold Dench 4/12/99. (Mill creek catchment through bottom gate)
Olaf John, Peter Beveridge 12/2/00 Ngahue street to ridge top, along ridge and down Takapuwahia stream
Ian St George 22 Nov 99
Peter Beveridge various dates
Pat Enright various dates

Grid Ref. Topomap R27 625054 - 630076

* Herbarium specimen lodged (AK or WEL)

? Doubtful record

1 indicates a species not seen on current survey but listed by others

2 planted or seeded into the area

3 Found only in the Mill Creek area

4 in pasture just outside Pikarere farm fenceline

Notable plants found in this area are:

Adiantum diaphanum. A maidenhair fern that is local in its occurrence around Wellington. It is found growing at the base of a rock face on the true right at the top of the stream that descends to the Ngahue street entrance.

Adiantum fulvum. A maidenhair fern that occurs locally around Wellington. It was seen on the true right of the stream that descends towards the Ngahue Street entrance.

Adiantum viridescens. Another localised maidenhair fern. It can be found trackside and above on the Rangituhi track starting at the first decking on this track.

Drymoanthus adversus. This epiphytic orchid is probably more common than reported, but due to its preference for growing quite high up in the trees of preference, it is hard to find. A few plants were seen well up the logging track above the Mill stream catchment growing on a rather stunted tawa.

Gastrolia cunninghamii. Ken Wright from WRC reported finding this orchid while laying possum bait lines. Following his instructions a patch of 10 plants was found in full flower 15/1/00.

Microsorum novaezelandiae. This record comes off an old Wellington Botanical Society list and must remain open to question pending the finding of the species again or the locating of a herbarium specimen. This fern is usually found in montane areas like the Tararuas.

Mida salicifolia. The willow leaved maire is recorded in a Botsco species list and has been verified by A.P. Druce (J Coulter personnel comment)

Ophioglossum coriaceum. The adders tongue fern while not uncommon on the likes of Mt KauKau is not widespread in the Wellington area. There is a small patch to be found on the Waiho Terrace track.

Pittosporum cornifolium. This species is recorded on various lists and is probably epiphytic on colospermum clumps but has not been recently sighted.

Pseudopanax edgerleyii. At least three specimens of this tree are to be found in the bush in the Mill stream catchment. This is privately owned land belonging to Pikarere Farms but which is fenced off and contiguous with the reserve.

Pterostylis porrecta. A greenhood orchid flowering in early December through to mid January just after *Pterostylis graminea* has finished. It is a species that has until the discovery of this occurrence by Peter Beveridge, has been listed as rare. There have been about 5 other small locations around Hawkes Bay, Wairarapa and Marlborough. It is reasonably common towards the top of the Rangituhi track and scattered occurrences lower down off the Waiho Terrace track.

Streblus banksii. The large leafed milktree is local wherever it is found and in the reserve it can be found scattered throughout. There is a 4 metre specimen on the Ngahue Street track on the true left just before the "metal bridge".

Winika cunninghamii. The lady's slipper orchid is not common along the western hills (although common elsewhere) and the plants seen growing on tawa in the Mill Stream catchment were magnificent specimens.

Weed problems:

Wandering willie is the main problem species. It has quite a hold along the eastern boundary. The other adventive species are scattered, mainly along the boundaries and particularly where garden rubbish has been thrown over the back fence from neighbouring properties. Inkweed (*Phytolacca octandra*) is found occasionally and should be rooted out when found before it becomes a major nuisance.

Gorse is common on some ridges but is acting as a nursery plant for native species and will gradually disappear as these grow and shade it out

There does not seem to be a problem with the pines that bound the bush mainly on the western boundary. There is little evidence of wildlings and the thick bed of pine needles provides a great place for duck orchids (*Chiloglottis cornuta*) and seedling natives.

There is some evidence of cannabis (*Cannabis sativa*) cultivation with old plots and water bottle dumps but no current activity was noted.

Carex longibracteata is classed as a noxious weed and is found growing in a small patch on the clay track from Aparangi Grove to the Elsdon Camp carpark and on the ridge track above Aparangi Grove.

Gymnosperm trees and shrubs

Dacrycarpus dacrydioides	kahikatea
Dacrydium cupressinum (unc)	rimu
Podocarpus totara	totara
Prumnopitys ferruginea	miro
Prumnopitys taxifolia	matai

Dicotyledonous trees and shrubs

Alectryon excelsus subsp. excelsus	titoki
Aristotelia serrata	makomako, wineberry
Beilschmiedia tawa	tawa
Brachyglottis repanda	rangiora
1 Carmichaelia australis	native broom
Carpodetus serratus	putaputaweta, marbleleaf
Coprosma areolata	
Coprosma crassifolia	
Coprosma foetidissima	stinkwood
Coprosma grandifolia	raurekau
Coprosma lucida	
Coprosma propinqua subsp. propinqua	mingimingi
2 Coprosma repens	
Coprosma rhamnoides	
Coprosma rotundifolia	
Coprosma robusta	karamu
Coprosma propinqua x C. robusta	
Corynocarpus laevigatus	karaka
Dysoxylum spectabile	kohekohe
Elaeocarpus dentatus	hinau
1 Elaeocarpus hookerianus	pokaka
Fuchsia excorticata	kotukutuku

<i>Geniostoma rupestre</i>	hangehange
<i>Griselinia littoralis</i>	puka, broadleaf
<i>Griselinia lucida</i>	puka, broadleaf
<i>Hebe stricta</i> var. <i>atkinsonii</i>	koromiko
<i>Hedycarya arborea</i>	porokaiwhiri, pigeonwood
2 <i>Hoheria populnea</i>	lacebark
<i>Knightia excelsa</i>	rewarewa
<i>Kunzea ericoides</i>	kanuka
<i>Laurelia novae-zelandiae</i>	pukatea
<i>Leptospermum scoparium</i>	manuka
3 <i>Leucopogon fasiculatus</i>	mingimingi
<i>Lophomyrtus bullata</i>	ramarama
<i>Macropiper excelsum</i> subsp. <i>excelsum</i>	kawakawa
<i>Melicope ternata</i>	wharangi
<i>Melicope simplex</i>	poatanwha
<i>Melicytus ramiflorus</i> subsp. <i>ramiflorus</i>	mahoe
<i>Metrosideros robusta</i> (unc)	northern rata
1 <i>Mida salicifolia</i> (unc)	willow leaved maire
<i>Myoporum laetum</i>	ngaio
<i>Myrsine australis</i>	red matipo
<i>Myrsine salicina</i>	toro
1? <i>Nestegis cunninghamii</i>	back maire
<i>Nestegis lanceolata</i> (unc)	white maire
<i>Olearia paniculata</i>	akeraho
<i>Olearia rani</i>	heketaro
<i>Olearia solandri</i>	
<i>Ozothamnus leptophylla</i>	tauhinu
<i>Pennantia corymbosa</i>	kaikomako
1 <i>Pittosporum cornifolium</i>	
2 <i>Pittosporum crassifolium</i>	karo
<i>Pittosporum eugenioides</i>	tarata, lemonwood
<i>Pittosporum tenuifolium</i>	kohuhu
1 <i>Pomaderris phyllicifolia</i>	whatitiri
<i>Pseudopanax arboreus</i>	five finger
<i>Pseudopanax crassifolius</i>	horoeka, lancewood
3* <i>Pseudopanax edgerleyi</i> (unc)	raukawa
3 <i>Pseudowintera axillaris</i>	
<i>Schefflera digitata</i>	pate
3 <i>Solanum aviculare</i>	poroporo
<i>Solanum laciniatum</i>	poroporo
<i>Sophora microphylla</i>	kowhai
* <i>Streblus banksii</i> (unc)	towai
<i>Streblus heterophyllus</i>	turepo, milk tree
<i>Urtica ferox</i>	ongaonga, tree nettle

Monocotyledonous trees and shrubs

<i>Cordyline australis</i>	ti, cabbage tree
<i>Rhopalostylis sapida</i>	nikau

Monocotyledonous lianes

<i>Freycinetia banksii</i>	kiekie
----------------------------	--------

Ripogonum scandens

Supplejack

Dicotyledonous lianes and related trailing plants

Clematis forsteri	
Clematis paniculata	puawhananga
Metrosideros diffusa	akatea
Metrosideros fulgens	
Metrosideros perforata	akatea
Muehlenbeckia australis	pohuehue
Muehlenbeckia complexa	pohuehue
1 Muehlenbeckia australis x M. complexa	
Passiflora tetrandra	passion vine
1 Parsonsia capsularis	kaihua, N.Z. jasmine
Parsonsia heterophylla	tataromoa, bush lawyer
Rubus cissoides	native spinach
3 Tetragona trigyna (unc)	

Psilopsids, Lycopods and Quillworts

3 Lycopodium varium	
Lycopodium volubile	waewae koukou

Ferns

Adiantum cunninghamii	maidenhair fern
* Adiantum diaphanum (unc)	
* Adiantum fulvum (unc)	
* Adiantum viridescens	
Anarthropteris lanceolata	
Arthropteris tenella	jointed fern
3 Asplenium appendiculatum subsp. maritimum (unc)	
Asplenium bulbiferum	manamana, hen and chicken fern
Asplenium flabellifolium	necklace fern
Asplenium flaccidum	hanging spleenwort
Asplenium gracillimum	
Asplenium hookerianum	
Asplenium oblongifolium	huruhuruwhenua, shining spleenwort
Asplenium polyodon	petako, sickle spleenwort
Asplenium bulbiferum x A. hookerianum	
Asplenium bulbiferum x A. flaccidum	
Asplenium oblongifolium x A. flaccidum (unc)	
Blechnum chambersii	nini
Blechnum discolor	piupiu, crown fern
Blechnum filiforme	thread fern
Blechnum fluviatile	kiwakiwa
Blechnum membranaceum	
? Blechnum montanum	
Blechnum novae zelandiae (both forms)	kiokio
1 Blechnum pennamarina	
3 Blechnum procerum	
1 Blechnum vulcanicum	
* Blechnum chambersii x B. membranaceum (unc)	
Cyathea cunninghamii (unc)	gully tree fern
Cyathea dealbata	ponga, silver fern

	Cyathea medullaris	mamaku
	Cyathea smithii	wheki
	Dicksonia squarrosa	
1	Grammitis billardieri	
	Histiopteris incisa	mata, water bracken
	Hymenophyllum demissum	
2	Hymenophyllum dilatatum	
3	Hymenophyllum rarum (unc)	
	Hymenophyllum revolutum	
1	Hymenophyllum sanguinolentum	
	Hypolepis ambigua	
3	Hypolepis lactea	
	Hypolepis rufobarbata	
	Lastreopsis glabella	
	Lastreopsis hispida	
	Lastreopsis microsora	
	Lastreopsis velutina	
1	Leptolepia novae zelandiae	
	Leptopteris hymenophylloides	
1?	Microsorum novaezelandiae	
	Microsorum pustulatus	kowaowao, hounds tongue
	Microsorum scandens	mokimoki, scented fern
	Ophioglossum coriaceum (unc)	adders tongue fern
	Paesia scaberula	matata, scented fern
	Pellaea rotundifolia	tarawera, button fern
	Polystichum richardii	pikopiko
*	Polystichum silvaticum	
	Polystichum vestitum	puniu
	Pneumatopteris pennigera	pakauroharoha, gully fern
	Pteridium esculentum	rauaruhe, bracken
	Pteris macilenta	sweet fern
	Pteris tremula	turawera, shaking brake
	Pyrrosia eleagnifolia	ota, leather-leaf fern
	Rumohra adiantiformis	
	Tmesipteris elongata	
	Trichomanes endlicherianum	
3	Trichomanes reniforme	
	Trichomanes venosum	

Orchids

	Acianthus sinclairii	
	Chiloglottis cornuta	duck orchid
	Corybas trilobus	spider orchid
3	Drymoanthus adversus (unc) on tawa	
	Earina autumnalis	
	Earina mucronata	
3	Gastrolezia cunninghamii (unc)	
	Microtis unifolia	onion leaved orchid
	Pterostylis banksii	tutukiwi
	Pterostylis graminea	
	Pterostylis montana	

- * Pterostylis porrecta
Thelymitra longifolia
3 Winika cunninghamii lady's slipper orchid

Grasses

- 1 Cortaderia toetoe toetoe
Microlaena avenacea bush rice grass
Microlaena stipoides
Poa anceps subsp. anceps (unc)
Rytidosperma gracile
3 Rytidosperma unarede

Sedges

- 2 Carex comans
Carex dissita
Carex flagellifera
Carex forsteri
Carex geminata
Carex lambertiana
1 Carex lessoniana
Carex secta
Carex virgata purei
3 Carex cf. testacea
1 Cyperus ustulatus
1 Eleocharis acuta
Gahnia pauciflora
Isolepis inundata (unc)
Isolepis prolifer
Isolepis reticularis
1 Schoenus maschalinus
Uncinia banksii
Uncinia scabra
Uncinia uncinata watu, hook grass

Rushes and allied plants

- Juncus australis
1 Juncus pallidus
Juncus planifolius
Juncus sarophorus
3 Luzula picta var picta

Remaining Monocotyledonous plants

- Astelia fragrans karearea
Astelia solandri
Collospermum hastatum
Libertia grandiflora
Libertia ixioiodes (unc)

Daisy-like herbs (Composites)

- 1? Anaphaloides bellidioides
Cotula australis
Gnaphalium audax (unc)

Gnaphalium gymnocephalum
Gnaphalium involucratum (unc)
Helichrysum filicaule
Lagenifera pumila (unc)
Pseudognaphalium luteoalbum
1 Raoulia glabra
Senecio hispidulus
Senecio minimus

Dicotyledonous herbs other than Composites

- | | |
|--|-------------------------|
| Acaena anserinifolia | bidibidi |
| 3 Aciphylla squarrosa (unc) | |
| Cardamine sp. (C. debilis agg.) ("Glossy Leaf" of Pritchard 1957) | |
| Cardamine sp. (C. debilis agg.) ("Long Style" of Pritchard 1957) | |
| Cardamine sp. (C. debilis agg.) ("Narrow Petal" of Pritchard 1957) | |
| Centella uniflora | |
| Dichondra repens | |
| * Dichondra sp. Lamina glabrous on top and sparsely hairy below, upto 12 mm in diameter, emarginate, petiole to 37 mm in length with sparse appressed hairs, 23 mm between petioles. Flower 5 to 6 mm in diameter, sepals and petals about equal length, sepals obovate with appressed hairs. Capsule 2mm in diameter, round and hairy | |
| Epilobium chionanthum (unc) | |
| 4 Epilobium komarovianum (unc) | |
| 1 Epilobium rotundifolium | |
| Galium propinquum | |
| 3 Geranium microphyllum | |
| Haloragis erecta | |
| Hydrocotyle heteromeria | |
| Hydrocotyle moschata | |
| Hydrocotyle "montana" | |
| Leptostigma setulosum | |
| 1 Nertera depressa | |
| Oxalis exilis | yellow oxalis |
| Parietaria debilis | |
| 3 Plantago raoulii | |
| Ranunculus reflexus | maruru, hairy buttercup |
| Stellaria decipiens | chickweed |
| Urtica incisa | nettle |
| 4 Wahlenbergia racemosa | |
| Wahlenbergia violacea | |
| 4 Wahlenbergia racemosa x W. violacea (unc) pale ble flowers | |

Adventives

Dicotyledonous trees and shrubs

- | | |
|------------------------|------------------|
| Cotoneaster sp. | |
| Crataegus monogyna | hawthorn |
| Cytisus scoparium | broom |
| Phytolacca octandra | inkweed |
| Solanum pseudocapsicum | jerusalem cherry |
| Ulex europaeus | gorse |

Dicotyledonous lianes and related trailing plants

<i>Asparagus scandens</i>	climbing asparagus
<i>Calystegia silvatica</i>	convolvulus
<i>Lathyrus tingitanus</i>	tangier pea
<i>Lonicera japonica</i>	honeysuckle
<i>Rubus fruticosus</i>	blackberry
<i>Senecio angulatus</i>	cape ivy
<i>Senecio mikanoides</i>	german ivy
<i>Solanum jasminioides</i> (unc)	potato vine
<i>Vicia sativa</i>	climbing veitch

Grasses

<i>Anthoxanthum odoratum</i>	sweet vernal
<i>Bromus mollis</i>	
<i>Bromus diandrus</i>	
<i>Dactylis glomerata</i>	cocksfoot
<i>Errhata erecta</i>	
<i>Festuca arundinacea</i>	tall fescue
<i>Glyceria fluitans</i>	floating sweet grass
<i>Holcus lanata</i>	yorkshire fog
<i>Hordeum murinum</i>	barley grass
<i>Lolium multiflorum</i>	
<i>Lolium perenne</i>	perrenial rye grass
<i>Poa annua</i>	annual poa
<i>Rytidosperma racemosa</i>	

Sedges

<i>Carex longebrachiata</i>
<i>Carex ovalis</i>
<i>Isolepis platycarpa</i> (unc)

Rushes and allied plants

<i>Juncus articulatus</i>
<i>Juncus bufonius</i>
3 <i>Juncus tenuis</i>

Remaining Monocotyledonous plants

<i>Allium triquetrum</i>	onion weed
<i>Sisyrinchium iridifolium</i>	

Daisy-like herbs (Composites)

<i>Aster subulatus</i>	sea aster
<i>Bellis perennis</i>	daisy
<i>Gnaphalium spicatum</i>	
<i>Picris echoides</i>	ox tongue
<i>Senecio glastifolius</i>	holly leaved senecio
<i>Senecio jacobaea</i>	ragwort
<i>Taraxicum officinale</i>	dandelion

Dicotyledonous herbs other than Composites

<i>Achillea millefolium</i>	yarrow
<i>Anagallis arvensis</i>	scarlet pimpernal
<i>Brassica rapa</i>	wild turnip

Callitricha stagnalis	starwort
Cannabis sativa	hemp
Cardamine flexuosa	spitweed
Carduus tenuiflorus	winged thistle
3 Centaurium erythraea	centaury
Cerastium fontanum	mouseear chickweed
Cirsium vulgare	scotch thistle
Conium maculatum	hemlock
Conyza 'florabunda'	arum lily
Crocosmia x crocosmiflora	monbretia
Daucus carota	carrot
Digitalis purpurea	foxglove
Epilobium ciliatum (unc)	
Foeniculum vulgare	fennel
Fumaria officinale	fumitory
Galium aparine	bedstraw
Galeobdolon luteum	aluminium plant
Geranium molle	dove's foot cranesbill
Geranium robertianum	herb robert
Hypericum androsaemum	tutsan
Hypochaeris radicata	catsear
Linum bienne	pale flax
Medicago lupulina	black medick
Mentha spicata subsp. spicata	spearmint
Modiola caroliniana	creeping mallow\
Mimulus moschatus	
Myosotis laxa subsp. caespitosa	
Nasturtium	
Orobanche minor	broomrape
Oxalis sp.	
Pelargonium inodorum	
Plantago lanceolata	narrow leaved plantain
Plantago major	broad leaved plantain
Ranunculus repens	buttercup
Ranunculus sardous	
Rorippa nasturtium-aquaticum	watercress
Rumex acetosella	sheep sorrel
Rumex obtusifolius	dock
Sisymbrium officinale	hedge mustard
Solanum nigrum	nightshade
Solanum tuberosum	potato
Sonchus asper	prickly sow thistle
Sonchus oleraceus	sow thistle
Stellaria media	chickweed
Tradescantia fluminensis	wandering willie
Trifolium pratense	clover
Trifolium repens	clover
Vicia sativa	periwinkle

Birds:

Black backed gull
Blackbird

Eastern rosella
Fantail
Goldfinch
Grey warbler
Kingfisher
Morepork
Native pigeon
Paradise duck (with young)
Shining cuckoo
Sparrow
Starling
Thrush
Tui
Waxeye

Lizards:

Forest gecko (*Hoplodactylus granulatus*) W.R.C. Operational Report 98/4

Possums, rabbits and goats (5 shot by W.R.C. staff) have also been seen in the reserve