

On 6.6.99

SPRING GROVE COVENANT LONGBUSH (160-240m a.s.l.)
TOPOMAP S27 262945 (2231)
Indigenous Vascular Plants

Pat Enright 19/05/99

unc = uncommon

Site description:

This site is a QE2 covenant on the property of T. Herrick located at "Spring Grove" on the Martinborough/Masterton highway. It is a securely fenced 3.6 hectare bush remnant on a steep south-facing slope on limestone. There are a number of runoff channels and swampy patches especially towards the eastern end of the area.

Manuka/kanuka scrub bounds the area on three sides with the bottom boundary being coprosma/mahoe and kawakawa. The runoff channels contain the greatest diversity of species and reflect the greater availability of moisture. Possum control is currently being carried out on the site and several carcasses were noted and there is a noticeable smell in some areas of the bush.

Regeneration is quite marked with kawakawa (*Macropiper excelsum* var. *excelsum*) being very prominent in contrast with areas that are grazed where it is quite often browsed out. The only adult rewarewa (*Knightia excelsa*) seen is successfully seeding about and there are a number of nikau (*Rhopalostylis sapida*). There are seedlings of some species appearing for which no adult seed source was seen, notably *Pseudopanax arboreus*. There were no kahikatea (*Dacrycarpus dacrydioides*) seen so the only adult tree must be male. Another feature that can be attributed to the lack of grazing is the presence of a number of sedges and the variety of fern species.

This is a very interesting site with a good mixture of dry and moisture-loving species all encompassed in a very small area. There were no specific basicoles noted but with the nature of the ground and the density of the shrubbery the survey could only be given a medium status (five and a half-hours) and species could have been overlooked.

Gymnosperm trees and shrubs

Dacrycarpus dacrydioides (unc)
Podocarpus totara

Kahikatea
Totara

Monocotyledonous trees and shrubs

Cordyline australis
Rhopalostylis sapida

cabbage tree
Nikau

Dicotyledonous trees and shrubs

Alectryon excelsus var. excelsus
Brachyglottis repanda
Carmichaelia australis
Carpodetus serratus
Coprosma areolata
Coprosma crassifolia
Coprosma propinqua subsp. propinqua
Coprosma rhamnoides
Coprosma rigida
Coprosma robusta
Coprosma rotundifolia (unc)
Coprosma propinqua x C. robusta
Elaeocarpus dentatus (unc)
Fuchsia excorticata (unc)
Hebe stricta var. atkinsonii (unc)
Hedycarya arborea
Hoheria sexstylosa
Knightia excelsa (unc)
Kunzea ericoides
Leptospermum scoparium
Leucopogon fasciculatus
Macropiper excelsum var. excelsum
Melicytus ramiflorus subsp. ramiflorus
Myoporum laetum
Myrsine australis
Myrsine divaricata
Nestegis lanceolata (unc)
Olearia paniculata
Ozothamnus leptophyllus (unc)
Pittosporum eugenioides (unc)
Raukaua anomalous
Pseudopanax arboreus (unc)
Pseudopanax crassifolius
Urtica ferox (unc)

Titoki
Rangiora
Putaputaweta, marbleleaf

Karamu

Hinau
Kotukutuku
Koromiko
Pigeonwood

Kanuka
Manuka

Kawakawa
Mahoe
Ngaio
Red Matipo
Weeping Matipo
White maire

tauhinu
Tarata, lemonwood
Whauwhaupaku

Horoeka, lancewood

Monocotyledonous lianes

Ripogonum scandens

Dicotyledonous lianes and related trailing plants

Clematis foetida
Clematis paniculata (unc)
Metrosideros colensoi (unc)
Metrosideros perforata
Muehlenbeckia australis
Muehlenbeckia complexa
Parsonsia capsularis
Parsonsia heterophylla
Passiflora tetrandra
Rubus schmidelioides

Pohuehue

Akakiore
Passion vine

Psilotops, Lycopods and Quillworts

Lycopodium volubile

Ferns

Adiantum cunninghamii
Asplenium bulbiferum
Asplenium gracillimum
Asplenium flabellifolium
Asplenium flaccidum ss
Asplenium hookerianum
Asplenium oblongifolium
Asplenium bulbiferum/gracillimum x A. flaccidum
Blechnum chambersii
Blechnum discolor (unc)
Blechnum fluviatile
Blechnum novaezelandiae
Blechnum pennamarina (unc)
Blechnum procerum (unc)
Cyathea dealbata
Cyathea medullaris
Histiopteris incisa
Hypolepis ambigua
Lastreopsis glabella
Lastreopsis microsora
Paesia scaberula
Pellaea rotundifolia
Phymatosorus pustulatus (unc)
Pneumatopteris pennigera
Polystichum richardii

Maidenhair fern
Manamana, Hen and Chicken fern

Necklace fern
Makawe, Hanging spleenwort

Kiwakiwa
Kikio

Ponga, Silver fern
Mamaku

Tarawera

(*P. diversifolium*)

Polystichum vestitum (unc)
Pteris tremula
Pyrrosia eleagnifolia (unc)

Orchids

Thelymitra sp. (unc)

Grasses

Echinopogon ovatus
Microlaena stipoides
Poa anceps subsp. *anceps*
Poa imbecilla

Edges

Carex dissita
Carex flagellifera
Carex forsteri
Carex geminata ss
Carex raoulii (unc)
Carex secta
Carex solandri
Carex virgata
Uncinia uncinata

Watu, Hook grass

Rushes and allied plants

Juncus gregiflorus
Juncus sarophorus
Luzula picta

Wiwi

Remaining Monocotyledonous plants

Astelia fragrans (unc)
Libertia ixoides

Mikoikoi

Daisy-like herbs (Composites)

Craspedia uniflora var. *minor*
Gnaphalium gymnocephalum
Senecio biserratus
Senecio hispidulus

Dicotyledonous herbs other than Composites

Cardamine sp. (*C. debilis* agg.) ("Long Style" of Pritchard 1957) (unc)
Cardamine sp. (*C. debilis* agg.) ("Narrow Petal" of Pritchard 1957)
Dichondra brevifolia

| | | |
|-------------------------------------|------------------------|-------------------------|
| <i>Geranium</i> sp. | | |
| <i>Haloragis erecta</i> | | |
| <i>Helichrysum filicaule</i> | | |
| <i>Hydrocotyle elongata</i> | | |
| <i>Hydrocotyle heteromeria</i> | | |
| <i>Hydrocotyle moschata</i> | | |
| <i>Hydrocotyle novae-zelandiae</i> | | |
| <i>Oxalis exilis</i> | Yellow oxalis | |
| <i>Plantago raoulii</i> | | |
| <i>Pratia angulata</i> | | |
| <i>Ranunculus multiscapus</i> (unc) | | |
| <i>Ranunculus reflexus</i> | (pp <i>R. hirtus</i>) | Maruru, hairy buttercup |
| <i>Stellaria decipiens</i> | | |
| <i>Urtica incisa</i> | | |
| <i>Wahlenbergia rupestris</i> | | |

Birds:

Fantail
Tui
Turkey
Waxeye

