

SPRINGHILL STATION

PNA site number: 1457 (Eastern Wairarapa)
NZMS 260 T26 627 385

Visited on 18/10/96
by Peter J. de Lange, Gary Foster, John W. D. Sawyer and Andrew J. Townsend.

Site description

Hillside above Makirikiri Stream (south branch). The vegetation forms a mosaic with titoki-totara forest on the dry areas and kowhai-mahoe-rohutu open forest on the wet areas. Two plants of *Olearia hectori* occur in a wet gully above the farm access road. The two uncommon mistletoes - *Korthalsella salicornioides* and *Ileostylus micranthus* also occur in the forest remnant.

Checklist of plants

Ferns

<i>Adiantum diaphanum</i>	maidenhair fern
<i>Asplenium flabellifolium</i>	
<i>Asplenium gracillimum</i>	
<i>Asplenium hookerianum</i>	
<i>Blechnum fluviatile</i>	
<i>Dicksonia fibrosa</i>	wheki
<i>Dicksonia squarrosa</i>	wheki ponga
<i>Hypolepis ambigua</i>	
<i>Lastreopsis glabella</i>	
<i>Pellaea rotundifolia</i>	
<i>Pneumatopteris pennigera</i>	
<i>Pteris tremula</i>	
<i>Pyrrosia eleagnifolia</i>	

Podocarps

<i>Dacrycarpus dacrydoides</i>	kahikatea
<i>Podocarpus totara</i>	totara
<i>Prumnopitys taxifolia</i>	matai

Dicot. trees and shrubs

<i>Alectryon excelsus</i>	titoki
<i>Beilschmiedia tawa</i>	tawa
<i>Brachyglottis repanda</i>	rangiora
<i>Carmichaelia australis</i>	native broom
<i>Carpodetus serratus</i>	putaputaweta
<i>Coprosma crassifolia</i>	
<i>Coprosma rhamnoides</i>	
<i>Coprosma rigida</i>	
<i>Coprosma rotundifolia</i>	
<i>Coprosma rubra</i>	
<i>Helichrysum lanceolatum</i>	

<i>Hoheria sexstylosa</i>	houhere
<i>Ileostylis micranthus</i>	mistletoe
<i>Knightia excelsa</i>	rewarewa
<i>Korthasella salicornioides</i>	mistletoe
<i>Kunzea ericoides</i>	kanuka
<i>Lophomyrtus obcordata</i>	rohutu
<i>Melicope simplex</i>	poataniwha
<i>Melicytus ramiflorus</i>	mahoe
<i>Myoporum laetum</i>	ngaio
<i>Myrsine divaricata</i>	weeping matipo
<i>Nestegis cunninghamii</i>	black maire
<i>Nestegis lanceolatus</i>	white maire
<i>Pittosporum tenuifolium</i>	kohuhu
<i>Pseudopanax crassifolius</i>	horoeka
<i>Raukana anomalous</i>	
<i>Sophora microphylla</i>	kowhai
<i>Streblus heterophyllus</i>	turepo

Olearia hectori

Dicot. lianes	
<i>Clematis foetida</i>	scented clematis
<i>Clematis forsteri</i>	clematis
<i>Fuchsia perscandens</i>	climbing fuchsia
<i>Muehlenbeckia australis</i>	
<i>Muehlenbeckia complexa</i>	
<i>Parsonsia capsularis</i>	native jasmine
<i>Parsonsia heterophylla</i>	native jasmine
<i>Rubus schmideloides</i> var. <i>subpauperatus</i>	bush lawyer

Dicot. herbs	
<i>Cardamine debilis</i> agg.	native bitter cress
<i>Cotula australis</i>	
<i>Dichondra brevifolia</i> agg.	
<i>Epilobium rotundifolium</i>	
<i>Galium propinquum</i>	
<i>Gnaphalium gymnocephalum</i>	
<i>Hydrocotyle elongata</i>	
<i>Hydrocotyle heteromeria</i>	
<i>Oxalis exilis</i>	
<i>Plantago raoulii</i>	
<i>Pratia angulata</i>	
<i>Ranunculus reflexus</i>	
<i>Stellaria parviflora</i>	

Monocot. trees and shrubs	
<i>Cordyline australis</i>	cabbage tree

Monocot. lianes	
<i>Ripogonum scandens</i>	supplejack

Rushes

Juncus australis
Juncus gregiflorus
Juncus pallidus
Juncus sarophorus
Luzula picta

Sedges

Carex forsteri
Carex virgata

Grasses

Poa imbecillus

Adventive taxa

Dicot. trees and shrubs

Crataegus monogyna

hawthorn

Dicot. herbs

Callitricha stagnalis

starwort

Galium aparine

cleavers

Ranunculus repens

creeping buttercup

gnalep

U:\data\lists\sprnghll.doc