

Appendix 2: Adventive vascular plants in the Wairarapa Plains Ecological District

S26 220 160

GYMNOSPERMS

<i>Pinus pinaster</i>	maritime pine
<i>Pinus radiata</i>	radiata pine
<i>Cupressus macrocarpa</i>	macrocarpa

DICOT. TREES AND SHRUBS

<i>Acer pseudoplatanus</i>	sycamore
<i>Alnus glutinosa</i>	alder
<i>Berberis glaucocarpus</i>	barberry
<i>Betula</i> sp.	birch
<i>Chamaecytisus palmensis</i>	tree lucerne
<i>Cotoneaster glaucophyllus</i> f. <i>serotina</i>	cotoneaster
<i>Crataegus monogyna</i>	hawthorn
<i>Cytisus scoparius</i>	broom
<i>Elaeagnus</i> × <i>reflexa</i>	elaeagnus
<i>Euonymus europaeus</i>	spindle tree
<i>Hydrangea macrophylla</i>	hydrangea
<i>Hypericum androsaemum</i>	tutsan
<i>Juglans regia</i>	walnut
<i>Ligustrum ovalifolium</i>	privet
<i>Lupinus arboreus</i>	lupin
<i>Lycium ferocissimum</i>	boxthorn
<i>Malus</i> × <i>domestica</i>	apple
<i>Physalis peruviana</i>	Cape gooseberry
<i>Populus alba</i> cv. <i>Nivea</i>	silver poplar
<i>Populus nigra</i> cv. <i>Italica</i>	Lombardy poplar
<i>Prunus cerasifera</i>	cherry plum
<i>Prunus persicaria</i>	peach
<i>Pseudotsuga menziesii</i>	Douglas fir
<i>Pyracantha</i> sp.	firethorn
<i>Robinia pseudacacia</i>	false acacia
<i>Rosa rubiginosa</i>	sweet brier
<i>Rubus</i> sp. (<i>R. fruticosus</i> agg.)	blackberry
<i>Rubus laciniatus</i>	cut-leaved blackberry
<i>Salix alba</i> var. <i>vitellina</i>	golden willow
<i>Salix babylonica</i>	weeping willow
<i>Salix cinerea</i>	grey willow

Salix fragilis
Sambucus nigra
Solanum mauritianum
Solanum pseudocapsicum
Ulex europaeus

crack willow
elder
woolly nightshade
Jerusalem cherry
gorse

DICOT. LIANES

Asparagus asparagoides
Calystegia silvatica
Clematis vitalba
Cobaea scandens
Convolvulus arvensis
Hedera helix
Lonicera japonica
Senecio mikanioides

smilax
great bindweed
old man's beard
Cathedral bells
field bindweed
ivy
Japanese honeysuckle
Germany ivy

LYCOPSIDS

Selaginella kraussiana

GRASSES

Agrostis capillaris
Agrostis castellana (Ogle et al. 1990a)
Agrostis gigantea
Agrostis stolonifera
Alopecurus geniculatus
Anthoxanthum odoratum
Arrhenatherum elatius
Bromus diandrus
Bromus willdenowii
Cortaderia selloana
Cynosurus cristatus
Dactylis glomerata
Echinochloa crus-gallii (Ogle et al. 1990a)
Ehrharta erecta
Elytrigia repens
Festuca arundinacea
Festuca nigrescens (Ogle et al. 1990a)
Festuca rubra (Hill 1962)
Glyceria declinata
Glyceria striata
Holcus lanatus
Hordeum murinum

brown-top
dryland browntop
redtop
creeping bent
knead foxtail
sweet vernal
tall oat grass
ripgrut brome
prairie grass
pampas
crested dogtail
cocksfoot
barnyard grass
veld grass
twitch, couch
tall fescue
chewing fescue
red fescue
floating sweetgrass

Yorkshire fog
barley grass

<i>Lagurus ovatus</i>	haretail
<i>Lolium perenne</i>	perennial ryegrass
<i>Paspalum dilatatum</i>	paspalum
<i>Paspalum distichum</i>	mercet grass
<i>Phalaris aquatica</i>	
<i>Phleum pratense</i>	timothy
<i>Poa annua</i>	annual poa
<i>Poa trivialis</i> (Ogle et al. 1990a)	rough-stalked meadow grass
<i>Rytidosperma racemosum</i> (Ogle et al. 1990a)	danthonia
<i>Stipa</i> sp. (Hill. 1962)	

SEDGES

<i>Carex otrubae</i> (Ogle et al. 1990a)
<i>Carex sylvatica</i> (Ogle et al. 1990a)
<i>Cyperus eragrostis</i>
<i>Isolepis marginata</i> (Ogle et al. 1990a)

RUSHES

<i>Juncus articulatus</i>	jointed-leaved rush
<i>Juncus bufonius</i>	
<i>Juncus dichotomus</i> (Ogle et al. 1990a)	
<i>Juncus effusus</i>	
<i>Juncus microcephalus</i>	
<i>Juncus tenuis</i>	

MONOCOT. HERBS (OTHER THAN GRASSES, SEDGES AND RUSHES)

<i>Agapanthus praecox</i>	agapanthus
<i>Alisma lanceolatum</i>	water plantain
<i>Allium triquetum</i>	three-cornered garlic
<i>Aponogeton distachyus</i> (Ogle et al. 1990a)	Cape pond weed
<i>Crocsmia</i> × <i>crocsmiiflora</i>	montbretia
<i>Elodea canadensis</i>	Canadian pond weed
<i>Iris pseudacorus</i> (Ogle et al. 1990a)	yellow flag
<i>Potamogeton crispus</i>	curled pond weed
<i>Sisyrinchium iridifolium</i>	
<i>Sisyrinchium</i> sp. "blue"	
<i>Spirodela punctata</i> (Ogle et al. 1990a)	purple-backed duckweed
<i>Tradescantia fluminensis</i>	wandering Jew
<i>Zantedeschia aethiopica</i>	arum lily

DICOT. HERBS (COMPOSITE FAMILY)

<i>Achillea millefolium</i>	yarrow
<i>Anthemis cotula</i>	stinking mayweed
<i>Aster lanceolatus</i>	Michaelmas daisy
<i>Aster subulatus</i>	sea aster
<i>Bidens frondosa</i>	beggar's ticks
<i>Carduus tenuiflorus</i>	winged thistle
<i>Centipeda cunninghamii</i>	sneezewort
<i>Chamaemelum nobile</i>	chamomile
<i>Cichorium intybus</i>	chicory
<i>Cirsium arvense</i>	Californian thistle
<i>Cirsium vulgare</i>	Scotch thistle
<i>Conyza bilbaoana</i>	fleabane
<i>Conyza canadensis</i>	wavy-leaved fleabane
<i>Crepis capillaris</i>	hawks beard
<i>Gnaphalium coarctatum</i>	cudweed
<i>Hypochoeris radicata</i>	catsear
<i>Lapsana communis</i>	nipplewort
<i>Leontodon taraxacoides</i>	hawkbit
<i>Leucanthemum vulgare</i>	oxeye daisy
<i>Matricaria dioscoidea</i>	rayless chamomile
<i>Mycelis muralis</i>	wall lettuce
<i>Picris echioides</i>	oxtongue
<i>Senecio jacobaea</i>	ragwort
<i>Silybum marianum</i>	variegated thistle
<i>Soliva sessilis</i>	Onehunga weed
<i>Sonchus asper</i>	prickly sowthistle
<i>Sonchus oleraceus</i>	puha, sowthistle
<i>Taraxacum officinale</i>	dandelion
<i>Xanthium spinosum</i> (Hill 1962)	Bathurst bur

DICOT. HERBS (OTHER THAN COMPOSITE FAMILY)

<i>Acaena agnipila</i>	Australian sheep's bur
<i>Acaena novae-zelandiae</i>	
<i>Alcea rosea</i>	hollyhock
<i>Amaranthus retroflexus</i> (Ogle <i>et al.</i> 1990a)	amaranthus
<i>Anagallis arvensis</i>	scarlet pimpernel
<i>Apium graveolens</i>	wild celery
<i>Brassica napus</i> (Hill 1962)	swede
<i>Brassica oleracea</i> (Hill 1962)	wild cabbage
<i>Brassica rapa</i> (Hill 1962)	turnip
<i>Callitriche stagnalis</i>	starwort
<i>Capsella bursa-pastoris</i>	shepherd's purse
<i>Cardamine hirsuta</i>	bitter-cress
<i>Centaureum erythraea</i>	century
<i>Cerastium glomeratum</i>	mouse-eared chickweed

<i>Chamaecytisus palmensis</i>	tagasaste
<i>Chenopodium album</i> agg.	fathen
<i>Chenopodium murale</i>	nettle-leaved fathen
<i>Chenopodium pumilio</i>	clammy goosefoot
<i>Ciclospermum leptophyllum</i> (Ogle et al. 1990a)	slender celery
<i>Conium maculatum</i>	hemlock
<i>Coronopus didymus</i>	twin cress
<i>Crassula decumbens</i> (Ogle et al. 1990a)	cape crassula
<i>Cucurbita maxima</i>	pumpkin
<i>Datura stramonium</i>	thorn apple
<i>Dianthus armeria</i>	Deptford pink
<i>Dipsacus sylvestris</i> (Ogle et al. 1990a)	wild teasel
<i>Epilobium ciliatum</i>	willow herb
<i>Erodium cicutarium</i> (Ogle et al. 1990a)	storksbill
<i>Erodium moschatum</i>	storksbill
<i>Euphorbia peplus</i>	milkweed
<i>Foeniculum vulgare</i>	fennel
<i>Fumaria muralis</i>	scrambling fumitory
<i>Fumaria officinalis</i>	fumitory
<i>Galium aparine</i>	cleavers
<i>Galium palustre</i>	marsh bedstraw
<i>Geranium molle</i>	dove's foot cranesbill
<i>Hyoscyamus niger</i>	henbane
<i>Lamium amplexicaule</i>	henbit
<i>Lathyrus odoratus</i>	sweet pea
<i>Lepidium bonariense</i> (Ogle et al. 1990a)	Argentine cress
<i>Ligustrum ovalifolium</i>	privet
<i>Linum bienne</i>	pale flax
<i>Lotus pedunculatus</i>	lotus
<i>Lotus suaveolens</i>	hairy lotus
<i>Ludwigia palustris</i>	water purslane
<i>Lythrum hyssopifolia</i>	hyssop loosestrife
<i>Malva neglecta</i>	dwarf marrow
<i>Melilotus indica</i>	King Island melilot
<i>Mentha pulegium</i>	pennyroyal
<i>Mentha spicata</i>	spearmint
<i>Mentha × piperita</i> var. <i>citrata</i>	bergamot mint
<i>Mimulus guttatus</i>	monkey musk
<i>Modiola caroliniana</i>	creeping marrow
<i>Myosotis laxa</i> subsp. <i>caespitosa</i>	water forget-me-not
<i>Navarretia squarrosa</i>	Californian stinkweed
<i>Oenanthe pimpinelloides</i>	parsley dropwort
<i>Orobanche minor</i>	broomrape
<i>Parentucellia viscosa</i>	tarweed
<i>Pastinaca sativa</i>	wild parsnip
<i>Plantago lanceolata</i>	narrow-leaved plantain
<i>Plantago major</i>	broad-leaved plantain
<i>Polygonum aviculare</i>	wireweed
<i>Polygonum hydropiper</i>	water pepper
<i>Polygonum persicaria</i>	willow weed

<i>Prunella vulgaris</i>	selfheal
<i>Ranunculus acris</i>	giant buttercup
<i>Ranunculus flammula</i>	spearwort
<i>Ranunculus repens</i>	creeping buttercup
<i>Ranunculus sceleratus</i>	celery-leaved buttercup
<i>Ranunculus trichophyllus</i> (Ogle et al. 1990a)	water buttercup
<i>Rapbanus raphanistrum</i> subsp. <i>raphanistrum</i>	wild radish
<i>Rorippa nasturtium-aquaticum</i>	watercress
<i>Rumex acetoslla</i>	sheep's sorrel
<i>Rumex conglomeratus</i>	clustered dock
<i>Rumex crispus</i>	curled dock
<i>Rumex obtusifolius</i>	broad-leaved dock
<i>Rumex sagittatus</i>	climbing dock
<i>Sagina procumbens</i>	pearlwort
<i>Sedum acre</i>	stonecrop
<i>Sisymbrium officinale</i>	hedge mustard
<i>Sisymbrium orientale</i>	oriental mustard
<i>Solanum nigrum</i>	black nightshade
<i>Solanum physalifolium</i>	hairy nightshade
<i>Solanum tuberosum</i>	potato
<i>Spergula arvensis</i>	spurrey
<i>Stellaria graminea</i> (Ogle et al. 1990a)	stickwort
<i>Stellaria media</i>	chickweed
<i>Trifolium dubium</i>	suckling clover
<i>Trifolium fragiferum</i> (Ogle et al. 1990a)	strawberry clover
<i>Trifolium pratense</i>	red clover
<i>Trifolium repens</i>	white clover
<i>Trifolium subterraneum</i>	subterranean clover
<i>Urtica urens</i>	nettle
<i>Verbascum thapsus</i>	woolly mullein
<i>Verbascum virgatum</i>	moth mullein
<i>Verbena bonariensis</i>	purple-top
<i>Veronica anagallis-aquatica</i>	water speedwell
<i>Veronica persica</i>	scrambling speedwell
<i>Veronica scutellata</i> (Ogle et al. 1990a)	march speedwell
<i>Veronica serpyllifolia</i>	speedwell
<i>Vicia hirsuta</i>	hairy vetch
<i>Vicia sativa</i>	vetch
<i>Viola odorata</i>	violet

Wairarapa Plains Ecological District

Survey report for the
Protected Natural Areas Programme

by Sarah Beadel, Alison Perfect, Aalbert Rebergen, John Sawyer

Published by:
Department of Conservation
Wellington Conservancy
P.O. Box 5086
Wellington
New Zealand