

# Appendix 1: Indigenous vascular plants in the Wairarapa Plains Ecological District

On bilbo ✓  
Orchids on  
d. base ✓

~~S 26 220 170~~ S 27 040 910

The following list was compiled from information collected during the 1997-98 PNAP survey, during the initial phase of the PNAP survey in 1996 (with reference to Sawyer & Keenan 1997; Sawyer 1998; Ogle *et al.* 1990a; Druce 1971a, 1971b, 1990; Hill 1962; Mason 1951), and from other field excursions by the authors, often with members of the Wellington Botanical Society. Andrew Townsend helped with the compilation of this list.

## Abbreviations used:

- aff. affinities with
- agg. aggregate, comprising more than one species.
- cf. compare with
- f. forma, form
- incl. including
- sp. species (singular)
- spp. species (plural)
- subsp. subspecies
- s.s. *sensu stricto*, in the narrow sense
- × hybrid
- var variety
- \* possibly adventive

## GYMNOSPERM TREES

<i>Dacrycarpus dacrydioides</i>	kahikatea
<i>Dacrydium cupressinum</i>	rimu
<i>Podocarpus totara</i>	totara
<i>Prumnopitys ferruginea</i>	miro
<i>Prumnopitys taxifolia</i>	matai

## MONOCOT. TREES

<i>Cordyline australis</i>	ti kouka
<i>Cordyline banksii</i>	ti ngahere, forest cabbage tree
<i>Rhopalostylis sapida</i>	nikau

## DICOT. TREES AND SHRUBS

<i>Alectryon excelsus</i> var. <i>excelsus</i>	titoki
<i>Aristolelia serrata</i>	makomako, wineberry
<i>Beilschmiedia tawa</i>	tawa
<i>Brachyglottis greyi</i> var. <i>greyi</i>	
<i>Brachyglottis repanda</i>	rangiora
<i>Carmichaelia australis</i>	makaka, maukoro
<i>Carpodetus serratus</i>	putaputaweta
<i>Coprosma areolata</i>	
<i>Coprosma crassifolia</i>	
<i>Coprosma grandifolia</i>	kanono
<i>Coprosma linariifolia</i>	
<i>Coprosma lucida</i>	karamu
<i>Coprosma microcarpa</i>	
<i>Coprosma propinqua</i> subsp. <i>propinqua</i> (incl. <i>C. propinqua</i> var. <i>latiuscula</i> )	
<i>Coprosma propinqua</i> × <i>C. robusta</i>	
<i>Coprosma rhamnoides</i>	
<i>Coprosma rigida</i>	
<i>Coprosma rigida</i> × <i>C. propinqua</i>	
<i>Coprosma robusta</i>	karamu
<i>Coprosma rotundifolia</i>	
<i>Coprosma rubra</i>	
<i>Coprosma</i> sp. "v" (of Eagle 1982)	
<i>Coprosma tenuicaulis</i>	hukihuki
<i>Coprosma tenuifolia</i>	
<i>Coprosma virescens</i>	
<i>Coprosma wallii</i>	
<i>Coriaria arborea</i> var. <i>arborea</i>	tutu
<i>Corynocarpus leavigatus</i>	karaka
<i>Cyathodes juniperina</i>	prickly mingimingi
<i>Cyathodes</i> sp. ( <i>C. juniperina</i> agg.) (lvs small, <1cm × <1 mm) (Druce 1971b)	
<i>Discaria toumatou</i>	matagouri
<i>Elaeocarpus dentatus</i>	hinau
<i>Elaeocarpus bookerianus</i> (Druce 1971b)	pokaka
<i>Fuchsia excorticata</i>	kotukutuku, tree fuchsia
<i>Fuchsia excorticata</i> × <i>F. perscandens</i>	
<i>Gaultheria antipoda</i>	tawiniwini
<i>Gaultheria rupestris</i>	
<i>Geniostoma rupestre</i> var. <i>liguistrifolium</i>	hangehange
<i>Griselinia littoralis</i>	papauma
<i>Griselinia lucida</i>	puka
<i>Hebe parviflora</i> agg.	
<i>Hebe stricta</i> var. <i>atkinsonii</i>	koromiko
<i>Hebe stricta</i> var. <i>stricta</i>	koromiko
<i>Hedycarya arborea</i>	porokaiwhiri, pigeonwood
<i>Helichrysum lanceolatum</i>	ninia
<i>Hoberia angustifolia</i>	narrow-leaved lacebark

<i>Hoheria angustifolia</i> × <i>H. sexstylosa</i> var. <i>sexstylosa</i> (Druce 1971b)	houhere, lacebark
<i>Hoheria sexstylosa</i> var. <i>sexstylosa</i>	mistletoe
<i>Ileostylus micranthus</i>	rēwarewa
<i>Knighitia excelsa</i>	mistletoe
<i>Korthalsella clavata</i>	mistletoe
<i>Korthalsella lindsayi</i>	mistletoe
<i>Korthalsella salicornioides</i>	mistletoe
<i>Kunzea ericoides</i> var. <i>ericoides</i>	kanuka
<i>Laurelia novae-zelandiae</i>	pukatea
<i>Leptospermum scoparium</i>	manuka
<i>Leucopogon fasciculatus</i>	mingimingi
<i>Lophomyrtus bullata</i>	ramarama
<i>Lophomyrtus bullata</i> × <i>L. obcordata</i>	
<i>Lophomyrtus obcordata</i>	rohutu
<i>Macropiper excelsum</i> var. <i>excelsum</i>	kawakawa
<i>Melicope simplex</i>	poataniwha
<i>Melicytus micranthus</i> (incl. <i>M. m.</i> var. <i>microphyllus</i> ) (Druce 1990)	mahoe-wao
<i>Melicytus ramiflorus</i> subsp. <i>ramiflorus</i>	mahoe
<i>Melicytus</i> sp. "Blonden"	
<i>Metrosideros robusta</i>	northern rata
<i>Myoporum laetum</i>	ngaio
<i>Myrsine australis</i>	mapou
<i>Myrsine divaricata</i>	
<i>Myrsine salicina</i> (Druce 1971b)	toro
<i>Neomyrtus pedunculata</i>	rohutu
<i>Nestegis cunninghamii</i>	black maire
<i>Nestegis lanceolata</i>	white maire
<i>Nestegis montana</i>	narrow-leaved maire
<i>Nothofagus fusca</i>	red beech
<i>Nothofagus menziesii</i> (Ogle <i>et al.</i> 1990a)	silver beech
<i>Nothofagus solandri</i> var. <i>solandri</i>	black beech
<i>Nothofagus solandri</i> × <i>N. truncata</i>	
<i>Nothofagus truncata</i> (1996b)	hard beech
<i>Olearia arborescens</i>	
<i>Olearia paniculata</i>	
<i>Olearia rani</i>	heketara
<i>Olearia solandri</i>	
<i>Olearia virgata</i> var. <i>virgata</i> (incl. <i>O. v.</i> var. <i>ramuliflora</i> ) (Druce 1971b)	
<i>Ozothamnus leptophyllus</i>	tauhinu
<i>Pennantia corymbosa</i>	kaikomako
<i>Pimelea arenaria</i>	sand daphne
<i>Pittosporum cornifolium</i>	
<i>Pittosporum divaricatum</i>	
<i>Pittosporum eugenioides</i>	tarata; lemonwood
<i>Pittosporum obcordatum</i>	
<i>Pittosporum ralphii</i>	
<i>Pittosporum tenuifolium</i> subsp. <i>tenuifolium</i>	kohuhu

<i>Plagianthus divaricatus</i>	makaka, marsh ribbonwood
<i>Plagianthus regius</i>	manatu, ribbonwood
<i>Pseudopanax arboreus</i> var. <i>arboreus</i>	whauwhaupaku, five finger
<i>Pseudopanax crassifolius</i>	horoeke, lancewood
<i>Pseudowintera axillaris</i>	
<i>Pseudowintera colorata</i>	
<i>Raukawa anomalus</i>	
<i>Raukawa edgerleyi</i>	rauikawa
<i>Schefflera digitata</i>	pate
<i>Solanum aviculare</i> var. <i>aviculare</i> (incl. <i>Solanum aviculare</i> var. <i>albiflorum</i> and <i>S. cheesemanii</i> ) (Druce, 1987)	poroporo
<i>Solanum laciniatum</i>	poroporo
<i>Sophora microphylla</i>	kowhai
<i>Sophora tetraptera</i>	kowhai
<i>Streblus banksii</i>	larged-leaved milk tree
<i>Streblus heterophyllus</i>	turepo
<i>Syzygium maire</i>	maire tawake
<i>Teucrium parvifolium</i> (incl. <i>Teucrium</i> <i>parvifolium</i> var. <i>luxurians</i> )	
<i>Tupeia antarctica</i>	mistletoe
<i>Urtica ferox</i>	ongaonga
<i>Weinmannia racemosa</i>	kamahi

#### MONOCOT. LIANES

<i>Freycinetia banksii</i>	kieke
<i>Ripogonum scandens</i>	kareao, supplejack

#### DICOT. LIANES

<i>Calystegia septum</i>	pohue
<i>Calystegia tuguriorum</i> (Druce 1971b)	
<i>Clematis foetida</i>	akakaiku
<i>Clematis forsteri</i> (incl. <i>C. australis</i> , <i>C. hookeriana</i> , <i>C. petriei</i> )	poananga
<i>Clematis paniculata</i>	puawananga
<i>Fuchsia perscandens</i>	
<i>Metrosideros colensoi</i> (Druce 1971b)	rata
<i>Metrosideros diffusa</i>	rata
<i>Metrosideros fulgens</i>	rata
<i>Metrosideros perforata</i>	aka
<i>Muehlenbeckia australis</i>	pohuehue
<i>Muehlenbeckia australis</i> × <i>M. complexa</i> (Druce 1971b)	
<i>Muehlenbeckia complexa</i>	pohuehue
<i>Parsonsia capsularis</i>	

<i>Parsonsia capsularis</i> × <i>P. heterophylla</i> (Druce 1971b)	
<i>Parsonsia heterophylla</i>	New Zealand jasmine
<i>Passiflora tetrandra</i>	New Zealand passion flower
<i>Rubus australis</i>	bush lawyer
<i>Rubus australis</i> × <i>R. complexa</i> (Druce 1971b)	
<i>Rubus australis</i> × <i>R. schmideloides</i> (Druce 1971b)	
<i>Rubus australis</i> × <i>R. squarrosus</i> (Druce 1971b)	
<i>Rubus cissoides</i> var. <i>cissoides</i>	bush lawyer
<i>Rubus schmideloides</i> var. <i>schmideloides</i>	bush lawyer
<i>Rubus squarrosus</i>	leafless bush lawyer
<i>Urtica linearifolia</i>	

## LYCOPODS AND PSLIOPSIDS

<i>Isoetes kirkii</i>	
<i>Lycopodium scariosum</i>	
<i>Lycopodium varium</i> (incl. <i>L. billardierei</i> & <i>L. novaezelandicum</i> ; Druce 1971)	
<i>Lycopodium volubile</i>	
<i>Tmesipteris elongata</i>	
<i>Tmesipteris lanceolata</i>	
<i>Tmesipteris tannensis</i>	

## FERNS

<i>Adiantum aethiopicum</i> (Druce 1971b)	
<i>Adiantum cunninghamii</i>	maidenhair fern
<i>Adiantum diaphanum</i> (Druce 1971b)	huruhuru tapairu
<i>Adiantum fulvum</i>	huruhuru tapairu
<i>Anarthropteris lanceolata</i> (Druce 1971b)	
<i>Anogramma leptophylla</i>	
<i>Arthropteris tenella</i>	
<i>Asplenium bulbiferum</i>	mouku
<i>Asplenium bulbiferum</i> × <i>A. flaccidum</i> (Druce 1971b)	
<i>Asplenium bulbiferum</i> × <i>A. bookerianum</i> (Druce 1971b)	
<i>Asplenium flabellifolium</i>	
<i>Asplenium flaccidum</i>	hanging spleenwort
<i>Asplenium flaccidum</i> × <i>A. bookerianum</i>	
<i>Asplenium gracillimum</i>	petako-paraharaha
<i>Asplenium bookerianum</i>	petako-paraharaha
<i>Asplenium oblongifolium</i>	shining spleenwort
<i>Asplenium polyodon</i>	pekato
<i>Azolla filiculoides</i>	floating water fern
<i>Blechnum chambersii</i>	rereti

<i>Blechnum discolor</i>	petipeti, crown fern
<i>Blechnum filiforme</i>	climbing blechnum
<i>Blechnum fluviatile</i>	kiwikiwi
<i>Blechnum membranaceum</i> (Druce 1971b)	
<i>Blechnum novae-zelandiae</i> s.s.	kiokio
<i>Blechnum novae-zelandiae</i> (swamp form)	swamp kiokio
<i>Blechnum penna-marina</i> subsp. <i>alpina</i> (Ogle et al. 1990a)	
<i>Blechnum procerum</i>	
<i>Blechnum triangularifolium</i>	
<i>Botrychium bifforme</i>	
<i>Ctenopteris heterophylla</i>	
<i>Cyathea cunninghamii</i>	punui
<i>Cyathea dealbata</i>	ponga
<i>Cyathea medullaris</i>	mamaku
<i>Cyathea smithii</i>	katote
<i>Dicksonia fibrosa</i>	wheki-ponga
<i>Dicksonia squarrosa</i>	wheki
<i>Diplazium australe</i>	
<i>Doodia media</i>	
<i>Grammitis billardierei</i> (Druce 1971b)	
<i>Histiopteris incisa</i>	water fern
<i>Hymenophyllum bivalve</i>	mauku
<i>Hymenophyllum cupressiforme</i>	
<i>Hymenophyllum demissum</i>	irirangi
<i>Hymenophyllum dilatatum</i>	matua mauku
<i>Hymenophyllum ferrugineum</i>	
<i>Hymenophyllum flabellatum</i>	miauku
<i>Hymenophyllum flexuosum</i>	mauku
<i>Hymenophyllum multifidum</i>	mauku
<i>Hymenophyllum rarum</i> (Druce 1971b)	mauku
<i>Hymenophyllum revolutum</i>	mauku
<i>Hymenophyllum sanguinolentum</i>	piripiri
<i>Hymenophyllum scabrum</i> (Druce 1971b)	mauku
<i>Hypolepis ambigua</i>	
<i>Hypolepis lactea</i>	
<i>Hypolepis rufobarbata</i>	
<i>Lastreopsis glabella</i>	
<i>Lastreopsis hispida</i>	
<i>Lastreopsis microsora</i> subsp. <i>pentangularis</i> (Druce 1971b)	
<i>Lastreopsis velutina</i> (Druce 1971b)	
<i>Leptopteris hymenophylloides</i> (Druce 1971b)	
<i>Lindsaea linearis</i>	
<i>Lindsaea trichomanoides</i>	
<i>Paesia scaberula</i>	ring fern
<i>Pellaea rotundifolia</i>	tarawera
<i>Phymatosorus pustulatus</i>	hound's tongue fern
<i>Phymatosorus scandens</i>	mokimoki
<i>Pilularia novae-zelandiae</i> (Ogle et al. 1990a)	

<i>Pneumatopteris pennigera</i>	pakau
<i>Polystichum richardii</i>	
<i>Polystichum silvaticum</i> (Druce 1971b)	
<i>Polystichum vestitum</i>	
<i>Pteridium esculentum</i>	rarahū, bracken
<i>Pteris macilentā</i>	
<i>Pteris tremula</i>	
<i>Pyrrosia eleagnifolia</i>	
<i>Rumohra adiantifformis</i>	
<i>Trichomanes endlicherianum</i>	
<i>Trichomanes reniforme</i>	konehu
<i>Trichomanes venosum</i>	

## ORCHIDS

✓ <i>Acianthus sinclairii</i>	
✓ <i>Bulbophyllum pygmaeum</i>	piripiri
✓ <i>Caladenia carnea</i>	
✓ <i>Caladenia chlorostyla</i>	
✓ <i>Chiloglottis cornuta</i>	
✓ <i>Corybas cheesemantii</i>	
✓ <i>Corybas macranthus</i>	
✓ <i>Corybas</i> sp. (aff. <i>C. rivularis</i> )	spider orchid
✓ <i>Corybas trilobus</i> s.s.	
✓ <i>Drymoanthus flavus</i>	
✓ <i>Drymonanthus adversus</i>	
✓ <i>Earina autumnalis</i>	raupeka
✓ <i>Earina mucronata</i>	peka-a-waka
✓ <i>Gastrodia cunninghamii</i>	huperei
✓ <i>Microtis unifolia</i>	onion-leaved orchid
✓ <i>Pterostylis alobula</i>	
✓ <i>Pterostylis banksii</i>	tutukiwi.
✓ <i>Pterostylis foliata</i> (WELT 1054; 1963 record)	
✓ <i>Pterostylis micromega</i> (CHR 77786; 1950 record)	swamp hood orchid
✓ <i>Pterostylis montana</i> agg. (Druce 1971b)	
✓ <i>Pterostylis trullifolia</i>	
✓ <i>Thelymitra longifolia</i>	maikuku
✓ <i>Winika cunninghamii</i>	

## GRASSES

<i>Amphibromus fluitans</i>	
<i>Austrofestuca littoralis</i>	hinarepe
<i>Cortaderia fulvida</i>	toetoe
<i>Cortaderia toetoe</i>	toetoe
<i>Deyeuxia avenoides</i>	
<i>Deyeuxia quadriseta</i> (Hill 1962)	

<i>Dichelachne crinata</i> (Druce 1971b)	
<i>Echinopogon ovatus</i>	
<i>Elymus multiflorus</i> (Hill 1962)	
<i>Isachne globosa</i>	swamp millet
<i>Lachnagrostis filiformis</i>	
<i>Microlaena avenacea</i>	bush rice grass
<i>Microlaena polynoda</i> (Druce 1971b)	
<i>Microlaena stipoides</i>	meadow rice-grass
<i>Oplismenus imbecillis</i>	
<i>Poa anceps</i> subsp. <i>anceps</i>	
<i>Poa imbecilla</i>	
<i>Poa pusilla</i> (Ogle et al. 1990a)	
<i>Rytidosperma biannutare</i> (Hill 1962)	
<i>Rytidosperma clavatum</i> (Druce 1971b)	
<i>Rytidosperma gracile</i>	

## SEDGES

<i>Baumea rubiginosa</i>	
<i>Baumea tenax</i> (Ogle et al. 1990a)	
<i>Bolboschoenus caldwelli</i> (Ogle et al. 1990a)	
<i>Bolboschoenus fluviatilis</i> (Ogle et al. 1990a)	Purua grass
<i>Carex buchananii</i>	
<i>Carex cirrhosa</i>	
<i>Carex dipsacea</i> var. <i>dipsacea</i>	
<i>Carex dissita</i> (Druce 1971b)	
<i>Carex flagellifera</i>	manaia
<i>Carex forsteri</i>	
<i>Carex gaudichaudiana</i>	
<i>Carex geminata</i> s.s.	
<i>Carex inversa</i> (Druce 1971b)	
<i>Carex lambertiana</i> (Druce 1971b)	
<i>Carex lessontiana</i> (Druce 1971b)	
<i>Carex maorica</i>	
<i>Carex pumila</i>	sand carex
<i>Carex raoulii</i> s.s.	
<i>Carex secta</i> s.s.	purei
<i>Carex sinclairii</i>	grass sedge
<i>Carex solandri</i>	
<i>Carex testacea</i>	
<i>Carex virgata</i>	purei
<i>Cyperus ustulatus</i>	toetoe upokotangata
<i>Desmoschoenus spiralis</i>	pingao
<i>Eleocharis acuta</i>	sharp spike sedge
<i>Eleocharis gracilis</i> (Ogle et al. 1990a)	slender spike sedge
<i>Eleocharis pusilla</i> (Ogle et al. 1990a)	
<i>Eleocharis sphacelata</i>	bamboo spike sedge
<i>Gabnia pauciflora</i>	takahikahi
<i>Isolepis cernua</i>	



<i>Isolepis distigmata</i>	
<i>Isolepis inundata</i> (Druce 1971b)	
<i>Isolepis nodosa</i>	clubrush
<i>Isolepis prolifer</i>	
<i>Isolepis reticularis</i>	
<i>Leptocarpus similis</i>	oi oi
<i>Morelotia affinis</i>	
<i>Schoenoplectus pungens</i>	three square
<i>Schoenoplectus tabernaemontani</i>	kapungawha
<i>Schoenus apogon</i>	
<i>Schoenus concinnus</i> (Ogle et al. 1990a)	
<i>Schoenus maschalinus</i> (Ogle et al. 1990a)	
<i>Uncinia banksii</i>	matau
<i>Uncinia ferruginea</i>	matau
<i>Uncinia laxiflora</i> (Druce 1971b)	
<i>Uncinia leptostachya</i>	
<i>Uncinia rupestris</i> (incl. <i>U. angustifolia</i> ) (Druce 1990c)	
<i>Uncinia rupestris</i> × <i>U. uncinata</i>	
<i>Uncinia scabra</i>	
<i>Uncinia uncinata</i>	
<i>Uncinia</i> sp. (unnamed; aff. <i>U. rupestris</i> ) (Druce 1971a)	

## RUSHES

<i>Juncus australis</i> (Druce 1971b)	wiwi
<i>Juncus caespiticius</i>	
<i>Juncus distegus</i> (Ogle et al. 1990a)	
<i>Juncus gregiflorus</i>	wiwi
<i>Juncus maritimus</i> var. <i>australiensis</i>	sea rush
<i>Juncus pallidus</i>	wiwi
<i>Juncus planifolius</i>	
<i>Juncus pusillus</i> (Ogle et al. 1990a)	wiwi
<i>Juncus sarophorus</i> (Druce 1971b)	wiwi
<i>Luzula picta</i> s.s. (Druce 1971b)	

## MONOCOT. HERBS (OTHER THAN ORCHIDS, GRASSES, SEDGES, RUSHES)

<i>Arthropodium candidum</i> (Druce 1971b)	
<i>Astelia fragrans</i>	kakaha
<i>Astelia solandri</i>	kowharawhara
<i>Collospermum hastatum</i>	kahakaha
<i>Dianella nigra</i>	turutu
<i>Lemna minor</i>	duckweed
<i>Lepilaena bilocularis</i>	

<i>Libertia grandiflora</i>	mikoikoi
<i>Libertia ixioides</i> (Druce 1971b)	mikoikoi
<i>Phormium cookianum</i>	wharariki, flax
<i>Phormium tenax</i>	harakeke, flax
<i>Potamogeton cheesemanii</i>	pond weed
<i>Potamogeton ochreatus</i> (Ogle et al. 1990a)	
<i>Potamogeton pectinatus</i>	pond weed
<i>Potamogeton suboblongus</i>	
<i>Ruppia megacarpa</i>	
<i>Ruppia polycarpa</i>	horse's mane weed
<i>Triglochin striata</i>	arrow grass
<i>Typha orientalis</i>	raupo
<i>Wolffia australiana</i> (Ogle et al. 1990a)	water meal
<i>Zannichellia palustris</i> (Ogle et al. 1990a)	

### COMPOSITE HERBS

<i>Anaphaloides bellidioides</i>	
<i>Centipeda minima</i>	
<i>Cotula australis</i>	
<i>Cotula coronopifolia</i>	bachelor's button
<i>Craspedia uniflora</i> var. <i>grandis</i> (Wassilieff et al. 1986)	
<i>Craspedia viscosa</i>	
<i>Gnaphalium audax</i>	
<i>Gnaphalium gymnocephalum</i>	cudweed
<i>Gnaphalium involucreatum</i> (Druce 1971b)	cudweed
<i>Gnaphalium limosum</i> (Druce 1971b)	cudweed
<i>Gnaphalium sphaericum</i>	
<i>Lagenifera pumila</i>	pāpataruwharuwha
<i>Lagenifera strangulata</i>	
<i>Leptinella dioica</i> subsp. <i>dioica</i> [see Lloyd (1972) p.321]	
<i>Leptinella dispersa</i> subsp. <i>dispersa</i>	
<i>Leptinella maniototo</i>	
<i>Leptinella squalida</i> subsp. <i>squalida</i>	
<i>Pseudognaphalium luteoalbum</i>	cudweed
<i>Senecio glomeratus</i> (Druce 1971b)	fireweed
<i>Senecio hispidulus</i> (Druce 1971b)	fireweed
<i>Senecio minimus</i>	fireweed
<i>Senecio quadridentatus</i> (Druce 1971b)	

### DICOT. HERBS (OTHER THAN COMPOSITES)

<i>Acaena anserinifolia</i>	piripiri
<i>Acaena juvenca</i>	
<i>Aciphylla squarrosa</i> s.s.	

<i>Apium prostratum</i>	New Zealand celery
<i>Australina pusilla</i>	
<i>Callitriche muelleri</i>	
<i>Callitriche petriei</i> subsp. <i>petriei</i> (Druce 1971b)	
<i>Cardamine</i> sp. (a) [ <i>C. debilis</i> agg., "Narrow Petal" of Pritchard 1957] (Druce 1971b)	bittercress
<i>Cardamine</i> sp. (b) [ <i>C. debilis</i> agg., <i>C.</i> "Long Style" of Pritchard 1957] (Ogle <i>et al.</i> 1990a)	bittercress
<i>Cardamine</i> sp. (c) [ <i>C. debilis</i> agg. "Glossy Leaf" of Pritchard 1957] (Ogle <i>et al.</i> 1990a)	
<i>Cardamine</i> sp. (d) [cf. <i>C. corymbosa</i> : "Mainland Coastal Race" of Pritchard 1957] (Ogle <i>et al.</i> 1990a)	
<i>Centella uniflora</i>	
<i>Chenopodium glaucum</i> var. <i>ambiguum</i> (Druce 1971b)	
<i>Colobantbus apetalus</i> (incl. <i>C. a.</i> var. <i>alpinus</i> )	
<i>Coriaria sarmentosa</i> (Hill 1962)	
<i>Crassula kirkii</i>	
<i>Crassula moschata</i> (WELT 50140; 1895 record)	
<i>Crassula ruamahanga</i>	
<i>Crassula sinclairii</i>	
<i>Daucus glochidiatus</i> (Hill 1962)	native carrot
<i>Dichondra repens</i> var. (Druce 1971b)	
<i>Dichondra</i> sp. ( <i>D. brevifolia</i> agg.) (Ogle <i>et al.</i> 1990a)	
<i>Drosera peltata</i> subsp. <i>auriculata</i>	
<i>Elatine gratioloides</i> (Ogle <i>et al.</i> 1990a)	
<i>Epilobium alsinoides</i> (Hill 1962)	
<i>Epilobium chionanthum</i> (Ogle <i>et al.</i> 1990a)	willow herb
<i>Epilobium insulare</i> (Ogle <i>et al.</i> 1990a)	willow herb
<i>Epilobium komarovianum</i> (Ogle <i>et al.</i> 1990a)	willow herb
<i>Epilobium nerteroides</i> (Ogle <i>et al.</i> 1990a)	
<i>Epilobium nummularifolium</i>	willow herb
<i>Epilobium pallidiflorum</i> (Ogle <i>et al.</i> 1990a)	willow herb
<i>Epilobium pedunculare</i> agg.	
<i>Epilobium rotundifolium</i>	
<i>Eryngium vesciculosum</i>	sea holly
<i>Euphrasia cuneata</i>	
<i>Galium propinquum</i> (Druce 1971b)	mawe
<i>Galium trilobum</i>	
<i>Galium</i> sp. [unnamed; cf. <i>G. perpusillum</i> ; see Mason (1951)] (Ogle <i>et al.</i> 1990a)	
<i>Geranium microphyllum</i> (Druce 1971b)	
<i>Gingidia montana</i> (Hill 1962)	
<i>Glossostigma cleistanthum</i>	
<i>Glossostigma diandrum</i> (Ogle <i>et al.</i> 1990a)	
<i>Glossostigma elatinoides</i> (Ogle <i>et al.</i> 1990a)	
<i>Gonocarpus micranthus</i> subsp. <i>micranthus</i>	
<i>Gratiola sexdentata</i>	

<i>Gunnera monoica</i> (incl. <i>G. albocarpa</i> & <i>G. strigosa</i> ) (Mason 1951)	
<i>Gunnera prorepens</i>	
<i>Haloragis erecta</i> subsp. <i>erecta</i>	toatoa
<i>Hydrocotyle dissecta</i>	
<i>Hydrocotyle elongata</i>	
<i>Hydrocotyle heteromeria</i>	
<i>Hydrocotyle hydrophila</i> (Ogle et al. 1990a)	
<i>Hydrocotyle moschata</i>	
<i>Hydrocotyle novae-zelandiae</i> s.s.	
<i>Hydrocotyle pterocarpa</i>	
<i>Hypericum japonicum</i>	
<i>Hypsela rivalis</i> (see Mason 1951)	
<i>Lepidium oleraceum</i> (Hill 1962)	
<i>Lilaeopsis novae-zelandiae</i>	
<i>Lilaeopsis ruthiana</i>	
<i>Limosella lineata</i> (CHR 417049)	
<i>Lobelia anceps</i>	shore lobelia
<i>Mazus novaezeelandiae</i> subsp. <i>novaezeelandiae</i>	dwarf musk
<i>Mimulus repens</i>	native musk
<i>Myosotis spathulata</i> (incl. <i>M. s.</i> var. <i>radicata</i> )	
<i>Myriophyllum propinquum</i>	water milfoil
<i>Myriophyllum robustum</i> (Hill 1962)	
<i>Myriophyllum triphyllum</i>	water milfoil
<i>Myriophyllum votschii</i> (Ogle et al. 1990a)	
<i>Nertera depressa</i> (incl. <i>N. cunninghamii</i> )	
<i>Nertera setulosa</i> (Ogle et al. 1990a)	
<i>Oxalis exilis</i>	
<i>Parietaria debilis</i>	
<i>Pelargonium inodorum</i>	kopata
<i>Plantago raoulii</i> (Druce 1971b)	kopakopa
<i>Potentilla anserinoides</i>	kowai
<i>Pratia angulata</i>	panakenake
<i>Pratia perpusilla</i> (Ogle et al. 1990a)	
<i>Ranunculus acaulis</i>	sand buttercup
<i>Ranunculus amphitrichus</i>	
<i>Ranunculus glabrifolius</i> (Druce 1971b)	kawariki
<i>Ranunculus limosella</i> (Ogle et al. 1990a)	
<i>Ranunculus macropus</i> (Ogle et al. 1990a)	
<i>Ranunculus reflexus</i>	maruru
<i>Rorippa palustris</i>	
<i>Rumex flexuosus</i>	
<i>Samolus repens</i> var. <i>repens</i>	
<i>Scandia geniculata</i> (Hill 1962)	
<i>Schizeilema trifoliolatum</i>	
<i>Scleranthus biflorus</i>	
<i>Sebaea ovata</i> (WELT 47848, date unknown - early 1900s)	
<i>Selliera radicans</i>	remuremu
<i>Solanum americanum</i> (Ogle et al. 1990a)	

*Stellaria decipiens* (incl. *S. minuta* and  
*S. parviflora*)

kohukohu

*Urtica incisa*

stinging nettle

*Viola lyallii*

*Wahlenbergia* sp.