

WANGANUI PLANT LIST NO 134

Vascular Plants of Te Namu bush, E of Mangaweka,

Map Ref: NZMS 260 T22315510

Vivienne Nicholls

RAP 30 bordering Ernslaw One and Otiwhiti Station. Approx 100ha

16 February 2001

* = adventive species, including native species not naturally occurring in this district.

Gymnosperms

| | |
|--------------------------|-----------|
| Dacrycarpus dacrydioides | kahikatea |
| Dacrydium cupressinum | rimu |
| Podocarpus totara | totara |
| Prumnopitys taxifolia | matai |
| Prumnopitys ferrugineus | miro |

Dicot Trees and Shrubs

| | |
|---|---------------|
| Beilschmiedia tawa | tawa |
| * Buddleia davidii | |
| Brachyglottis repanda | rangiora |
| Carpodetus serratus | putaputaweta |
| Coprosma grandifolia | raurekau |
| Coprosma lucida | |
| Elaeocarpus dentatus | |
| Geniostoma rupestre var. ligustrifolium | hangehange |
| Hedycarya arborea | pigeonwood |
| Helichrysum aggregatum var. aggregatum | |
| Knightia excelsa | rewarewa |
| Laurelia novae-zelandiae | pukatea |
| Leptospermum scoparium | manuka |
| Leucopogon fasciculatus | mingimingi |
| Melicytus ramiflorus | mahoe |
| Metrosideros robusta | northern rata |
| Myrsine australis | mapou |
| Nestegis cunninghamii | black maire |
| Nothofagus solandri var solandri | black beech |
| Pittosporum eugenioides | tarata |
| Pittosporum tenuifolium | kohuhu |
| Pseudowintera axillaris | |
| Schefflera digitata | pate |
| Urtica ferox | |
| Weinmannia racemosa | kamahi |

Dicot lianes

| | |
|-------------------------|------------------|
| Calystegia tuguriorum | convulvulus |
| Clematis foetida | scented clematis |
| C. forsteri | |
| C. paniculata | puawhananga |
| Metrosideros colensoi | white rata vine |
| M. diffusa | white rata vine |
| M. perforata | |
| Muehlenbeckia australis | pohuehue |
| Rubus cissoides | lawyer |

Dicot herbs

| | |
|------------------|------------------|
| Dichondra repens | Mercury Bay weed |
| Myosotis sp | |

Monocot tree

| | |
|---------------------|---------------------|
| Cordyline australis | cabbage tree |
| C. banksii | forest cabbage tree |

Monocot liane

| | |
|------------------------------------|------------|
| Ripogonum scandens | supplejack |
| Freycinetia baueriana ssp. Banksii | kieke |

Monocot herbs

| | |
|--------------------|-----------------|
| Astelia sp | |
| Carex secta | |
| Cortaderia fulvida | toetoe |
| Microtena avenacea | bush rice grass |
| Microtis uniflora | |
| Phormium cookianum | harakeke |
| Thelymitra sp | |
| Uncinia spp | |

Ferns

| | |
|-----------------------|--------------------|
| Adiantum cunninghamii | maidenhair fern |
| Asplenium bulbiferum | |
| A. flaccidum | hanging spleenwort |
| A. gracillimum | |
| Blechnum chambersii | |
| B. colensoi | |

| | |
|--|--------------------------|
| B. discolor | |
| B. filiforme | climbing blechnum |
| B. fluviatile | |
| B. sp. (i) (unnamed) (common lowland sp.; lower pinnae reduced in length) | kiokio |
| Cyathea dealbata | ponga |
| C. medullaris | |
| C. smithii | |
| Dicksonia squarrosa | wheki |
| Histiopteris incisa | water fern |
| Leptopteris hymenophylloides | heruheru |
| Paesia scaberula | ring fern |
| Phymatosorus pustulatus | hound's tongue, kowaowao |
| Pneumatopteris pennigera | |
| Polystichum richardii | common shield fern |
| Pteridium esculentum | bracken |
| Pyrrosia eleagnifolia | leather-leaf fern |