

WANGANUI PLANT LIST NO. 65¹

**List of Vascular Plants of Forest Remnants adjoining Lower Kawhatau River (including the recommended area for protection, RAP 36, known as Wrenn's Bush).
Block centred on NZMS260/Sheet T22/542553; alt. 310-360 m**

Compiled by Colin Ogle (last updated 5 Jan. 2000)

Surveys: Protected Natural Areas Programme Survey Team (17 November 1993); Wanganui Botanical Group (1 Feb 1997); DoC Mangaweka and Wanganui (16 Dec 1999)

Locations of species in Wrenn's given as "Protected Area" (area agreed for protection) or "slump" (part of RAP not protected on true left bank of river); "other" = natural areas outside Wrenn's, including part of RAP on true right bank of river.

* denotes adventive species; + denotes species seen in pasture and/or waste areas only.

Abundance ratings: because of the high ecological diversity of this area, almost no species occurs across all landforms and vegetation types. The abundance ratings "a, c, o" should all be taken to read as "locally a, c, or o". a = abundant, c = common, o = occasional, u = uncommon.

CHR, AK = herbarium specimens in Landcare Research and Auckland Museum respectively.

	Protected	Slump	Other
	<u>Areas</u>		

Gymnosperms

<i>Dacrycarpus dacrydioides</i>	kahikatea	u	o
<i>Podocarpus totara</i>	totara	o	c
<i>Prumnopitys taxifolia</i>	matai	o	u

Dicot trees and shrubs

<i>Alectryon excelsus</i>	titoki	a	c
<i>Aristotelia serrata</i>	makomako, wineberry		u
<i>Beilschmiedia tawa</i>	tawa	u	
* <i>Berberis glaucocarpa</i>	barberry		o
<i>Brachyglottis repanda</i>	rangiora	o	o
* <i>Buddleja davidii</i>	purple buddleia	c	c
<i>Carmichaelia australis</i>	native broom	u	
<i>Carpodetus serratus</i>	putaputaweta	u	u
<i>Coprosma lucida</i>	shining karamu		u
<i>C. propinqua</i>		u	
<i>C. rhamnoides</i>		c	c
<i>C. rigida</i>		o	c
<i>C. robusta</i>	karamu	o	o
<i>C. rotundifolia</i>	round-leaved coprosma	u	o

	Protected	Slump	Other
	<u>Areas</u>		

¹ As from 1 Jan 2000, this list incorporates past lists 65 and 65A

<i>C. propinqua</i> x <i>C. robusta</i>			u
<i>Coriaria arborea</i>	tree tutu	u	
<i>Fuchsia exorticata</i>	kotukutuku, tree fuchsia		u
<i>Geniostoma rupestre</i>	hangehange	o	
<i>Hebe stricta</i> var. <i>stricta</i>	koromiko	o	u
<i>H. sp.</i> (unnamed; <i>Veronica squalida</i>)	c	o	o
<i>Helichrysum aggregatum</i>	a shrub daisy	u	
<i>Hoheria populnea</i> var. [<i>H. sexstylosa</i>]	lacebark	u	u
* <i>Hypericum androsaemum</i>	tutsan	u	
<i>Knightia excelsa</i>	rewarewa		u
<i>Kunzea ericoides</i>	kanuka	o	c
<i>Leptospermum scoparium</i>	manuka	o	c
<i>Leucopogon fasciculatus</i>	mingimingi	u	
* <i>Leycesteria formosa</i>	Himalayan honeysuckle	o	
<i>Lophomyrtus obcordata</i>	rohutu	o	o
* <i>Lupinus arboreus</i>	tree lupin	c	a
<i>Melicope simplex</i>	poataniwha	o	c
<i>Melicytus ramiflorus</i>	mahoe	a	c
<i>Myoporum laetum</i>	ngaio	o	u
<i>Myrsine australis</i>	mapou	o	o
<i>Nestegis cunninghamii</i>	black maire		u
<i>N. lanceolata</i>	white maire	u	
<i>Nothofagus solandri</i> var. <i>solandri</i>	black beech	u	
<i>Olearia paniculata</i>	akiraho	o	u
<i>Pennantia corymbosa</i>	kaikomako		u
<i>Pittosporum eugenoides</i>	tarata, lemonwood	u	u
<i>P. tenuifolium</i>			
var. <i>tenuifolium</i>	kohuhu	o	
<i>Pseudopanax arboreus</i>	fivefinger	u	
<i>P. crassifolius</i>	lancewood	u	o
<i>Pseudowintera colorata</i>	horopito		u
* <i>Salix</i> sp.	willow	o	
* <i>Sambucus nigra</i>	elderberry		u
<i>Schefflera digitata</i>	pate	u	u
* <i>Solanum pseudocapsicum</i>	Jerusalem cherry	c	
<i>Sophora microphylla</i>	kowhai	o	o
<i>Streblus heterophyllus</i>	small-leaved milk tree	u	c
<i>Urtica ferox</i>	ongaonga, shrub nettle	u	

Monocot tree

<i>Cordyline australis</i>	ti kouka, cabbage tree	u
----------------------------	------------------------	---

Dicot lianes

<i>Calystegia sepium</i> agg.	native convolvulus	c	c
-------------------------------	--------------------	---	---

	Protected	Slump	Other Areas
<i>C. tuguriorum</i>	native convolvulus	c	

Clematis foetida		c	u
C. forsteri		o	u
C. paniculata	puawhananga	u	
*C. vitalba	old man's beard	o	u
Metrosideros colensoi	white rata vine	c	
Muehlenbeckia australis	pohuehue		u
Parsonsia capsularis	native jasmine	o	
P. heterophylla	native jasmine		u
Passiflora tetrandra	native passionflower, kohia	o	o
Rubus schmidelioides	bush lawyer	c	o
R. squarrosus CHR 498018	leafless lawyer	o	c
R. schmidelioides x R. squarrosus		u	

Dicot herbs

		Protected	Slump	Other Areas
Acaena anserinifolia (?)	piripiri (bidibidi)	u		
+*Achillea millefolium	yarrow	u		
+* Anagallis arvensis	scarlet pimpernel		u	
Anaphalioides subrigida	everlasting daisy	o		
*Arctium minus	burdock	c	o	
Cardamine sp [unnamed; C. debilis agg.; C. "Narrow Petal" of Pritchard 1957]	native bittercress	c	o	
+*Carduus nutans CHR 498020,1	nodding thistle	u		u
+*C. pycnocephalus	wing thistle	u		
<i>Celmisia</i> "Mangaweka" ²		u		
+* Centaurium erythraea	centaury	o	o	o
+*Cirsium arvense	Californian thistle	o		
* C. palustre	marsh thistle		o	
*C. vulgare	Scotch thistle	o	o	c
* Conium maculatum	hemlock	u		
* Conyza albida	fleabane	o	o	
+* Daucus carota	wild carrot			u
Dichondra repens	Mercury Bay weed	o	o	
Epilobium nerteroides	willow-herb			o
E. nummulariifolium	willow herb		u	
E. pedunculare	willow herb		o	
E. rotundifolium	willow herb		o	
+* Galega officinalis	goat's rue			u
+*Galium aparine	cleavers			u
G. propinquum			u	
Geranium potentilloides (?)			u	
Gnaphalium gymnocephalum	cudweed	u	u	
Gunnera monoica			u	
Haloragis erecta		o	u	
Hydrocotyle elongata	pennywort	c		

² Planted here in two sites by DoC staff in 1997(?); grown by nursery at Percy's Reserve, Lower Hutt, from seed gathered on roadbank, SH54, above Mangawharariki River.

		Protected	Slump	Other Areas
<i>H. moschata</i>	hairy pennywort	o	o	
<i>H. novae-zeelandiae</i>	swamp pennywort		o	
<i>Korthalsella lindsayi</i> ³ AK	dwarf mistletoe			o
<i>Lagenifera pumila</i>		c		
+* <i>Linum bienne</i>	pale flax	u	u	u
+* <i>L. catharticum</i>	purging flax		o	
<i>L. monogynum</i>	rauhuia	u	u	
* <i>Lotus pedunculatus</i>	lotus major	c	c	c
<i>Mazus novaezealandiae</i>				
subsp. <i>novaeeelandiae</i> CHR	dwarf mazus		o	
+* <i>Mimulus guttatus</i>	monkey musk			c
* <i>Mycelis muralis</i>	wall lettuce	o	o	
* <i>Myosotis laxa</i>	water forget-me-not		o	o
* <i>Nepeta cataria</i> CHR 498017	catnip	u		u
<i>Nertera depressa</i>			o	
<i>N. setulosa</i>			o	
+* <i>Orobanche minor</i>	broomrape			u
<i>Oxalis exilis</i>	creeping oxalis	o	o	o
+* <i>Parentucellia viscosa</i>	tar-weed		o	c
+* <i>Plantago lanceolata</i>	narrow-leaved plantain		u	o
<i>P. raoulii</i> (narrow-leaved form)	native plantain		o	
<i>Polygonum salicifolium</i>	native willow weed	o		u
<i>Pratia angulata</i> agg.		o	c	
* <i>Prunella vulgaris</i>	self-heal	o	o	o
<i>Pseudognaphalium</i> sp.				
[P. luteo-album agg.]	woolly cudweed	u	u	
<i>Ranunculus reflexus</i>	bush buttercup	o	o	
* <i>R. repens</i>	creeping buttercup		u	o
* <i>Sagina procumbens</i>	pearlwort	u	u	o
<i>Scandia rosifolia</i>	native aniseed	u	u	
<i>Schizeilema trifoliolatum</i> CHR			o	
* <i>Senecio jacobaea</i>	ragwort	u	u	o
<i>S. minimus</i>	fireweed	u	u	
<i>S. quadridentatus</i>		u		
<i>S. rufiglandulosus</i>			u	
+* <i>Sisymbrium officinale</i>	hedge mustard			u
* <i>Solanum chenopodioides</i>	velvety nightshade	u		
* <i>S. nigrum</i>	black nightshade	o		
* <i>Sonchus asper</i>	prickly sowthistle	u		
* <i>S. oleraceus</i>	puwha, sowthistle	o		
<i>Stellaria decipiens</i>	native chickweed	u		u
+* <i>Taraxacum officinale</i>	dandelion	u		
* <i>Torilis</i> sp	hedgehog parsley	u		
+* <i>Trifolium repens</i>	white clover	o	o	c
<i>Urtica incisa</i>	NZ nettle	u	u	
+* <i>Verbascum thapsus</i>	mullein			o
<i>Wahlenbergia rupestris</i>	white harebell	u		

³ On Melicope simplex, Lophomyrtus obcordata

W. violacea	blue harebell	u	o
-------------	---------------	---	---

Monocot herbs

Grasses

+*Agrostis capillaris	browntop	c	c	c
Anemanthele lessoniana CHR 498013	windgrass	c		
+*Bromus hordeaceus	soft brome	u		
Cortaderia fulvida	toetoe	o	u	
+*Dactylis glomerata	cocksfoot	o	o	o
Dichelachne crinita	plume grass		u	
Echinopogon ovatus	hedgehog grass	u	u	
+*Festuca arundinacea	tall fescue	c	c	c
+*F. nigrescens CHR 498020	chewing's fescue	o	o	c
+*Holcus lanatus	Yorkshire fog	u	o	a
+*Hordeum murinum	barley grass	u		
Microlaena stipoides	meadow ricegrass	u	o	
Poa anceps ssp. anceps				c
*Rytidosperma racemosum	danthonia	o	o	
Trisetum drucei		u		
T. lepidum CHR 498014		o		

Sedges

Carex breviculmis		u		
C. forsteri		u		
C. lessoniana	cutty grass	c	c	
C. secta	purei		o	
C. solandri		o	o	
C. testacea CHR 498012		o	o	
C. virgata	cutty grass	u	o	
Isolepis pottsii CHR 498016		u		
Machaerina sinclairii	tuhara	c	o	
Schoenus pauciflorus			c	o
Uncinia laxiflora CHR	hook grass	o		
U. leptostachya CHR 498015	hook grass	o		

Monocot herbs other than grasses and sedges

		Protected	Slump	Other Areas
Arthropodium candidum		u		
Corybas sp. (C. rivularis agg.)	spider orchid		o	
Earina mucronata	a perching orchid	o	o	
* Juncus articulatus	jointed-leaved rush	u	o	c
J. gregiflorus	rush	u	u	c
J. pallidus			u	
J. sarophorus		o	o	c
* J. tenuis ?			u	

Lemna sp. [L. minor of NZ authors]	duckweed		o
Libertia grandiflora	native iris	u	
Luzula picta s.s.	wood-rush		o
Microtis unifolia	onion-leaved orchid	o	o
Phormium cookianum	wharariki, Mountain flax	o	c o
Pterostylis banksii (?)	greenhood orchid		u
P. sp. (P. graminea?)	greenhood orchid		u

Fern ally

*Equisetum arvense	horsetail	a	o	o
--------------------	-----------	---	---	---

Ferns

		Protected	Slump	Other Areas
Adiantum cunninghamii	maidenhair fern	o	u	
Asplenium flabellifolium CHR	necklace fern	u		
A. flaccidum	hanging spleenwort	u		
A. gracillimum		o	u	
A. hookerianum		c	u	
A. polyodon	sickle spleenwort			u
A. gracillimum x A. hookerianum		u		
Blechnum chambersii		o		
B. fluviatile		o	u	
B. penna-marina		u	o	
B. minus	swamp kiokio		u	
B. triangularifolium	cliff kiokio	c	o	
Cyathea dealbata	ponga, silver fern		u	
Dicksonia fibrosa	wheki-ponga			u
D. squarrosa	wheki		o	
Diplazium australe				u
Histiopteris incisa			u	
Hypolepis ambigua		o	u	
Lastreopsis velutina	velvet fern	u		
Leptopteris hymenophylloides				u
Microsorum pustulatum	hound's tongue fern	c	c	
Paesia scaberula	ring fern	u	u	
Pellaea rotundifolia	button fern	a	o	
Pneumatopteris pennigera		o	u	
Polystichum richardii		a	c	
Pteridium esculentum	bracken	o		
Pteris tremula	shaking brake	u		
Pyrrosia eleagnifolia	leather leaf fern	o		
Trichomanes venosum	filmy bristle fern			u

Notable occurrences

The following are listed as nationally threatened or local (Cameron et al. 1995): *Mazus novaezeelandiae* (vulnerable); *Anemanthele lessoniana* (local).

The following have disjunct distributions nationally: *Trisetum drucei*, *Anemanthele lessoniana*.

The following are regionally rare or uncommon: *Scandia rosifolia*, *Schizeilema trifoliolatum*, *Rubus squarrosus*, *Trisetum lepidum*, *Uncinia leptostachya*, *Asplenium flabellifolium*, *Korthalsella lindsayi*.

The occurrence of the following in the Kawhatau Valley are interesting because they are generally more coastal species (*Myoporum laetum*, *Olearia paniculata*, *Lastreopsis velutina*) or montane species (*Schoenus pauciflorus*).

Total number of indigenous species = 157