

WANGANUI PLANT LIST NO. 151

PARTIAL LIST OF INDIGENOUS VASCULAR PLANTS IN THE SOUTHERN PART OF OKAHUKURA SCENIC RESERVE NORTH WEST OF TAUMRANUI

Map S18 GR: 02702206 06267454

Department of Conservation, Wanganui

List created by Astrid Dijkgraaf and Amy Hawcroft 6 November 2002

Updated:

Latin name	Maori/common name	
Gymnosperms		
<i>Dacrydium cupressinum</i>	rimu	x
<i>Dacrycarpus dacrydioides</i>	kahikatea	
<i>Podocarpus. totara</i>	totara	x
<i>Prumnopitys ferruginea</i>	miro	
<i>Prumnopitys taxifolia</i>	matai	
Dicot Trees & Shrubs		
<i>Alectryon excelsus</i>	titoki	x
<i>Alseuosmia pusilla</i>		
<i>Alseuosmia macrophylla</i>		
<i>Aristotelia serrata</i>	wineberry	x
<i>Beilschmiedia tawa</i>	tawa	x
<i>Brachyglottis repanda</i>	rangiora	x
<i>Carpodetus serratus</i>	putaputaweta	x
<i>Coprosma aerolata</i>		x
<i>Coprosma grandifolia</i>	raurekau, kanono	x
<i>Coprosma lucida</i>		x
<i>Coprosma rhamnoides</i>		x
<i>Coprosma robusta</i>		x
<i>Coriaria arborea</i>	tutu	x
<i>Cyathoides juniperina</i>	Prickly mingimingi	x
<i>Elaeocarpus dentatus</i>	hinau	x
<i>Elaeocarpus hookerianus</i>	pokaka	x
<i>Fuchsia excorticata</i>	kotukutuku	x
<i>Gautheria rupestris</i>		x
<i>Geniostoma rupestris</i>	hangehange	x
<i>Griselinia lucida</i>	perching broadleaf	x
<i>Hebe stricta</i>	koromiko	x
<i>Hedycarya arborea</i>	pigeonwood	x
<i>Knightia excelsa</i>	rewarewa	x
<i>Laurelia novae-zelandiae</i>	pukatea	
<i>Leptospermum scoparium</i>	manuka	x
<i>Leucopogon fasciculatus</i>	Soft mingimingi	x

Latin name	Maori/common name	
<i>Lophomyrtus obcordata</i>	Heart leaved kohuhu	
<i>Melicytus lanceolatus</i>	mahoewao	x
<i>Melicytus ramiflorus</i>	mahoe	x
<i>Myrsine australis</i>	mapou	x
<i>Nestegis lanceolata</i>	white maire	x
<i>Oleria rani</i>	heketara	x
<i>Pennantia corymbosa</i>	kaikomako	x
<i>Pittosporum eugenioides</i>	Tarata, lemonwood	x
<i>Pittosporum tenuifolium</i>		x
<i>Plagianthus regius</i>	ribbonwood	x
<i>Pseudopanax arboreus</i>	5 finger	x
<i>Pseudopanax crassifolius</i>	lancewood, horoeka	x
<i>Pseudowintera colorata</i>	horopito	x
<i>Rhabdothamnus solandri</i>	taurepo	
<i>Schefflera digitata</i>	pate	x
<i>Streblus heterophyllus</i>		x
<i>Urtica ferox</i>	ongaonga	x
<i>Weinmannia racemosa</i>	kamahi	x

Monocot trees & shrubs

<i>Cordyline australis</i>	cabbage tree	x
<i>Cordyline banksii</i>	forest cabbage tree	x

Dicot lianes

<i>Clematis feotida</i>		x
<i>Clematis forsteri</i>		x
<i>Metrosideros colensoi</i>	white rata vine	x
<i>M. diffusa</i>	white rata vine	x
<i>M. fulgens</i>	scarlet rata vine	x
<i>M. perforata</i>	white rata vine	x
<i>Muehlenbeckia australis</i>	pohuehue	x
<i>Parsonsia heterophylla</i>	NZ jasmine	x
<i>Passiflora tetrapetala</i>	kohia, NZ passionfruit	x
<i>Rubus cissoides</i> var. <i>cissoides</i> and/or unnamed var. with narrow leaflets	lawyer	x

Monocot Lianes

<i>Ripogonum scandens</i>	supplejack	x
---------------------------	------------	---

Dicot herbs

<i>Acaena anserinifolia</i>	piripiri	
<i>Hydrocotyle</i> spp		x

Latin name	Maori/common name	
<i>Pratia angulata</i> agg.		x
<i>Ranunculus recens</i>	native buttercup	x
<i>Urtica incisa</i>	nettle	x

Monocot Herbs

1. Orchids

<i>Corybas macranthus</i>	spider orchid	
<i>Earina autumnalis</i>	autumn orchid	x
<i>E. mucronata</i>		x
<i>Pterostylis banksii</i>	Green hooded orchid	x

2. Grasses

<i>Cortaderia fulvida</i>	toetoe	x
<i>Microlaena avenacea</i>	bush rice grass	x

3. Sedges

4. Rushes

5. Monocot herbs other than orchids, grasses, sedges, rushes

<i>Astelia fragrans</i>		x
<i>Collospermum hastatum</i>		
<i>Dianella nigra</i>	turutu	
<i>Phormium cookianum</i>		x
<i>Phormium. tenax</i>	harakeke	x

Ferns

<i>Adiantum cunninghamii</i>	Common maidenhair	x
<i>Asplenium bulbiferum</i>	hen and chickens fern	x
<i>Asplenium flaccidum</i>	Hanging spleenwort	x
<i>Asplenium polyodon</i>	Sickle spleenwort	x
<i>Blechnum chambersii</i>		x
<i>Blechnum fluviatile</i>		x
<i>Blechnum novae-zelandiae</i>	kiokio	x
<i>Cyathea dealbata</i>	ponga	x
<i>C. medullaris</i>	mamaku	x
<i>C. smithii</i>	katote, soft tree fern	x
<i>Dicksonia fibrosa</i>	wheki-ponga	x
<i>Dicksonia squarrosa</i>	wheki	x
<i>Hymenophyllum demissum</i>	drooping filmy fern	x
<i>Hypolepsis rufobarbata</i>	Sticky pig fern	x
<i>Laseopteris glabella</i>		x
<i>Leptopteris hymenophilloides</i>	heruheru	x
<i>Microsorum pustulatum</i>	hound's tongue	x
<i>Paesia scaberula</i>	matata	x

Latin name	Maori/common name	
<i>Pneumatopteris pennigera</i>	Piupiu, gully fern	x
<i>Polystichum richardii</i>	Shield fern	x
<i>Pteridium esculentum</i>	Bracken	x
<i>Pteris macilenta</i>	Sweet fern	x
<i>Pyrrosia eleagnifolia</i>	leather leaf fern, ngarara wehi	x
<i>Trichomanes reniforme</i>	Kidney fern	x

Fern Allies

<i>Lycopodium volubile</i>	Climbing club moss	x
<i>Tmesipteris tennensis</i>		x

Exotic Species within natural areas

<i>Cardamine hirsuta</i>	Bamboo	x
<i>Budleja davidii</i>	Bitter cress	x
<i>Cirsium vulgare</i>	buddleia	x
<i>Cupressus macrocarpa</i>	Scotch thistle	x
<i>Cytisus spp</i>	Macrocarpa	x
<i>Digitalis purpurea</i>	Broom	x
<i>Geranium robertianum</i>	foxglove	x
<i>Leycesteria formosa</i>	herb Robert	x
<i>Ligustrum sinense</i>	Himalayan honeysuckle	x
<i>Lonicera japonica</i>	privet	x
<i>Pinus radiata</i>	honeysuckle	x
<i>Populus spp</i>	pine	x
<i>Ranunculus repens</i>	poplar	x
<i>Rubus fructicosa agg.</i>	Creeping buttercup	x
<i>Salix fragilis</i>	blackberry	x
<i>Scenecio spp</i>	crack willow	x

Total indigenous species located

=

Total non-native adventive species=

Fruiting and Flowering noted 5-6 November 2002:

Brachyglottis repanda was flowering abundantly, as is the case elsewhere in the area.

Some plants of Oleria rani was flowering abundantly also.

Saw one hinau just coming into flower, with many buds present, by the side of the road

Trees of Cordyline banksii were coming into flower

Many plants of Cordateria fulvida was flowering moderately profusely

Rubus cissoids was flowering in patches

Both clematis species present were flowering, C foetida abundantly

Wineberry was flowering abundantly

Most plants noted of *Fuchsia excorticata* were flowering
Some kamahi trees were coming into flower
Pterostylis banksii was flowering.
Earina autumnalis was noted flowering.

Bird species noted 5-6 November 2002:

Tomtit seen and heard.
Kereru seen and heard.
Rosella seen and heard
Tui seen and heard
Fantail seen and heard
Bell bird heard
Long tailed cuckoo heard
Paradise shelduck heard
Kingfisher heard
Warbler heard

Notes also from Okahukura SR 5-6 November 2002

Bait in bait stations was mouldy and many stations had lost their lids.