

Wanganui Plant List No. 14**Vascular Plants of "Marangai" (Corballis's Bush), Kaitoke**

C C Ogle and Wanganui Museum Botanical Group, 30 September 1989,
 12 September 1993, 11 October 1995, 30 March 1996; CCO 4 November 2001; CO + QEII Trust
 21.3.01; CCO 20 November 2002; with WMBG on 28 June 03

Last amended 28 June 2003

*updated nomenclature for *Polystichum richardii* 21 August 2003*

Changed format into tables and all generic names spelled out in full 14 September 2004

"Marangai" has 4 fenced areas of forest, as follows:-

1. Fenced in about 1986; area entirely on a flat terrace surface; forest mostly dominated by titoki, with considerable kahikatea and kaikomako and some matai, tawa and large kanuka; areas of grass, and scrub of divaricating shrub species on some forest margins. NZMS260/Map S22/923354; 80 m asl.
2. Fenced in about 1980; the sides of a deeply entrenched gully through the fore-mentioned terrace, and the scarp of a major stream into Kaitoke Lake; forest of titoki and tawa, and areas of tall kanuka, some with dense young mamaku understorey. Grid 921353 30m - 80m asl.
3. Fenced in about 1970; part of the scarp of the fore-mentioned major stream. Grid 912353; 30m - 60m asl.
4. Fenced in about 1999? Addition to farm in 2001; on steep scarp of terrace, south and east aspect. (Contiguous with Area #2 above and a part of Area #1).

Visits have concentrated on area 1, with detailed looks at relatively small parts of area 2. Only the disturbed upper edge of area 3 was visited. Area 4 was traversed on 28.6.03 during Clematis vitalba search. The species list below reflects this unequal coverage. Plants not identified as being in any of areas 1-4 were outside the fenced patches. A number of these are wetland plants around the stream at the base of areas 2 and 3. Adventive species of unfenced areas were mostly not listed, though all indigenous species seen were recorded.

Abbreviations : * = adventive species (including NZ indigenous species not occurring naturally in this area, but spreading unaided).

x = present; u = present but uncommon (only one or a very few plants seen); (j) = only juvenile plants seen; p = planted only

| Latin name | Common name | 1 | 2 | 3 | 4 |
|--------------------------|-------------|---|---|---|---|
| <u>Gymnosperms</u> | | | | | |
| Dacrycarpus dacrydioides | kahikatea | x | x | | u |

| | | | | | | |
|------------------------------------|--|--------------------------------|----------------|-----------------|---|-------------------|
| | Podocarpus totara | totara | x(+p) | u | | |
| | Prumnopitys taxifolia | matai | x | uj ¹ | | uj |
| <u>Dicot trees, shrubs, lianes</u> | | | | | | |
| * | Acacia mearnsii | bought as <i>A. mollissima</i> | | | | p |
| * | Acacia floribunda | | | | | p |
| * | Acacia sp. or spp. | | | p | | |
| | Alectryon excelsus | titoki | x | x | x | x |
| | Beilschmiedia tawa | tawa | x | x | | x |
| * | Berberis glaucocarpa | barberry | | | | u(2) ² |
| | Brachyglottis repanda | rangiora | J(01) | x | | x |
| | Clematis forsteri | | | | | u |
| | Clematis paniculata | white clematis, puawhangana | u | | | |
| * | Clematis vitalba | old man's beard | | | | x ³ |
| | Coprosma areolata | | x | x | | x |
| | Coprosma grandifolia | kanono | | | | u |
| | Coprosma lucida | shining karamu | | u | | |
| | Coprosma propinqua | | x | | | u |
| * | Coprosma repens | taupata | p | | | p |
| | Coprosma rhamnoides | | x | x | | x |
| | Coprosma rigida | | x | x | | u |
| | Coprosma robusta | karamu | u | x | | x |
| | Coprosma propinqua X C. robusta | | x | | | |
| | Corynocarpus laevigatus | karaka | x | x | | j |
| * | Crataegus monogyna | hawthorn | | u | x | |
| * | Cytisus europaeus | broom | | | | u(1) |
| | Dodonaea viscosa | akeake | p | | | |
| | Elaeocarpus dentatus | hinau | x | | | j(1) |
| | Elaeocarpus hookerianus | | u ⁴ | | | |
| * | Eucalyptus leucoxylon | | p | | | |
| * | Eucalyptus ovata | swamp gum | p | | | |
| * | Eucalyptus elata | bought as <i>E. radiata</i> | | | | p |
| * | Eucalyptus serraensis | Grampians gum | | | p | |
| * | Eucalyptus viminalis | | | | | p |
| | Geniostoma rupestre var. ligustrifolium | hangehange | | x | | x |
| | Griselinia lucida | puka | u | | | |

¹ Mature matai on slopes outside the fence² 2 (one 3 m tall) eradicated 28.6.03³ large vine found 20.11.02, seedlings removed, but main vine eradicated early 03 by Regional Council staff. 6 seedlings eradicated 28.6.03⁴ 1 tree (with flower buds) first found 4.11.01

| | | | | | | |
|---|---|------------------------|----------------|-----------------|-----------------|----|
| | <i>Hebe stricta</i> var. <i>stricta</i> | koromiko | | u | | |
| | <i>Hedycarya arborea</i> | pigeonwood | x | x | | x |
| | <i>Hoheria angustifolia</i> | narrow-leaved lacebark | u ⁵ | | | |
| | <i>Hoheria populnea</i> var [H. <i>sexstylosa</i>] | lacebark | u | | | |
| * | <i>Ilex aquifolium</i> | holly | | | uj ⁶ | |
| | <i>Knightia excelsa</i> | rewarewa | j(01) | x | | x |
| | <i>Kunzea ericoides</i> | kanuka | x | x | | x |
| | <i>Laurelia novae-zelandiae</i> | pukatea | u | | | |
| | <i>Leptospermum scoparium</i> | manuka | | | | |
| | <i>Lophomyrtus bullata</i> | ramarama | u | | | |
| | <i>Lophomyrtus obcordata</i> | rohutu | x | u | | |
| | <i>Lophomyrtus bullata</i> x L. <i>obcordata</i> | | u | | | |
| | <i>Macropiper excelsum</i> | kawakawa | x | x | x | x |
| | <i>Melicytus micranthus</i> | small-leaved mahoe | x | | | |
| | <i>Melicytus ramiflorus</i> | mahoe | x | x | x | x |
| | <i>Metrosideros colensoi</i> | white rata vine | u | u | | u |
| | <i>Metrosideros diffusa</i> | white rata vine | | | | u |
| | <i>Metrosideros perforata</i> | white rata vine | u | | | u |
| | <i>Metrosideros robusta</i> | northern rata | p | | | p |
| | <i>Muehlenbeckia australis</i> | pohuehue | u | | | |
| | <i>Muehlenbeckia complexa</i> | small-leaved pohuehue | u | | | |
| | <i>Myoporum laetum</i> | ngaio | uj | uj ⁷ | | u |
| | <i>Myrsine australis</i> | mapou | x | x | | uj |
| | <i>Nestegis cunninghamii</i> | black maire | x | u | | |
| | <i>Nestegis lanceolata</i> | white maire | x | | | |
| * | <i>Olearia chathamica</i> | Chatham akeake | | | | p |
| | <i>Parsonsia capsularis</i> | NZ jasmine | | | | |
| | <i>Parsonsia heterophylla</i> | NZ jasmine | x | x | | x |
| | <i>Passiflora tetrandra</i> | NZ passionflower | x | x | u | u |
| | <i>Pennantia corymbosa</i> | kaikomako | x | x | x | |
| * | <i>Pittosporum crassifolium</i> | karo ⁸ | p | | | |
| | <i>Pittosporum eugenioides</i> | tarata, lemonwood | p | | | uj |
| | <i>Pittosporum tenuifolium</i> | kohuhu | | | | uj |
| | <i>Pseudopanax crassifolius</i> | lancewood | x | x | | x |
| | <i>Rhabdothamnus solandri</i> | turepo | | x | | x |
| | <i>Rubus cissoides</i> var. <i>cissoides</i> | lawyer | | u | | u |

⁵ A few adult trees; juvenile plants (<1.5 m tall) locally abundant in Sept. 1993 (and 1-2 m tall by Nov. 2001)

⁶ 2, eradicated 28.6.03

⁷ mature ngaio on slopes outside the fence

⁸ probably self-introduced from gardens by birds, as well planted here.

| | | | | | | |
|---------------------------------|---|---------------------------|-------|------|-----------------|------|
| | Rubus schmideliooides var. schmideliooides | lawyer | x | x | | u |
| * | Salix fragilis | crack willow | | | x | |
| * | Sambucus nigra | elderberry | u | u | | |
| * | Solanum mauritianum | woolly nightshade | | | u1 ⁹ | |
| * | Solanum pseudocapsicum | Jerusalem cherry | u | | u | |
| | Solanum sp. | poroporo | u | u | | |
| | Streblus heterophyllus | small-leaved milktree | x | | uj | |
| * | Ulex europaeus | gorse | | u | | x |
| * | Vitex lucens | puriri | | | | |
| <u>Monocot trees and lianes</u> | | | | | | |
| | Cordyline australis | cabbage tree | x(+p) | x | | x |
| | Freycinetia banksii | kiekie | | u | | |
| | Rhopalostylis sapida | nikau | x | u | | |
| | Ripogonum scandens | supplejack | | x | | u |
| <u>Monocot herbs</u> | | | | | | |
| * | Asparagus scandens | | u | | | |
| | Carex dissita | | u | | | |
| | Carex geminata (s.s?) | | | u | | |
| | Carex inversa | | x | | | |
| | Carex lambertiana | | | (u?) | | u(1) |
| | Carex lessoniana | | | u | | u |
| | Carex solandri | | x | | | x |
| | Carex virgata | | u | u | | |
| | Carex sp. [unidentified] | | x | | | |
| | Collospermum hastatum | perching lily | x | x | | |
| | Corybas macranthus | spider orchid | | x | | |
| | Corybas trilobus agg. | spider orchid | u | | | |
| | Cyperus ustulatus | | x | | u | |
| * | Dactylis glomerata | cocksfoot | x | x | | x |
| | Dendrobium (Winika) cunninghamii | lady's slipper orchid) | u | | | |
| | Dianella nigra | turutu, blueberry | | u | | |
| | Drymoanthus adversus | | x | u | | |
| | Earina mucronata | | x | | | u |
| | Eleocharis acuta | sharp spike sedge | u | | | |
| | Gahnia lacera | | | u | | u |
| * | Glyceria declinata | floating sweet grass | | | | |

⁹ A 4m shrub in flower eradicated 28.6.03

| | | | | | |
|---|--|-----------------------------|---|---|---|
| * | <i>Juncus articulatus</i> | jointed-leaved rush | | x | |
| | <i>Juncus distegus</i> | | | | |
| | <i>Juncus gregiflorus</i> | | x | x | u |
| | <i>Juncus pallidus</i> | | u | | u |
| | <i>Lemna</i> sp. [L. minor auct NZ] | duckweed | | | x |
| | <i>Libertia</i> sp. [L. grandiflora or L. ixiooides] | | | u | |
| * | <i>Lolium perenne</i> | perennial ryegrass | x | x | |
| | <i>Luzula picta</i> s.s. | wood rush | u | u | u |
| | <i>Microlaena stipoides</i> | meadow rice grass | x | x | x |
| | <i>Microtis unifolia</i> | onion-leaved orchid | | | u |
| | <i>Phormium cookianum</i> | mountain flax, wharariki | p | | |
| | <i>Phormium tenax</i> | NZ flax, harakeke | p | | |
| | <i>Poa anceps</i> ssp. <i>anceps</i> | | | u | x |
| * | <i>Potamogeton crispus</i> | curled pondweed | | | x |
| * | <i>Rytidosperma racemosum</i> | danthonia | | x | |
| | <i>Thelymitra longifolia</i> agg. | | | | |
| | <i>Wolffia australiana</i> | water meal | | | |
| | <u>Dicot herbs</u> | | | | |
| | <i>Anaphalioides subrigida</i> | | | u | |
| * | <i>Apium nodiflorum</i> | water celery | | x | x |
| | <i>Cardamine</i> sp. [unnamed; C. debilis agg. "Broad Style" of Pritchard 1957] | bittercress | u | ? | ? |
| | <i>Cardamine</i> sp. [unnamed; C. debilis agg. "Narrow Petal" of Pritchard 1957] | bittercress | x | ? | ? |
| * | <i>Carduus tenuiflorus</i> (?) | winged thistle | x | x | x |
| | <i>Cotula coronopifolia</i> | batchelor's button | | | |
| | <i>Dichondra</i> sp. [D. brevifolia agg.] | | u | | |
| | <i>Epilobium nummulariifolium</i> | willow herb | | u | |
| | <i>Epilobium rotundifolium</i> | willow herb | | u | u |
| * | <i>Galium aparine</i> | cleavers | x | x | x |
| | <i>Galium propinquum</i> | native bedstraw | x | x | |
| | <i>Geranium</i> aff. <i>microphyllum</i> | native geranium | u | | |
| | <i>Euchiton gymnocephala</i> | cudweed | | u | u |
| | <i>Haloragis erecta</i> | | | u | u |
| | <i>Hydrocotyle elongata</i> | | x | x | x |
| | <i>Hydrocotyle novae-zeelandiae</i> s.s. | | u | u | u |
| * | <i>Hypochoeris radicata</i> | cat's ear | | | u |

| | | | | | |
|---|---|----------------------------|--------------------|---|---|
| | <u>Lobelia anceps</u> | | | | |
| | <i>Mazus novaezealandiae</i> ssp. <i>novaezealandiae</i> | dwarf mazus | | x | |
| | <i>Myriophyllum propinquum</i> | milfoil | | | |
| | <i>Oxalis exilis</i> | native oxalis | x | x | x |
| * | <i>Phytolacca octandra</i> | inkweed | x | | u |
| | <i>Polygonum salicifolium</i> | willow-weed | | | |
| * | <i>Prunella vulgaris</i> | self-heal | x | | x |
| | <i>Ranunculus reflexus</i> | bush buttercup | | | u |
| * | <i>Ranunculus repens</i> | creeping buttercup | x | x | x |
| * | <i>Ranunculus sceleratus</i> | celery-leaved buttercup | | | |
| * | <i>Rumex crispus</i> | curled dock | x | | |
| * | <i>Senecio bipinnatisectus</i> | fireweed | | u | x |
| * | <i>Senecio glastifolius</i> | | u(1) ¹⁰ | | |
| | <i>Senecio glomeratus</i> | | u | | |
| * | <i>Senecio jacobaea</i> | ragwort | | | u |
| | <i>Senecio minimus</i> | | | | u |
| | <i>Senecio rufiglandulosus</i> | | | u | x |
| * | <i>Solanum nigrum</i> | black nightshade | x | | x |
| | <i>Stellaria parviflora</i> | NZ chickweed | x | | u |
| * | <i>Taraxacum officinale</i> | dandelion | x | | |
| * | <i>Trifolium repens</i> | white clover | x | | |
| * | <i>Urtica urens</i> | nettle | x | | x |
| | <i>Wahlenbergia violacea</i> | harebell | | x | |
| | <u>Ferns</u> | | | | |
| | <i>Adiantum cunninghamii</i> | maidenhair | | x | x |
| | <i>Asplenium bulbiferum</i> s.s. | hen and chicken fern | | x | |
| | <i>Asplenium colensoi</i> | | | u | |
| | <i>Asplenium flaccidum</i> s.s. | hanging spleenwort | x | x | x |
| | <i>Asplenium gracillimum</i> | | x | x | x |
| | <i>Asplenium hookerianum</i> | | | u | u |
| | <i>Asplenium oblongifolium</i> | shining spleenwort | x | x | u |
| | <i>Asplenium polyodon</i> | sickle spleenwort | x | x | |
| | <i>Asplenium flaccidum</i> x A. <i>oblongifolium</i> | | | u | |
| | <i>Azolla filiculoides</i> ssp. <i>rubra</i> | floating water fern | | u | |
| | <i>Blechnum chambersii</i> | | | x | x |
| | <i>Blechnum filiforme</i> | climbing blechnum | x | x | x |
| | <i>Blechnum fluviatile</i> | | | | u |

¹⁰ One plant in flower 4.11.01; eradicated

| | | | | | |
|---|---------------------|---|---|---|------|
| <i>Blechnum membranaceum</i> | | | x | | x |
| <i>Blechnum novae-zelandiae</i> | kickio | | x | | x |
| <i>Blechnum procerum</i> | | | u | | |
| <i>Blechnum triangularifolium</i> | cliff kiokio | | x | | u |
| <i>Cyathea dealbata</i> | ponga | | x | | u |
| <i>Cyathea medullaris</i> | mamaku | | x | x | x |
| <i>Dicksonia squarrosa</i> | wheki | | x | | u |
| <i>Doodia australis</i> | | | u | | u |
| <i>Hypolepis ambigua</i> | | x | x | | u |
| <i>Lastreopsis glabella</i> | | | u | | u |
| <i>Lastreopsis velutina</i> | velvet fern | | | | u(1) |
| <i>Microsorum pustulatum</i> | hound's tongue fern | x | x | | u |
| <i>Microsorum scandens</i> | | u | x | | u |
| <i>Paesia scaberula</i> | ring fern | | u | | |
| <i>Pellaea rotundifolia</i> | button fern | x | x | | x |
| <i>Pneumatopteris pennigera</i> | | | x | | x |
| <i>Polystichum neozelandicum</i> subsp. <i>zerophyllum</i> | hard shield fern | x | x | x | x |
| <i>Pteridium esculentum</i> | bracken | | u | | u |
| <i>Pteris pendula</i> [P. macilenta auct NZ] | | | x | | u |
| <i>P. tremula</i> | shaking brake | x | x | x | x |
| <i>Pyrrosia eleagnifolia</i> | leather-leaf fern | x | x | | x |
| <i>Rumohra adiantiformis</i> | | u | | | |

Total number of species indigenous to the whole area = 146 (+ 3 hybrids)