

Wanganui Plant List No. 167

Higher plants of forest in the Mangoiwa Stream catchment, SW of Wharariki Trig, Mataroa, NNW of Taihape

600 - 660 m (Grid ref. NZMS260, T21/403749)

24 June 2004

C Ogle¹, V Nicholls², G La Cock³, D Hurley⁴, J Bruce⁵

1. 22 Forres St Wanganui
2. Dept. of Conservation, Palmerston North
3. Dept. of Conservation, Wanganui
4. Dept. of Conservation, Mangaweka
5. Landowner

* = adventive species (not recorded thoroughly, but no woody species seen)
unc = uncommon (only one or a few individuals seen, or a very localised colony)

Gymnosperm Trees

<i>Dacrycarpus dacrydioides</i>	kahikatea
<i>Prumnopitys taxifolia</i>	matai

Monocot Tree

<i>Cordyline australis</i> (unc)	cabbage tree, ti kouka
----------------------------------	------------------------

Dicot Trees and Shrubs

<i>Aristotelia fruticosa</i> var. <i>microphylla</i> (unc)	mountain wineberry
<i>Aristotelia serrata</i> (unc)	wineberry, makomako
<i>Carpodetus serratus</i>	putaputaweta
<i>Coprosma propinqua</i> ssp. <i>propinqua</i>	
<i>Coprosma rigidia</i>	
<i>Coprosma rotundifolia</i>	round-leaved coprosma
<i>Coprosma rubra</i>	
<i>Coprosma propinqua</i> x <i>C. robusta</i> (unc)	
<i>Fuchsia excorticata</i> (unc)	kotukutuku
<i>Griselinia littoralis</i>	broadleaf, puka
<i>Hebe stricta</i> var. <i>stricta</i>	koromiko
<i>Hoheria angustifolia</i> (unc)	narrow-leaved lacebark
<i>Hoheria populnea</i> var. <i>lanceolata</i> (= <i>H. sexstylosa</i>)	lacebark
<i>Leptospermum scoparium</i> var.	manuka
<i>Lophomyrtus obcordata</i>	rohutu
<i>Melicope simplex</i>	poataniwha
<i>Melicytus ramiflorus</i>	mahoe
<i>Myrsine divaricata</i> s.s.	weeping mapou
<i>Nestegis cunninghamii</i>	black maire
<i>Nestegis lanceolata</i>	white maire
<i>Pennantia corymbosa</i>	kaikomako
<i>Pittosporum eugenioides</i>	tarata, lemonwood
<i>Pseudopanax crassifolius</i>	lancewood, horoeka
<i>Pseudowintera colorata</i> (unc)	horopito

<i>Sophora microphylla</i> ¹	kowhai
<i>Sophora godleyi</i> ¹	kowhai
<i>Streblus heterophyllus</i>	turepo, small-leaved milktree,

Dicot Lianes

<i>Clematis foetida</i>	scented clematis
<i>Metrosideros colensoi</i> (unc)	white rata vine
<i>Muehlenbeckia australis</i>	pohuehue
<i>Parsonsia capsularis</i>	NZ jasmine
<i>Parsonsia heterophylla</i> (unc)	NZ jasmine
<i>Passiflora tetrandra</i> (unc - 1 seen)	kohia, NZ passionfrut
<i>Rubus schmideliooides</i> var. <i>schmideliooides</i>	lawyer

Ferns

<i>Asplenium gracillimum</i>	
<i>Asplenium polyodon</i> (unc)	sickle spleenwort
<i>Blechnum fluviatile</i> agg.	
<i>Cyathea dealbata</i> (unc – 1 juvenile)	
<i>Histiopteris incisa</i>	water fern
<i>Hypolepis ambigua</i> (some with 1.2 m stipes)	
<i>Pellaea rotundifolia</i>	button fern
<i>Microsorum pustulatum</i>	hound's tongue
<i>Polystichum novae-zelandiae</i> (ex- <i>P. richardii</i> , in part)	hard shield fern
<i>Polystichum vestitum</i> (unc)	prickly shield fern
<i>Pyrrosia eleagnifolia</i>	leather-leaf fern

Monocot herbs

<i>Carex virgata</i> (unc)	
* <i>Dactylis glomerata</i>	cocksfoot
<i>Earina mucronata</i> s.s. (unc)	a perching orchid
* <i>Holcus lanatus</i>	Yorkshire fog
<i>Juncus edgariae</i> (= <i>J. gregiflorus</i> of NZ authors)	

Dicot Herbs

<i>Acaena juvenca</i>	bidibidi (piripiri)
<i>Cardamine sp.(C. debilis</i> agg.)	NZ bittercress
* <i>Conium maculatum</i>	hemlock
<i>Hydrocotyle elongata</i>	pennywort
* <i>Mycelis muralis</i>	wall lettuce
* <i>Ranunculus repens</i>	creeping buttercup
<i>Senecio minimus</i>	NZ fireweed
* <i>Stellaria media</i>	chickweed
<i>Urtica incisa</i>	NZ nettle

¹ From Heenan and de Lange (2001) in a taxonomic revision of *Sophora*, we list two species of kowhai. *S. microphylla* has divaricating juveniles, trees not markedly weeping and leaflets with almost hairless upper surfaces. *S. godleyi* has non-divaricating juveniles, a markedly weeping adult form and upper leaflet surfaces with dense cover of fine, sometimes erect, hairs, giving the tree a grey appearance. The latter appeared more abundant in this forest than the former.

