

WANGANUI PLANT LIST 22

Indigenous Vascular Plants of Whangaehu Valley, near Kauangaroa Marae, above Kumuiti Road and Whangaehu River.

Grid Ref: NZMS Map Series 260, Sheet S22/056387.

C C Ogle

Department of Conservation, Wanganui

13 August 1991

a = abundant
c = common
o = occasional
u = uncommon

Gymnosperm Trees

<i>Dacrydium cupressinum</i>	rimu	u
<i>Dacrycarpus dacrydioides</i>	kahikatea	c
<i>Prumnopitys taxifolia</i>	matai	o

Dicot trees and shrubs

<i>Alectryon excelsus</i>	titoki	o
<i>Beilschmiedia tawa</i>	tawa	u
<i>Brachyglottis repanda</i>	rangiora	u
<i>Carpodetus serratus</i>	putaputaweta	u
<i>Carmichaelia arborea</i> var.	NZ broom	u
<i>Coprosma areolata</i>		u
<i>C. rhamnoides</i>		a
<i>C. rigida</i>		a
<i>C. robusta</i>	karamu	u
<i>C. rotundifolia</i>		c
<i>Elaeocarpus dentatus</i>	hinau	o
<i>Geniostoma rupestre</i>	hangehange	u
<i>Hebe stricta</i>	koromiko	u
<i>Hedycarya arborea</i>	pigeonwood	o
<i>Hoheria populnea</i> var. (=H. <i>sexstylosa</i>)	houhere, lacebark	o
<i>Knightia excelsa</i>	rewarewa	o
<i>Kunzea ericoides</i>	kanuka, kopuka	a
<i>Leucopogon fasciculatus</i>	mingimingi	
<i>Melicytus ramiflorus</i>	mahoe	a
<i>Myoporum laetum</i>	ngaio	u
<i>Myrsine australis</i>	mapou	o
<i>Nestegis lanceolata</i>	white maire	u
<i>Pittosporum tenuifolium</i>	kohuhu	o
<i>Pseudopanax crassifolium</i>	lancewood, horoeka	o
<i>Schefflera digitata</i>	pate	u
<i>Sophora microphylla</i>	kowhai	o
<i>Streblus heterophyllus</i>	small-leaved milk tree	o

Dicot lianes (vines)

Clematis foetida		o
Metrosideros diffusa	aka, white-flowered rata	u
M. perforata	aka, white-flowered rata	u
Muehlenbeckia australis	pohuehue	o
Parsonsia capsularis	NZ jasmine	c
Rubus cissoides	bush lawyer	u
R. schmidelioides	bush lawyer	o

Monocot tree

Cordyline australis	cabbage tree	o
---------------------	--------------	---

Monocot liane (vine)

Ripogonum scandens	kareao, supplejack	o
--------------------	--------------------	---

Orchids

Earina mucronata	perching orchid	c
Pterostylis alobula	greenhood orchid	u

Grasses

Microlaena stipoides	meadow ricegrass	c
Poa anceps var. anceps		o

Sedges

Carex geminata s.s.		o
C. secta		u
C. virgata		u
Uncinia uncinata	hook grass	o

Rushes

Juncus distegus		u
J. gregiflorua		c
J. pallidus		u
J. sarophorus		u

Monocot herbs other than orchids, grasses, sedges, rushes

Collospermum hastatum		c
Phormium cookianum	wharariki	u

Dicot herbs

Acaena anserinifolia	bidibidi	o
Cardamine sp [C. debilis agg.]	bittercress	
Galium propinquum	NZ bedstraw	u
Geranium microphyllum		u
Gnaphalium gymnocephalum	cudweed	o
Hydrocotyle elongata		
H. heteromeria	pennywort	o
H. moschata	hairy pennywort	u
Oxalis exilis		o

Pratia angulata		o
Ranunculus reflexus	bush buttercup	o
Stellaria decipiens	NZ chickweed	u
Wahlenbergia colensoi	harebell	u

Ferns

Adiantum cunninghamii	maidenhair fern	o
Asplenium bulbiferum	hen and chicken fern	u
A. flaccidum	hanging spleenwort	c
A. gracillimum		o
Blechnum chambersii		o
B. filiforme	climbing blechnum	u
B. fluviatile		c
B. sp. [unnamed; B capense agg.; "Black Spot"]	kiokio	u
Cyathea dealbata	ponga	o
C. medullaris	mamaku	o
Dicksonia fibrosa	wheki-ponga	o
D. squarrosa	wheki	o
Hypolepis ambigua		c
Lastreopsis glabella	u	
Paesia scaberula	ring fern	o
Pellaea rotundifolia	button fern	o
Phymatosorus diversifolius	hound's tongue fern	c
Polystichum richardii	shield fern	o
Pneumatopteris pennigera		c
Pteris tremula		o
Pyrrosia eleagnifolia		o

Fern Ally

Lycopodium volubile	climbing clubmoss	u
---------------------	-------------------	---

Vegetation Types

1. [hinau]-[rewarewa]-[kahikatea]/mahoe-(supplejack) - [titoki]: forest on lower valley sides and valley floor.
2. Kanuka/Coprosma rhamnoides/meadow ricegrass: forest on valley sides.
3. Kanuka/Coprosma rigida - (C. rotundifolia)/C. rhamnoides: scrub on forest edges.