

Indigenous plants of Addenbrooke/Deans forest and scrub, Creek Road, Mangamahu, Wanganui
(Grid ref NZMS)

Colin Ogle and Bob Halsey
16.10.90.

Wanganui Plant List 23

Department of Conservation, Wanganui

a = abundant; c = common; o = occasional; u = uncommon

* denotes adventive species (planted specimens are not listed)

Gymnosperms

Dacrycarpus dacrydioides	(kahikatea)	o
Dacrydium cupressinum	(rimu)	o
Podocarpus totara	(totara)	u
Prumnopitys taxifolia	(matai)	u

Dicot trees and shrubs

Alectryon excelsus	(titoki)	o
Aristotelia serrata	(Wineberry, makomako)	o
Beilschmiedia tawa	(tawa)	c
* Berberis glaucocarpa	(barberry)	c
Brachyglottis repanda	(rangiora)	c
Carmichaelia arborea var.	(NZ broom)	u
Coprosma areolata		c
C. lucida	(shining karamu)	o
C. rhamnoides		o
C. robusta	(karamu)	o
Coriaria arborea	(tutu)	o
Elaeocarpus dentatus	(hinau)	o
Gaultheria antipoda	(snowberry)	u
Geniostoma rupestre var. ligustrifolium	(hangehange)	a
Hebe stricta var. stricta	(koromiko)	o
Hedycarya arborea	(pigeonwood)	o
Helichrysum aggregatum		o
Hoheria populnea var. [= H. sexstylosa]	(lacebark)	o
Knightia excelsa	(rewarewa)	o
Kunzea ericoides	(kanuka)	o
Laurelia novae-zelandiae	(pukatea)	u

Leptospermum scoparium	(manuka)	a
Leucopogon fasciculatus	(mingimingi)	c
Lophomyrtus obcordata	(rohutu)	u
Melicope simplex		o
Melicytus ramiflorus	(mahoe)	c
Myoporum laetum	(ngaio)	u
Myrsine australis	(mapou)	o
Nestegis lanceolata	(white maire)	u
Nothofagus solandri var. solandri	(black beech)	o
Olearia paniculata	(akiraho)	u
O. rani	(heketara)	o
O. townsonii		u
Pennantia corymbosa	(kaikomako)	c
Pittosporum eugenoides	(lemonwood, tarata)	o
P. tenuifolium var.	(kohuhu)	o
Pseudopanax anomalus		u
P. arboreus	(5-finger)	u
P. crassifolius	(lancewood)	o
* Salix fragilis	(crack willow)	o
Schefflera digitata	(pate)	o
Sophora microphylla	(kowhai)	c
Streblus heterophyllus	(small-leaved milktree)	o
* Ulex europaeus	(gorse)	c
Urtica ferox	(shrub nettle)	u
Weinmannia racemosa	(kamahi)	u
 <u>Monocot shrub</u>		
Cordyline banksii	(Banks' cabbage tree)	o
 <u>Dicot lianes</u>		
Calystegia tuguriorum		o
Clematis foetida		o
C. paniculata		o
Metrosideros colensoi	(white climbing rata)	o
M. diffusa	(white climbing rata)	o
M. perforata	(white climbing rata)	u
Muehlenbeckia australis	(pohuehue)	o
Parsonsia heterophylla	(NZ jasmine)	o
Passiflora tetrandra	(NZ passionflower)	o
Rubus cissoides var. cissoides	(bush lawyer)	o
* R. fruticosus agg.	(blackberry)	o
R. schmidelioides var. schmidelioides	(bushlawyer)	o
* Vinca major	(periwinkle)	u

Monocot liane

Ripogonum scandens (supplejack) o

Dicot herbs

Acaena anserinifolia (bidibidi) o

Anaphalis keriensis o

A. subrigida o

Australina pusilla

Callitriche petriei o

Cardamine sp. [C. debilis agg. "Broad style"] (bittercress) o

* Cirsium arvense (California thistle) o

* C. palustre (marsh thistle) o

* C. vulgare (Scotch thistle) o

* Digitalis purpurea (foxglove) c

Epilobium nerteroides o

E. rotundifolium u

Gunnera monoica u

Hydrocotyle elongata (pennywort) o

H. moschata (hairy pennywort) u

H. novae-zeelandiae (swamp pennywort) u

* Lotus pedunculatus (lotus major) c

Nertera depressa o

Oxalis exilis o

Pratia angulata o

* Ranunculus repens (creeping buttercup) o

* Senecio bipinnatisectus (fireweed) u

* S. jacobaea (ragwort) u

S. rufiglandulosus u

* Silybum marianum (variegated thistle) o

Stellaria decipiens o

* Trifolium repens (white clover) c

Urtica incisa (nettle) o

* Veronica arvensis (field speedwell) o

Monocot herbs

Arthropodium candidum o

Astelia fragrans u

Carex geminata agg. [broad leaves] o

C. inversa u

C. solandri o

<i>C. virgata</i>		c
<i>Collospermum hastatum</i>	(perching lily)	o
<i>C. microspermum</i>	(perching lily)	u
<i>Cortaderia fulvida</i>	(toetoe)	o
<i>Corybas macranthus</i>	(spider orchid)	u
<i>C. trilobus</i>	(spider orchid)	u
<i>Earina mucronata</i>		o
<i>Gahnia setifolia</i>		u
* <i>Juncus effusus</i>		o
<i>J. gregiflorus</i>	(rush)	c
<i>Microlaena avenacea</i>	(bush ricegrass)	u
<i>Phormium cookianum</i>	(mtn. flax)	o
<i>Poa anceps</i> var. <i>anceps</i>		o
<i>Uncinia uncinata</i>	(hook grass)	c
<u>Fern Allies</u>		
<i>Lycopodium varium</i>	(clubmoss)	o
<i>L. volubile</i>	(climbing club moss)	o
<i>Tmesipteris elongata</i>		o
<u>Ferns</u>		
<i>Adiantum cunninghamii</i>	(maidenhair fern)	o
<i>Anarthropteris lanceolata</i>		o
<i>Asplenium bulbiferum</i>	(hen and chicken fern)	u
<i>A. flaccidum</i>	(hanging spleenwort)	o
<i>A. gracillimum</i>		o
<i>A. oblongifolium</i>	(shining spleenwort)	o
<i>A. polyodon</i>		o
<i>Blechnum chambersii</i>		a
<i>B. discolor</i>	(crown fern)	o
<i>B. filiforme</i>	(climbing blechnum)	o
<i>B. fluviatile</i>		o
<i>B. sp.</i> [<i>B. capense</i> agg. "Black spot"]	(kiokio)	a
<i>B. sp.</i> [<i>B. capense</i> agg. "Green Bay form"]		o
<i>Cyathea dealbata</i>	(ponga)	o
<i>C. medullaris</i>	(mamaku)	a
<i>Dicksonia fibrosa</i>	(wheki-ponga)	o
<i>D. squarrosa</i>	(wheki)	a
<i>Grammitis ciliata</i>		o
<i>Hymenophyllum demissum</i>	(filmy fern)	u
<i>H. sanguinolentum</i>	(filmy fern)	u

- # -

Hypolepis ambigua		o
Lastreopsis glabella		u
Leptopteris hymenophylloides	(heruheru)	o
Paesia scaberula	(ring fern)	o
Pellaea rotundifolia	(button fern)	o
Phymatosorus diversifolius	(hounds tongue)	o
P. scandens		o
Pneumatopteris pennigera		o
Polystichum richardii		u
Pteridium esculentum	(bracken)	o
Pteris pendula [P. macilentata of NZ authors]		u
P. tremula		o
Pyrrosia eleagnifolia		o
Trichomanes venosum	(bristle fern)	u

Total = 133 indigenous species