

Vascular plants of Makuhou Scenic Reserve, Turakina Catchment, Wanganui

(Grid ref NZMS 260/Sheet S22/115327; 140-220m a.s.l)
Colin Ogle and members of Wanganui Botanical Group, 24.03.91
updated nomenclature for Polystichum richardii 21 August 2003.

Wanganui Plant List 27
Department of Conservation, Wanganui

a = abundant; c = common; o = occasional; u = uncommon

* denotes adventive species (planted specimens are not listed)

Gymnosperms

Dacrycarpus dacrydioides	(kahikatea)	o
Dacrydium cupressinum	(rimu)	o
Podocarpus totara	(totara)	o
Prumnopitys taxifolia	(matai)	u

Dicot trees and shrubs

Alectryon excelsus	(titoki)	o
Aristotelia serrata	(wineberry, makomako)	u
Beilschmiedia tawa	(tawa)	c
Brachyglottis repanda	(rangiora)	c
Coprosma grandifolia	(kanono, raurekou)	o
C. lucida	(shining karamu)	u
C. rhamnoides		c
C. robusta	(karamu)	u
C. rotundifolia		u
Elaeocarpus dentatus	(hinau)	o
Fuchsia excorticata	(kotukutuku)	u
Geniostoma rupestre var. ligustrifolium	(hangehange)	c
Hebe stricta var. stricta	(koromiko)	o
Hedycarya arborea	(pigeonwood)	o
Hoheria populnea var. [= H. sexstylosa]	(lacebark)	o
Knightia excelsa	(rewarewa)	o
Kunzea ericoides	(kanuka)	a
Laurelia novae-zelandiae	(pukatea)	u
Leucopogon fasciculatus	(mingimingi)	c
Leycesteria formosa	(Himalayan honeysuckle)	o
Macropiper excelsum	(kawakawa)	u
Melicytus ramiflorus	(mahoe)	c

Makuhou Scenic Reserve, Turakina Valley

<i>Myoporum laetum</i>	(ngaio)	u
<i>Olearia paniculata</i>	(akiraho)	u
	(natural?)	
<i>O. rani</i>	(heketara)	o
<i>Pittosporum eugenioides</i>	(lemonwood, tarata)	u
<i>P. tenuifolium</i> var.	(kohuhu)	o
<i>Pseudopanax arboreus</i>	(5-finger)	u
<i>P. crassifolius</i>	(lancewood)	o
<i>Schefflera digitata</i>	(pate)	o
<i>Solanum</i> sp.	(poroporo)	u
<i>Streblus heterophyllus</i>	(small-leaved milktree)	o
* <i>Teline monspessulana</i> (?)	(Montpelier broom)	u
* <i>Ulex europaeus</i>	(gorse)	u

Monocot tree and shrub

<i>Cordyline australis</i>	(cabbage tree)	o
<i>C. banksii</i>	(Banks' cabbage tree)	o

Dicot lianes

<i>Calystegia sepium</i> agg.		o
<i>Clematis foetida</i>		o
<i>C. forsteri</i>		o
<i>Metrosideros diffusa</i>	(white climbing rata)	o
<i>Muehlenbeckia australis</i>	(pohuehue)	o
<i>Parsonsia capsularis</i>	(NZ jasmine)	o
* <i>Passiflora mollissima</i>	(NZ passionflower)	o
<i>Rubus cissoides</i> var. <i>cissoides</i>	(bush lawyer)	o
<i>R. schmidelioides</i> var. <i>schmidelioides</i>	(bushlawyer)	o

Monocot liane

<i>Ripogonum scandens</i>	(supplejack)	o
---------------------------	--------------	---

Dicot herbs

Dichondra sp. (D. brevifolia agg.)		u
<i>Epilobium nummulariifolium</i>	(willowherb)	o
<i>Gnaphalium gymnocephalum</i>	(cudweed)	o
<i>Gunnera monoica</i>		u
<i>Haloragis erecta</i>		u
<i>Hydrocotyle moschata</i>	(hairy pennywort)	u
<i>Oxalis exilis</i>		o
<i>Ranunculus reflexus</i>	(bush buttercup)	u
* <i>R. repens</i>	(creeping buttercup)	o
* <i>Senecio bipinnatisectus</i>	(fireweed)	u
<i>S. glomeratus</i>	(fireweed)	u
* <i>Stachys sylvatica</i>	(hedge woundwort)	u
<i>Stellaria decipiens</i>		o

Makuhou Scenic Reserve, Turakina Valley

Wahlenbergia sp.	(harebell)	u
<u>Monocot herbs</u>		
* Agapanthus orientalis	(agapanthus)	u
Carex geminata agg.		u
C. solandri		o
Cortaderia toetoe	(toetoe)	o
Earina mucronata		o
Gahnia sp.		u
Juncus planifolius		u
Microlaena avenacea	(bush ricegrass)	o
M. stipoides	(meadow ricegrass)	o
Poa anceps var. anceps		o
Uncinia uncinata	(hook grass)	c
<u>Ferns</u>		
Adiantum cunninghamii	(maidenhair fern)	o
Asplenium bulbiferum	(hen and chicken fern)	o
A. flaccidum	(hanging spleenwort)	o
A. gracillimum		o
A. oblongifolium	(shining spleenwort)	o
Blechnum chambersii		o
B. fluitatile		o
B. sp. [B. capense agg. "Black spot"]	(kiokio)	o
Cyathea dealbata	(ponga)	c
C. medullaris	(mamaku)	o
Dicksonia fibrosa	(wheki-ponga)	u
Hymenophyllum demissum	(filmy fern)	u
Hypolepis ambigua		o
Paesia scaberula	(ring fern)	o
Pellaea rotundifolia	(button fern)	o
Phymatosorus diversifolius	(hounds tongue)	o
Pneumatopteris pennigera		u
Polystichum neozelandicum subsp. zerophyllum		o
Pteridium esculentum	(bracken)	o
Trichomanes venosum	(bristle fern)	u

Total = 87 indigenous species

Vegetation

Mostly secondary forest: kanuka/ponga - mahoe, but with pockets of tawa/ponga-mahoe-supplejack forest. Area viewed from top edge of the reserve and adjoining retired farmland, and from one transect from the ridge to valley floor beside the road.