

Wanganui Plant List No. 38

List of Vascular Plants in Bush Remnants near Tutaenui Stream, Johnson Street, Bulls

B A Lovelock (Dept. of Conservation, Palmerston North) 16.8.81, 4.10.91; C C Ogle (Dept. of Conservation, Wanganui) 4.10.91; Wanganui Botanical Group 1.3.92, 30.5.98

Presence shown for 3 separate forest remnants

T = Tricker's (=NZMS 260/S23/122127)

B = Bott's (=NZMS 1/N143/882576)

F = Field's ()

c = common

o = occasional

u = uncommon

x = present (abundance not assessed)

j = juveniles only

T	B	F
---	---	---

A INDIGENOUS SPECIES

GYMNOSPERMS

<i>Agathis australis</i>	kauri	u ¹		
<i>Dacrycarpus dacrydioides</i>	kahikatea	u	x	x
<i>Podocarpus totara</i>	totara	o	x	x
<i>Prumnopitys taxifolia</i>	matai	o	x	

DICOT TREES AND SHRUBS

<i>Alectryon excelsus</i>	titoki	c	x	x
<i>Beilschmiedia tawa</i>	tawa	o	x	x
<i>Carmichaelia arborea</i> var.		u		
<i>Coprosma areolata</i>		c	x	
<i>C. crassifolia</i>		c		x
<i>C. rhamnoides</i>		c		
<i>C. rigida</i>		c		
<i>C. robusta</i>	karamu	u		
<i>C. rotundifolia</i>		o	x	
<i>Corynocarpus laevigatus</i>	karaka	uj ²	o	
<i>Elaeocarpus dentatus</i>	hinau		u	
<i>E. hookerianus</i>	pokaka		u	
<i>Geniostoma rupestre</i> var.				
<i>ligustrifolium</i>	hangehange	u		

¹ Planted shrubs 1996

² Karaka seeds sown in mid-1990s (K. Tricker, pers. comm.)

		T	B	F
Hedycarya arborea	pigeonwood		u	
Hoheria populnea var. (= <i>H. sexstylosa</i>)	lacebark	o		
Knightia excelsa	rewarewa		o	
Korthalsella lindsayi	mistletoe	o	x	
Laurelia novae-zelandiae	pukatea		u	
Lophomyrtus bullata	ramarama		u	
L. obcordata	rohutu	o		
L. obcordata x L. bullata		o		
Melicope simplex	poataniwha	c	x	
Melicytus micranthus	small-leaved mahoe	c	x	
M. ramiflorus	mahoe	o		
M. micranthus x M. ramiflorus		u		
Myoporum laetum	ngaio	u	x	x
Myrsine australis	mapou	u	x	
Neomyrtus pedunculata		u(1)		
Nestegis cunninghamii	blackmaire		u	
Pennantia corymbosa	kaikomako	o	x	x
Pittosporum cornifolium		u(1)		
P. tenuifolium	kohuhu	u		
Plagianthus regius	manatu (ribbonwood)	u	x	
Pseudopanax anomalus		u		
P. crassifolius	horoeka, lancewood	u(1)		
Solanum sp.	poroporo	o		
Sophora microphylla	kowhai	o	x	
Streblus heterophyllus	turepo, small-leaved milk tree	o	x	
Teucrium parvifolium		u(1)		

DICOT LIANES (VINES)

Calystegia tuguriorum	convolvulus	u		
Clematis foetida		u		
Metrosideros colensoi	small-leaved rata	o	x	
M. diffusa	white rata vine	u	x	
Muehlenbeckia australis	pohuehue	c	x	
M. complexa	small-leaved pohuehue	o		
Parsonsia heterophylla	NZ jasmine	c	x	
P. capsularis	NZ jasmine		u	
Passiflora tetrandra	NZ passionvine	o		x
Rubus schmidelioides	bush lawyer	o		
R. squarrosus	leafless lawyer	u	x	
R. schmidelioides x R. squarrosus		u	x	

DICOT HERBS

		T	B	F
<i>Callitriche petriei</i>	NZ starwort	u		
<i>Cardamine sp. (C. debilis agg.)</i>	bitter-cress	x		
<i>Epilobium insulare</i>	willowherb	x		
<i>Hydrocotyle elongata</i>		x		?
<i>H. heteromeria</i>	shiny pennywort	x		
<i>H. novae-zeelandiae</i>	swamp pennywort	x		

MONOCOT TREE

<i>Cordyline australis</i>	cabbage tree	o	x	
<i>Rhopalostylis sapida</i>	nikau	u		

MONOCOT LIANE

<i>Ripogonum scandens</i>	supplejack	u		
---------------------------	------------	---	--	--

MONOCOT HERBS

<i>Carex virgata</i>	a cutty grass	o		
<i>Collospermum hastatum</i>	perching lily	u		
<i>Drymoanthus adversus</i>	(orchid)			o
<i>Earina autumnalis</i>	autumn orchid	u		
<i>E. mucronata</i>	(orchid)	u		
<i>Lemna sp. (L. minor auct. NZ)</i>	duckweed	x		
<i>Microlaena polynoda</i>	bamboo rice grass	o		
<i>M. stipoides</i>	meadow rice grass	o		
<i>Oplismenus imbecillus</i>	a native grass	u		
<i>Wolffia australiana</i>	water meal	u		

FERNS

<i>Adiantum diaphanum</i>	maidenhair fern	u		
<i>Arthropteris tenella</i>	jointed fern	u	x	
<i>Asplenium bulbiferum</i>	hen and chicken fern	u		
<i>A. flaccidum</i>	hanging spleenwort	u		
<i>A. gracillimum</i>		u		
<i>A. hookerianum</i>		u		
<i>A. oblongifolium</i>	shining spleenwort	u		
<i>A. polyodon</i>	sickle spleenwort	o		
<i>A. hookerianum x A. sp</i> (<i>A. gracillimum?</i>)		u		
<i>Azolla filiculoides ssp. rubra</i>		u		
<i>Blechnum filiforme</i>	thread fern	u		

		T	B	F
<i>B. novae-zelandiae</i>	kiokio	u		
<i>Cyathea smithii</i>	katote/soft tree fern	u		
<i>Hypolepis ambigua</i>		o		
<i>Lastreopsis microsora</i>		c		
<i>Paesia scaberula</i>	ringfern	u		
<i>Pellaea</i> sp. (unnamed; cf <i>P. falcata</i> /P. <i>rotundifolia</i>)		c	x	
<i>Phymatosorus pustulatus</i>	hound's tongue fern	u		
<i>P. scandens</i>		u		
<i>Polystichum richardii</i>	hard shield fern	o		
<i>Pneumatopteris pennigera</i>		u		
<i>Pteris tremula</i>	shaking brake	u		
<i>Pyrrosia eleagnifolia</i>	leather leaf fern	c	x	x
		—	—	—
Number of naturally occurring indigenous species			82	
		—	—	—

B SOME CONSPICUOUS ADVENTIVE SPECIES (incomplete list)

<i>Alisma lanceolatum</i>	water plantain	u		
<i>Allium triquetrum</i>	3-cornered garlic ("wild onion")	c		
<i>Berberis glaucocarpa</i>	barberry	u		
<i>Callitricha stagnalis</i>	starwort	o		
<i>Carex divulsa</i>		o		
<i>Conium maculatum</i>	hemlock	c		
<i>Crataegus monogyna</i>	hawthorn	c		
<i>Cyperus eragrostis</i>	a soft "cutty grass"	u		
<i>Cytisus scoparius</i>	broom	c		
<i>Dianthus armerius</i>	Deptford pink	x		
<i>Duchesnea indica</i>	Indian strawberry	o		
<i>Elodea canadensis</i>		c		
<i>Hypericum androsaemum</i>	tutsan	u		
<i>Potamogeton crispus</i>	curled pondweed	x		
<i>Rubus fruticosus agg.</i>	blackberry	o		
<i>Salix fragilis</i>	crack willow	o		
<i>Spirodela punctata</i>	purple-backed duckweed	u		
<i>Solanum chenopodioides</i>	velvety nightshade	c		
<i>S. pseudocapsicum</i>	Jerusalem cherry	c	x	
<i>Tradescantia fluminensis</i>	wandering jew	a		x
<i>Ulex europaeus</i>	gorse	o		