

WANGANUI PLANT LIST 5

LIST OF PLANT SPECIES IN UPPER MOUMAHAKI STREAM CATCHMENT, WAVERLEY INCLUDING MOUMAHAKI LAKES

- A. Indigenous plants of whole catchment
- B. Adventive plants of lakes only

Lakes visited were numbered in order from the uppermost, centred on NZMS1 (Map N130) and NZMS 260 (Map R21) grid refs as follows:-

	N130	R21
1.	240187	550 697
2.	242182	552 692
3.	238178	549 689
4.	238172	549 683
5.	234173	544 685
6.	Lake Moumahaki 220157 (533 673) (* = on nearby valley floor in and near kahikatea stand at 222174 (534 683), but not in immediate wetlands of lake itself)	

Lakes not visited in same catchment are at NZMS 1/232180, 217143 (= NZMS 260/543692, 529658).

CHR = Specimen collected for Landcare Research herbarium at Lincoln.

Survey by C C Ogle, W Baxter : 17 June 1988; combined Wanganui and Wellington Botanical Groups 21 - 22 January 1989; Wanganui Botanical Group 4 February 1990; J. Barkla July/Aug 1996.

Summer Nature Programme, 30 January 1997

Nomenclature last updated 10 June 1999

A. INDIGENOUS PLANTS OF CATCHMENT	LAKES					
	1	2	3	4	5	6
Gymnosperms						
<i>Dacrycarpus dacrydioides</i> (kahikatea)					x	*
<i>Dacrydium cupressinum</i> (rimu)						
<i>Podocarpus hallii</i> (mountain totara)						
<i>P. totara</i> (totara)						
<i>Prumnopitys ferruginea</i> (miro)						
<i>P. taxifolia</i> (matai)						

A. INDIGENOUS PLANTS OF CATCHMENT	LAKES					
	1	2	3	4	5	6
Dicot trees and shrubs						
<i>Alseuosmia macrophylla</i>						
<i>Beilschmiedia tawa</i> (tawa)						
<i>Brachyglottis repanda</i> (rangiora)						
<i>Carmichaelia australis</i> var. (native broom)						
<i>Carpodetus serratus</i> (putaputaweta)					x	
<i>Coprosma lucida</i> (shining karamu)						*
<i>C. rhamnoides</i>					x	
<i>C. robusta</i> (karamu)						
<i>C. rotundifolia</i> CHR						
<i>Cyathodes juniperina</i>						
<i>Dracophyllum strictum</i> CHR						*
<i>Elaeocarpus dentatus</i> (hinau)						
<i>Griselinia lucida</i> (puka, broadleaf)						
<i>Hebe stricta</i> var. <i>stricta</i> (koromiko)			x			
<i>Hedycarya arborea</i> (pigeonwood)						
<i>Helichrysum aggregatum</i>						
<i>Hoheria populnea</i> var. [<i>H.sexstylosa</i>] (lacebark)						
<i>Knightia excelsa</i> (rewarewa)						
<i>Kunzea ericoides</i> (kanuka)						
<i>Laurelia novae-zelandiae</i> (pukatea)	x	x		x	x	
<i>Leptospermum scoparium</i> (manuka)	x	x	x	x	x	x
<i>Leucopogon fasciculatus</i> (mingimingi)	x					
<i>Lophomyrtus bullata</i> (ramarama)						*
<i>Macropiper excelsum</i> (kawakawa)				x		
<i>Melicytus ramiflorus</i> (mahoe)						
<i>Metrosideros robusta</i> (northern rata)						
<i>Myrsine australis</i> (mapou)						
<i>Nestegis cunninghamii</i> (black maire)						
<i>N. lanceolata</i> (white maire)						

A. INDIGENOUS PLANTS OF CATCHMENT	LAKES					
	1	2	3	4	5	6
<i>Nothofagus solandri</i> var. <i>solandri</i> (black beech)	x					
<i>Olearia rani</i> (heketara)						
<i>O. townsonii</i> (shrub daisy) CHR						
<i>Pseudopanax anomalus</i>						
<i>P. arboreus</i> (five finger)						
<i>P. crassifolius</i> (lancewood)						
<i>Rhabdothamnus solandri</i> (taurepo)						
<i>Schefflera digitata</i> (pate)						
<i>Sophora microphylla</i> (kowhai)						
<i>Streblus heterophyllus</i> (small-leaved milk tree, turepo)						
<i>Urtica ferox</i> (shrub nettle, ongaonga)						
<i>Weinmannia racemosa</i> (kamahi)	x					
<u>Monocot. trees</u>						
<i>Cordyline australis</i> (cabbage tree, ti kouka)						x
<i>C. banksii</i>				x		
<i>Rhopalostylis sapida</i> (nikau)						
<u>Monocot. lianes</u>						
<i>Freycinetia banksii</i> (kiekie)	x			x		x
<i>Ripogonum scandens</i> (supplejack)				x		*
<u>Dicot. lianes</u>						
<i>Calystegia sepium</i> (convolvulus)						x
<i>Clematis paniculata</i> (clematis)						
<i>Metrosideros diffusa</i> (white rata vine)	x			x		*
<i>M. fulgens</i> (scarlet rata vine)				x		*
<i>M. perforata</i> (white rata vine)	x	x		x		*
<i>Muehlenbeckia australis</i> (pohuehue)			x			x
<i>Parsonsia capsularis</i> (NZ jasmine)						
<i>Passiflora tetrandra</i> (native passionfruit)				x		x
<i>Rubus cissoides</i> var. <i>cissoides</i> (lawyer)						

A. INDIGENOUS PLANTS OF CATCHMENT	LAKES					
	1	2	3	4	5	6
<i>Rubus schmideliooides</i> (lawyer) CHR						*
<u>Monocot. herbs</u>						
<i>Acianthus sinclairii</i>						
<i>Astelia solandri</i> (perching lily)			x			
<i>Bolboschoenus fluviatilis</i> CHR						x
<i>Bulbophyllum pygmaeum</i>						
<i>Carex breviculmis</i>						x
<i>C. dipsacea</i> CHR						x
<i>C. dissita</i>						
<i>C. flagellifera</i>						x
<i>C. inversa</i>						
<i>C. lessoniana</i>	x		x			x
<i>C. maorica</i>	x	x	x	x	x	x
<i>C. secta</i> s.s. (purei)	x	x	x	x	x	x
<i>C. virgata</i>	x	x	x	x	x	x
<i>C. sp. (C. geminata agg. "giant sp.")</i> CHR	x			x		x
<i>Collospermum hastatum</i> (perching lily)	x			x		
<i>Cortaderia toetoe</i> (toetoe)	x	x	x	x		x
<i>Corybas iridescens</i> (spider orchid)						
<i>Cyperus ustulatus</i>	x	x	x	x	x	x
<i>Deyeuxia avenoides</i> CHR						
<i>Dianella nigra</i> (turutu)	x					
<i>Dichelachne crinita</i> (plume grass)						
<i>Drymoanthus adversus</i>						
<i>Earina mucronata</i> (perching orchid)						
<i>E. autumnalis</i> (perching orchid)						
<i>Eleocharis acuta</i> (sharp spike sedge)	x			x		x
<i>E. gracilis</i> (slender spike sedge)	x				x	x
<i>Gahnia setifolia</i>						
<i>Isachne globosa</i>						x

A. INDIGENOUS PLANTS OF CATCHMENT	LAKES					
	1	2	3	4	5	6
<i>Isolepis nodosa</i> (club sedge)						
<i>I. prolifer</i>	x		x			
<i>I. reticularis</i>						x
<i>Juncus australis</i> (wiwi)						
<i>J. distegus</i> (wiwi)		x				x
<i>J. gregiflorus</i> (wiwi)	x	x	x	x	x	x
<i>J. pallidus</i>						x
<i>J. planifolius</i>	x					
<i>J. sarophorus</i> (wiwi)	x	x	x			x
<i>Lemna</i> sp (<i>L. minor</i> auct. NZ) (duckweed)	x		x	x	x	x
<i>Luzula picta</i> s.s. (woodrush)						
<i>Machaerina sinclairii</i> (tuhara)						
<i>Microlaena avenacea</i> (bush ricegrass)						
<i>M. stipoides</i> (meadow ricegrass)						
<i>Microtis unifolia</i> (onion-leaved orchid)	x					
<i>Phormium cookianum</i> (wharariki, mountain flax)		x				
<i>P. tenax</i> (harakeke, NZ flax)						x
<i>Poa anceps</i> ssp. <i>anceps</i>						
<i>Potamogeton ochreatus</i> CHR						x
<i>Pterostylis alobula</i> (greenhood orchid)						
<i>P. banksii</i> (?) (greenhood orchid)						
<i>Rytidosperma gracile</i> (danthonia)						
<i>Schoenoplectus tabernaemontani</i>						x
<i>Schoenus maschalinus</i>						
<i>Thelymitra longifolia</i> (sun orchid)						
<i>Triglochin striatum</i>	x					
<i>Typha orientalis</i> (raupo)	x	x	x	x	x	x
<i>Uncinia banksii</i> (fine hookgrass) CHR						
<i>U. scabra</i> (hookgrass) CHR						
<i>U. uncinata</i> (hookgrass)						

A. INDIGENOUS PLANTS OF CATCHMENT	LAKES					
	1	2	3	4	5	6
<i>U. sp [U. rupestris/U. zotovii]</i> (hookgrass)						
<i>Winika cunninghamii</i> (lady's slipper orchid)						
Dicot Herbs						
<i>Acaena anserinifolia</i> (bidibidi)	x					x
<i>Anaphalioides subrigida</i>	x		x			x
<i>Callitrichie petriei</i> CHR						x
<i>Cardamine</i> sp. (<i>C. debilis</i> agg.) (bittercress)						*
<i>Centella uniflora</i>			x			
<i>Cotula coronopifolia</i> (batchelors button)			x			x
<i>Dichondra</i> sp. [<i>D. brevifolia</i> agg.]						
<i>Drosera binata</i> (forked sundew)	x					
<i>Elatostema rugosum</i> (parataniwha)			x			
<i>Epilobium insulare</i> (willow herb)	x		x			x
<i>E. komarovianum</i> (willow herb)						
<i>E. nummulariifolium</i> (willow herb)		x				
<i>E. pallidiflorum</i> (willow herb)	x	x	x			
<i>E. pedunculare</i> (willow herb)						
<i>E. rotundifolium</i>						
<i>Galium propinquum</i>						
<i>G. trilobum</i> (native swamp bedstraw) CHR	x	x		x		x
<i>Gnaphalium gymnocephalum</i> (cudweed)						
<i>G. involucratum</i> (cudweed)	x					x
<i>G. sphaericum</i> (cudweed)						
<i>Glossostigma elatinoides</i> CHR	x					x
<i>Gunnera monoica</i>						
<i>Haloragis erecta</i>						x
<i>Hydrocotyle heteromeria</i> (pennywort, waxweed)			x			*
<i>H. microphylla</i> (pennywort)	x					

A. INDIGENOUS PLANTS OF CATCHMENT	LAKES					
	1	2	3	4	5	6
<i>H. moschata</i> (hairy pennywort)	x					x
<i>H. novae-zeelandiae</i> s.s. (swamp pennywort) CHR	x	x	x	x		x
<i>H. pterocarpa</i> (swamp pennywort) CHR	x	x	x			x
<i>Hypericum japonicum</i>	x					x
<i>Lagenifera pumila</i>						
<i>Leptinella squalida</i>						
<i>Leptostigma setulosum</i>				x		*
<i>Limosella lineata</i>						x
<i>Mentha cunninghamii</i> (NZ mint) CHR	x		x			x
<i>Myriophyllum propinquum</i> (milfoil)	x		x			x
<i>M. triphyllum</i> (milfoil) CHR	x					x
<i>Nertera depressa</i>	x					
<i>Ourisia macrophylla</i> ssp. <i>diffusa</i>						x
<i>Oxalis exilis</i>						
<i>O. magellanica</i>						
<i>Parahēbe diffusa</i>						
<i>Polygonum salicifolium</i> (native willow weed)	x	x	x	x		x
<i>Pratia angulata</i>	x					x
<i>Pseudognaphalium</i> sp. [<i>Gnaphalium luteo-album</i> agg.]						
<i>Ranunculus reflexus</i> (bush buttercup)				x		
<i>R. sp.</i> [<i>R. amphitrichus</i> / <i>R. glabrifolius</i>]	x	x				
<i>Senecio minimus</i> (fireweed)		x				
<i>S. rufiglandulosus</i>						
<i>Stellaria decipiens</i> (native chickweed)						
<i>Urtica incisa</i> (herb nettle)						
<i>Wahlenbergia rupestris</i> (white harebell)						
Ferns						
<i>Adiantum cunninghamii</i> (maidenhair fern)						
<i>Anarthropteris lanceolata</i>						
<i>Asplenium bulbiferum</i> s.s.						

A. INDIGENOUS PLANTS OF CATCHMENT	LAKES					
	1	2	3	4	5	6
<i>A. flaccidum</i> (hanging spleenwort)						x
<i>A. oblongifolium</i> (hanging spleenwort)						
<i>A. polyodon</i>	x		x	x		x
<i>Azolla filiculoides</i> ssp. <i>rubra</i> (floating waterfern)	x		x	x		x
<i>Blechnum chambersii</i>	x				x	
<i>B. discolor</i> (crown fern)	x			x		
<i>B. filiforme</i> (climbing blechnum)				x		
<i>B. fluviatile</i>				x		*
<i>B. minus</i> (swamp kiokio)	x	x	x	x	x	x
<i>B. novae-zelandiae</i> (kiokio)						
<i>B. penna-marina</i>						
<i>Botrychium australe</i> (parsley fern)						
<i>Cardiomanes reniforme</i> (kidney fern)						
<i>Cyathea dealbata</i> (ponga)				x		
<i>C. medullaris</i> (mamaku)	x	x				
<i>C. smithii</i> (soft tree fern)						
<i>Dicksonia fibrosa</i> (wheki-ponga)	x					
<i>D. squarrosa</i> (wheki)	x			x	x	x
<i>Grammitis ciliata</i>						
<i>Diplazium australe</i>		x		x		x
<i>Histiopteris incisa</i> (waterfern)				x	x	
<i>Hymenophyllum demissum</i> (filmy fern)						
<i>H. sanguinolentum</i> (filmy fern)	x		x	x		
<i>Hypolepis ambigua</i>	x		x	x	x	*
<i>Lastreopsis glabella</i>						
<i>L.hispida</i>						
<i>Leptopteris hymenophylloides</i>						
<i>Lindsaea trichomanoides</i>						
<i>Microsorum pustulatum</i> (hound's tongue)					x	x
<i>M. scandens</i>						

A. INDIGENOUS PLANTS OF CATCHMENT	LAKES					
	1	2	3	4	5	6
<i>Paesia scaberula</i> (ring fern)	x	x		x	x	x
<i>Pellaea rotundifolia</i>				x		
<i>Pneumatopteris pennigera</i>					x	
<i>Pteridium esculentum</i> (bracken)	x					
<i>Pteris pendula</i> [<i>P. macilenta</i> of NZ authors]	x			x	x	
<i>P. tremula</i>						
<i>Pyrrosia eleagnifolia</i> (leatherleaf fern)						x
<i>Rumohra adiantiformis</i>						
<i>Trichomanes venosum</i> (filmy bristle fern)						
Fern Allies						
<i>Lycopodium varium</i> (hanging clubmoss)						
<i>L. volubile</i> (climbing clubmoss)						
<i>Tmesipteris elongata</i>						
<i>T. tannensis</i>						

B. EXOTIC PLANTS OF THE LAKE WETLANDS	LAKES					
	1	2	3	4	5	6
Dicot Herbs						
<i>Bidens frondosa</i> (beggars ticks)						x
<i>Callitricha stagnalis</i> (starwort)	x		x	x		x
<i>Cirsium palustre</i> (marsh thistle)	x			x		x
<i>Digitalis purpurea</i> (foxglove)	x	x			x	
<i>Galium palustre</i> (marsh bedstraw)						x
<i>Leontodon taraxacoides</i>	x					x
<i>Lotus peduncularis</i> (lotus major)	x	x	x	x	x	x
<i>Ludwigia palustris</i> (water purslane)	x					x
<i>Mentha pulegium</i> (penny royal)	x	x	x	x	x	x
<i>Mimulus moschatus</i> (hairy musk)	x			x	x	x
<i>Myosotis laxa</i> (water forget-me-not)	x	x	x	x		x
<i>Nymphaea alba?</i> (water lily)	x					x
<i>Polygonum hydropiper</i> (water pepper)	x	x	x			x
<i>Prunella vulgaris</i> (selfheal)	x				x	*
<i>Ranunculus repens</i> (creeping buttercup)	x		x	x	x	x
<i>Rorippa microphylla</i> (watercress)	x		x	x		x
<i>Sonchus oleraceus</i> (puwha)				x		
<i>Stellaria media</i> (chickweed)		x				
S. sp. [S. <u>alsine</u> ?] (swamp chickweed)	x		x	x		*
<i>Trifolium repens</i> (white clover)						x
Monocot herbs						
<i>Agrostis capillaris</i> (browntop)	x					
<i>A. stolonifera</i> (creeping bent)	x				x	x
<i>Anthoxanthum odoratum</i> (sweet vernal)	x					
<i>Festuca arundinacea</i> (tall fescue)	x				x	x
<i>Glyceria</i> sp. [<i>G. declinata</i> ?] (floating sweetgrass)					x	x
<i>Holcus lanatus</i> (Yorkshire fog)	x	x		x	x	x

B. EXOTIC PLANTS OF THE LAKE WETLANDS	LAKES					
	1	2	3	4	5	6
<i>Isolepis sepulcralis</i>				x		x
<i>Juncus articulatus</i> (jointed-leaved rush)	x		x	x		x
<i>J. effusus</i> (wiwi)	x			x		x
<i>Ottelia ovalifolia</i> (swamp lily)	x			x		
<i>Potamogeton crispus</i> (curled pondweed)						x
<i>Spirodela punctata</i> (purple-backed duckweed)	x		x	x		
FERN ALLY						
<i>Equisetum arvense</i> (horsetail) CHR						x